

SIGILLVM · VNIVERSITATIS · CALIFORNENSIS  
EUREKA  
MDCCCLXVIII

EX LIBRIS







Digitized by the Internet Archive  
in 2007 with funding from  
Microsoft Corporation



A LABORATORY HAND-BOOK  
FOR DIETETICS

•The  Co. •



# A LABORATORY HAND-BOOK FOR DIETETICS

BY

MARY SWARTZ ROSE, PH.D.

ASSISTANT PROFESSOR, DEPARTMENT OF NUTRITION,  
TEACHERS COLLEGE, COLUMBIA UNIVERSITY

UNIVERSITY OF  
COLUMBIA

New York  
THE MACMILLAN COMPANY  
LONDON: MACMILLAN & CO., LTD.  
1917

TR 74 repl  
339705

COPYRIGHT, 1912,  
BY THE MACMILLAN COMPANY.

Set up and electrotyped. Published November, 1912. Reprinted  
February, July, 1913; February, September, 1914; July, December,  
1915; August, 1916; January, August, 1917.

TO THE  
LIBRARY OF THE  
MACMILLAN COMPANY

## PREFACE.

INVESTIGATIONS into the quantitative requirements of the human body have progressed so far as to make dietetics to a certain extent an exact science, and to emphasize the importance of a quantitative study of food materials. It is the purpose of this little book to explain the problems involved in the calculation of food values and food requirements, and the construction of dietaries, and to furnish reference tables which will minimize the labor involved in such work without limiting dietary study to a few food materials.

Only brief statements of the conditions affecting food requirement have been made, the reader being referred to general textbooks on the subject of nutrition for fuller information, but such data have been included as seem most useful in determining the amount of food for any normal individual under varying conditions of age and activity.

Most of the available information in regard to food values is in terms of percentage composition, or of a single unit, as the 100-Calorie portion or the individual serving. The two latter are very useful, but too limited in scope and too inelastic in form to serve the needs of the general student. The former involves calculations which are always tedious and rob the student of time for a more comprehensive comparative study of food values. To lighten this labor, tables are included, giving the food values for the 100-Calorie Portion, which is taken as the Standard Portion in the sense that it serves as a convenient unit in building up a day's ration to yield a stated number of Calories; for the gram, which is the unit of weight for all scientific workers; for the ounce, the common unit of the small family group; and for the pound, the unit of the large family or institutional group. These tables have been in practical use for several years in the author's classes, and their value in relieving the student of monotonous clerical labor has been demonstrated.

While it is desirable to encourage the use of labor-saving devices, the student of dietetics ought to know the processes involved

in dietary calculation, for these must be applied frequently in estimation of the food values of mixtures of food materials. Experience has shown that every step must be explained in detail, and no apology is offered for the exceeding simplicity of some of the problems presented.

No attempt has been made to give measures corresponding to different weights of food materials, because this is properly a part of laboratory work in dietetics, and ample space has been provided for records of original observations. Such data must always be used with caution, for there is great diversity in the capacity of measuring vessels unless officially standardized, and much more in foods of different qualities, localities, and seasons.

The author gratefully acknowledges the helpful criticism of Professor Henry C. Sherman in the preparation of this work.

# TABLE OF CONTENTS.

## PART I.

	Page.
FOOD VALUES AND FOOD REQUIREMENT.....	1
The Composition of Food Materials.....	1
The Functions of Food.....	5
Food as a Source of Energy.....	5
Food as Building Material.....	6
Food in the Regulation of Body Processes.....	7
Food Requirement.....	7
The Energy Requirement of Normal Adults.....	7
The Energy Requirement of Children.....	10
The Energy Requirement of the Aged.....	13
The Protein Requirement.....	14
The Fat and Carbohydrate Requirement.....	15
The Ash Requirement.....	16

## PART II.

PROBLEMS IN DIETARY CALCULATION.....	17
Studies in Weight, Measure and Cost of Some Common Food Materials.....	17
Relation Between Percentage Composition and Weight..	51
Calculation of the Fuel Value of a Single Food Material	52
Calculation of the Weight of a Standard or 100-Calorie Portion .....	53
Food Value of a Combination of Food Materials.....	54
Distribution of Foodstuffs in a Standard Portion of a Single Food Material.....	55
Calculation of a Standard Portion of a Combination of Food Materials.....	56
Analysis of a Recipe.....	58
Modification of Cows' Milk to a Required Formula....	59
Calculation of the Percentage Composition of a Food Mixture.....	61
The Calculation of a Complete Dietary.....	62
Scoring of the Dietary.....	68

## PART III.

	Page.
REFERENCE TABLES . . . . .	71
Refuse in Food Materials . . . . .	71
Conversion Tables—Grams to Ounces . . . . .	73
Conversion Tables—Ounces to Grams . . . . .	74
Conversion Tables—Pounds to Grams . . . . .	74
Food Values in Terms of Standard Units of Weight . . .	75
Ash Constituents in Percentages of the Edible Portion	109
Ash Constituents in Standard or 100-Calorie Portions	113

## APPENDIX.

THE EQUIPMENT OF A DIETETICS LABORATORY . . . . .	116
---	-----

**A LABORATORY HAND-BOOK  
FOR DIETETICS**





## PART I.

### FOOD VALUES AND FOOD REQUIREMENT.

#### THE COMPOSITION OF FOOD MATERIALS.

THE nutritive value of any food material depends largely upon its chemical composition. Through food must be supplied all the elements which enter into the structure of the living body, which afford energy for its activities, and which so regulate the vital processes as to produce that harmonious interaction which means health. The chief elements which food must furnish are carbon, hydrogen, oxygen, nitrogen, sulphur, phosphorus, iron, sodium, potassium, calcium, magnesium, and chlorine. The body can use these elements only in the form of certain definite compounds; charcoal and diamonds are forms of carbon, but no one would take them for food. The most important combinations of elements available for the welfare of the body are shown in the following table:

Carbon	}	forming <b>Carbohydrates.</b>
Hydrogen		
Oxygen		
Carbon	}	forming <b>Fats.</b>
Hydrogen		
Oxygen		
Carbon	}	forming <b>Proteins.</b>
Hydrogen		
Oxygen		
Nitrogen		
Sulphur		
Phosphorus (sometimes)		
Hydrogen	}	forming <b>Water.</b>
Oxygen		
Sulphur	}	forming <b>Ash Constituents,</b> which exist partly as mineral salts and partly in combination with carbohydrates, fats, proteins and other organic com- pounds.
Phosphorus		
Chlorine		
Sodium		
Potassium		
Calcium		
Magnesium		
Iron		

With the exception of water, which can be supplied independently of other substances in such quantities as may be necessary, the essential constituents of food are proteins, fats, carbohydrates, and ash constituents.

In case of many food materials, there is more or less inedible material, such as the rind of fruits, the shells of nuts, bone, connective tissue, and sometimes fat in meat, which is discarded as refuse. It is customary for food analysts to report their findings on a food which contains refuse in two ways:

1. AS PURCHASED, the amount of material which is ordinarily rejected being included in the total weight on which the percentage of each constituent is calculated.

2. EDIBLE PORTION, the refuse being entirely discarded before taking the weight on which the calculations are made.

A single example will serve to make this clear. An average banana, weighing about five and one-half ounces, will lose on peeling nearly two ounces, or approximately thirty-five per cent of its original weight. The total weight of each of the foodstuffs in such a banana is as follows:

Water, ounces	Protein, ounces	Fat, ounces	Carbohydrate, ounces	Ash, ounces
2.69	0.04	0.02	0.79	0.03

If these values are expressed in percentages of the original weight of the unpeeled fruit (5.5 ounces), the results are reported "As Purchased":

Refuse,* per cent	Water, per cent	Protein, per cent	Fat, per cent	Carbohydrate, per cent	Ash, per cent
35.0	48.9	0.8	0.4	14.3	0.6

If they are expressed in terms of the peeled fruit (3.57 ounces), the results appear somewhat different, and are reported as "Edible Portion":

Refuse, per cent	Water, per cent	Protein, per cent	Fat, per cent	Carbohydrate, per cent	Ash, per cent
—	75.1	1.1	0.6	22.1	0.8

In which of the above ways food values shall be expressed is merely a matter of convenience, provided the amount of refuse is not far

\* The average per cent of refuse in a number of the more common food materials is shown in Table XV.

from the average. A greater degree of accuracy as to nutritive value is insured by first removing the inedible portion, and then basing calculations on the weight of edible substance, but it must be borne in mind that the refuse affects estimations of cost made in this way. Thus if three bananas are purchased for five cents, and are found to weigh one pound in their skins, the weight of edible material will be about ten ounces; at the rate of ten ounces for five cents, the cost per pound of edible material will be nearly eight cents. Knowing the percentage of refuse, we can convert the weight of edible material into weight as purchased by the following proportion:

Weight of edible portion : Per cent of edible portion ::  $x$  : 100.  
 $x$  = weight of material as purchased.

Thus, in the case above,

Weight of edible portion    Per cent of edible portion

10.4 ounces                    :                    65                    ::  $x$  : 100.

$x$  = 16 (ounces of material as purchased).

WATER is present in all food materials, with the exception of a few pure fats, sugars and starches. The amount may be anywhere from two to ninety-five per cent, crackers averaging about seven per cent, bread about thirty-five per cent, most meats from sixty to seventy-five per cent, and fresh fruits and vegetables from seventy-five to ninety-five per cent. Since water can be added to the diet without cost, its presence or absence is most significant from the economic standpoint. A pound of fresh tomatoes and one of rolled oats can often be bought for the same price, but the tomatoes will contain fifteen ounces of water and one ounce of dry matter, whereas the oats will furnish fifteen ounces of dry matter and one ounce of water; in other words, the dry matter in the tomatoes in this case may cost eighty cents per pound, while that in rolled oats costs five and one-third cents per pound.

PROTEIN is not determined directly, but is estimated from the amount of nitrogen which the given material contains. The average amount of nitrogen in protein is estimated as about sixteen per cent. If we assume that sixteen parts of nitrogen correspond to one hundred parts of protein, then for one part of nitrogen, there will be six and one-fourth parts of protein. Analyses made

in this way report the crude protein as " $N \times 6.25$ ." This method is not strictly accurate for two reasons; first, because the nitrogen present may not be altogether in the form of true proteins, but partly as simpler compounds of lower value; second, because individual proteins differ considerably in the per cent of nitrogen which they contain, some having as low as fifteen per cent, and a number having seventeen to eighteen per cent. Hence, to secure strict accuracy, different factors are needed for the different food materials; but inasmuch as calculations of food values made on average analyses are only approximately correct in any given case, the convenient factor 6.25 has been widely adopted, and is satisfactory if it be borne in mind that estimations of protein in food materials made in this way tend to indicate somewhat more protein than is probably available to the body. For such reasons as these, it is customary in experimental work, to compare the intake and output of nitrogen rather than to try to express that in food in terms of protein.

FAT is determined by extraction of the food material with ether, and hence is more accurately designated "ether extract." Besides true fat and fatty acids, this extract may contain other acids, waxes, coloring matter or other substances. Thus the amount of fat is exaggerated, especially in some food materials low in fat, such as fresh fruits and green vegetables, in which as much as fifty per cent of the ether extract may be substances other than fat. In cases where the amount of fat is relatively greater, errors due to this cause are practically negligible.

CARBOHYDRATES, as ordinarily reported, are estimated "by difference," that is, by subtracting the sum of the percentages of protein, fat, ash and water from one hundred. Here again, the results are only approximately accurate, partly because all the errors in the other estimations are charged against the carbohydrates, and partly because carbohydrates may be included which are not available for food, as woody fiber and certain gums.

ASH is obtained by burning off all the combustible substances and weighing the residue. It is chiefly significant in showing what proportion of a dry foodstuff is not available for fuel; consequently reports of total ash are not very important in dietary calculation. The nature of the mineral matter is, however, a matter of considerable importance, and while it is not necessary to calculate

the total amount of each of the different mineral constituents in every dietary, familiarity with their distribution in food materials should be acquired by frequent reference to such data as in Tables XX and XXI.

### THE FUNCTIONS OF FOOD.

The human body is a working machine, for which the fuel is food; it is an aggregation of living cells in which chemical changes are continually occurring, old material being thrown out to be replaced by new, which must be obtained from food; it is an organism capable of building itself up from a single cell by conversion of food into body substance. It cannot, however, perform these functions without the proper balance of chemical compounds in all its tissues and fluids, and these compounds must be derived from a well-balanced diet. It may be said, therefore, that food has three important functions; namely, to supply energy; to build body substance; and to regulate body processes.

### FOOD AS A SOURCE OF ENERGY.

Proteins, fats and carbohydrates have the great common function of supplying the body with energy, which is the *power to do work*. This power is manifested in various ways, such as motion, heat, light, chemical or electrical activity. Our bodies are energy-transformers; their sole source of energy is food, and the most important result of the changes which foods undergo in the body is the evolution of energy in the form of work or heat. The work may be *internal*, as that of digestion, respiration, circulation, and muscular tension; or *external*, as in walking, running, or other muscular activity; the heat is chiefly a by-product of these various forms of work, but under certain circumstances, when heat loss is very rapid, energy may be converted into this form, to maintain the normal body temperature.

Since energy is easily transformed into heat, and this form is readily measured, a heat unit, the Calorie, has been adopted as the most convenient measure of energy. One Calorie is the amount of heat required to raise one kilogram (2.2 pounds) of water one degree Centigrade, or one pound of water four degrees Fahrenheit. Expressed in terms of work, it represents that required to lift one pound through the distance of 3087 feet or 3087 foot-pounds.

The total energy value of each of the fuel foodstuffs (proteins, fats, and carbohydrates) has been determined by burning it in a calorimeter in pure oxygen, under such conditions that all the heat evolved is taken up by water surrounding the vessel in which the combustion occurs, and the increase in the temperature of the water measured by a delicate thermometer. In the body, combustion of protein is not quite so complete as in the calorimeter, and there are usually some losses due to failure of complete digestion of each kind of foodstuff, so that the available energy is somewhat less than the total energy value. In a healthy human being, on an ordinary mixed diet, the fuel value of each foodstuff is on the average as follows:\*

Protein, 4 Calories per gram,

Fat, 9 Calories per gram,

Carbohydrate, 4 Calories per gram.

Knowing the percentage composition of any food material, it is possible by means of these factors to compute its probable yield of energy to the body, as illustrated in Problem III, page 52.

#### FOOD AS BUILDING MATERIAL.

During the period of growth, which extends over the first twenty-five years of life, the body increases in weight usually from fifteen to twenty times. The source of the new body substance is food. In adult life, growth ceases, except in special cases, as when the body tissues have been depleted through disease or accident or where unusual exercise or pregnancy induces muscle formation; but in all living substance there is a constant loss of old material, to be replaced by new, small in amount, but essential to life. Hence there is never a time when building material can be dispensed with entirely, though it becomes less prominent after maturity. The foodstuffs which play a specific rôle in body building are the proteins and certain ash constituents, the most important being phosphorus, iron, and calcium.

Protein supplies nitrogen, essential for the protoplasm of all active cells and especially for the making of muscle. It is also a source of sulphur for body protein.

\* Most of the calculations of fuel value previously made are slightly higher than those in this book, owing to the use of Rubner's factors (protein 4.1, fat 9.3, carbohydrate, 4.1) which are now known to allow too little for losses in digestion.

Phosphorus, like nitrogen, is essential to the development of every cell. It is also one of the chief elements giving rigidity to the bones. It occurs in chemical combination with protein and fat in milk and eggs, as simpler organic compounds in grains and legumes, and chiefly as inorganic salts in meat, fish, fruits and green vegetables. The organic forms, especially phospho-proteins and phospho-fats, seem to be used to the best advantage in body-building.

Iron is an essential element of the hemoglobin of the blood, and of all cell nuclei. Oxidation and cell development are therefore dependent on its presence. Food iron is in the form of iron-protein compounds, found especially in egg yolk, green vegetables, fruits, legumes and whole grains.

Calcium as building material is found chiefly in the bones, and teeth. It occurs in food in combination with protein, as in milk, or as inorganic salts in whole grains, legumes, fruits and vegetables.

#### FOOD IN THE REGULATION OF BODY PROCESSES.

The chief constituents of food participating in the regulation of body processes are the ash constituents and water.

The most important mineral elements besides phosphorus, iron, calcium and sulphur, are magnesium, potassium, sodium and chlorine. Upon the presence of the salts formed by these elements depend the neutrality of the blood, the acidity or alkalinity of the digestive juices, the solvent power and osmotic pressure of different body fluids, and the elasticity and irritability of nerve and muscle. They form such combinations as tend to protect the body against harmful substances when present, and to aid in their elimination.

#### FOOD REQUIREMENT.

##### THE ENERGY REQUIREMENT OF NORMAL ADULTS.

The first requirement of the body is for energy to replace that lost in its constant internal work, and more or less irregular and variable external work. The greater the amount of muscular work, the higher the energy requirement. By use of the following tables it is possible to determine with considerable accuracy the energy requirement of any adult.\* Tables I and II give the aver-

\* For detailed discussion of the factors influencing the energy requirement, and interpretation of the terms indicating different degrees of muscular activity consult Sherman's *Chemistry of Food and Nutrition*; Lusk's *Science of Nutrition*; or Von Noorden's *Metabolism and Practical Medicine*.

TABLE I.

SYMONDS'S TABLE OF HEIGHT AND WEIGHT FOR MEN AT DIFFERENT AGES.\*  
(Based on 74,162 accepted applicants for life insurance.)

Ages	15-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69
5 ft. 0 in.	120	125	128	131	133	134	134	134	131	
1 "	122	126	129	131	134	136	136	136	134	
2 "	124	128	131	133	136	138	138	138	137	
3 "	127	131	134	136	139	141	141	141	140	140
4 "	131	135	138	140	143	144	145	145	144	143
5 "	134	138	141	143	146	147	149	149	148	147
6 "	138	142	145	147	150	151	153	153	153	151
7 "	142	147	150	152	155	156	158	158	158	156
8 "	146	151	154	157	160	161	163	163	163	162
9 "	150	155	159	162	165	166	167	168	168	168
10 "	154	159	164	167	170	171	172	173	174	174
11 "	159	164	169	173	175	177	177	178	180	180
6 ft. 0 "	165	170	175	179	180	183	182	183	185	185
1 "	170	177	181	185	186	189	188	189	189	189
2 "	176	184	188	192	194	196	194	194	192	192
3 "	181	190	195	200	203	204	201	198		

\* Medical Record, Sept. 5, 1908.

TABLE II.

SYMONDS'S TABLE OF HEIGHT AND WEIGHT FOR WOMEN AT DIFFERENT AGES.\*  
(Based on 58,855 accepted applicants for life insurance.)

Ages	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64
4 ft. 11 in.	111	113	115	117	119	122	125	128	128	126
5 " 0 "	113	114	117	119	122	125	128	130	131	129
1 "	115	116	118	121	124	128	131	133	134	132
2 "	117	118	120	123	127	132	134	137	137	136
3 "	120	122	124	127	131	135	138	141	141	140
4 "	123	125	127	130	134	138	142	145	145	144
5 "	125	128	131	135	139	143	147	149	149	148
6 "	128	132	135	137	143	146	151	153	153	152
7 "	132	135	139	143	147	150	154	157	156	155
8 "	136	140	143	147	151	155	158	161	161	160
9 "	140	144	147	151	155	159	163	166	166	165
10 "	144	147	151	155	159	163	167	170	170	169

\* McClure's Magazine, Jan. 1909.

age weight in proportion to height, for men and women of different ages, and Tables III, IV, V and VI afford data for calculating the energy requirement according to this weight. Thus a man weighing 70 kilograms, at light exercise, will require 2450-2800 Calories according to Table III, or if we state his day's activity more definitely, assuming that he sleeps 7 hours, works at his desk 10 hours, does exercise equivalent to walking 7 hours, we may then calculate his requirement according to Table IV:



Sleeping, 7 × 65 Calories =	455 Calories.
Sitting, 10 × 100 Calories =	1000 Calories.
Walking, 7 × 170 Calories =	1190 Calories.
Total for day,	2645 Calories.

This corresponds very well with our previous estimate, and with Atwater's average for a sedentary occupation, Table V.

If the subject under consideration is an adult of normal physique but weighs more or less than 70 kilograms, the total energy requirement is calculated as proportional to weight. Thus for a person of 55 kilograms (man or woman), with the same degree of activity, the proportional energy requirement would be 2078 Calories. In the strictest sense the smaller subject would probably have a somewhat larger energy output per unit of weight, as metabolism is more nearly proportional to surface than to weight.

TABLE III.

VON NOORDEN'S ALLOWANCE PER KILOGRAM FOR NORMAL NUTRITION OF YOUNG AND MIDDLE AGED ADULTS.

At complete rest.....	30-35 Calories per kilogram per day.
With light exercise.....	35-40 Calories per kilogram per day.
With moderate exercise.....	40-45 Calories per kilogram per day.
With hard muscular labor.....	45-60 Calories per kilogram per day.

TABLE IV.

ATWATER AND BENEDICT'S HOURLY FACTORS.\*

Man sleeping.....	65 Calories per hour.
Man sitting at rest.....	100 Calories per hour.
Man at light muscular exercise.....	170 Calories per hour.
Man at active muscular exercise.....	290 Calories per hour.
Man at severe muscular exercise.....	450 Calories per hour.
Man at very severe muscular exercise.....	600 Calories per hour.

\* Calculated for the average man weighing 70 kilograms (154 pounds).

TABLE V.

ATWATER'S ESTIMATE ACCORDING TO DEGREE OF MUSCULAR ACTIVITY.\*

Man at moderately active muscular work (like carpenter or mason).....	3400 Calories.
Man at hard muscular work (1.2 the food of a man moderately active).....	4080 Calories.
Man at light muscular work (0.9 the food of a man moderately active).....	3060 Calories.

Man at sedentary occupation.....	} 2720 Calories.
Woman at moderately active work (0.8 the food of a man moderately active).....	
Woman at light work (0.7 the food of a man moderately active).....	2380 Calories.

\* Calculated for the average man weighing 70 kilograms (154 pounds) and the average woman weighing 56 kilograms (123 pounds).

TABLE VI.

TIGERSTEDT'S ESTIMATE ACCORDING TO OCCUPATION.\*

Occupation	Calories per Day
Shoemaker.....	2001-2400
Weaver.....	2401-2700
Carpenter or mason.....	2701-3200
Farm laborer.....	3201-4100
Excavator.....	4101-5000
Lumberman.....	Over 5000

\* Calculated for a man of average weight, 70 kilograms or 154 pounds.

### THE ENERGY REQUIREMENT OF CHILDREN.

The energy requirement of children is higher in proportion to body weight than that of adults. In youth the metabolism is more intense and there is a great storage of food materials in the body in the process of growth, as is evident from the fact that a baby doubles in weight in the first 180 days of life. The muscular activity of children is also frequently greater than that of adults, so that their food requirement may be increased further in this way.

To calculate the energy requirement of any child, it is necessary to know the requirements per unit of weight at different stages of growth, *i. e.*, different ages, and the weight of the normal child at corresponding periods. Such data will be found in Tables VII-XI. Thus a normal boy, five years old, 42 inches high, should weigh 41 pounds or 18.6 kilograms, and will require at least 80 Calories per kilogram, making a total per day of 1488 Calories. With more than moderate activity, as much as 90 Calories per kilogram may be required, a total of 1674 per day.

If a child is below normal weight, he should not be fed according to his present weight, but regarded as undernourished and treated as nearly as possible in harmony with what his weight ought to be. Standards for children should in general be considered as representing the minimum rather than the maximum food requirement.

TABLE VII.

AVERAGE ENERGY REQUIREMENT OF CHILDREN PER KILOGRAM OF BODY WEIGHT

Age in Years	Calories per Kilogram
Under 1	100
1-2	100-90
2-5	90-80
6-9	80-70
10-13	70-60
14-17	60-45

TABLE VIII.

AVERAGE TOTAL ENERGY REQUIREMENT OF CHILDREN.

Age in Years	Total Calories
1-2	900-1200
2-5	1200-1500
6-9	1400-2000
10-13	1800-2200
14-17 { girls	2200-2600
{ boys	2500-3000

TABLE IX.

AVERAGE WEIGHTS OF CHILDREN FROM BIRTH TO THE FIFTH YEAR.\*

Age	Weight	
	Pounds	Kilograms
At birth.....	7.5	3.4
6 months.....	15.0	6.8
1 year.....	21.0	9.5
2 years { boys.....	30.3	13.8
{ girls.....	29.2	13.3
3 years { boys.....	34.9	15.9
{ girls.....	33.1	15.0
4 years { boys.....	37.9	17.2
{ girls.....	36.3	16.5

\* Sill, New York Medical Journal, January 14, 1911, p. 70 (from tables by Koplik).

TABLE X.

AVERAGE WEIGHT AND HEIGHT OF BOYS AT DIFFERENT AGES.\*

The figures represent weight in pounds.

Ht. In.	5 Yrs.	6 Yrs.	7 Yrs.	8 Yrs.	9 Yrs.	10 Yrs.	11 Yrs.	12 Yrs.	13 Yrs.	14 Yrs.	15 Yrs.	16 Yrs.	17 Yrs.	18 Yrs.	19 Yrs.	20 Yrs.
39	35															
40	38	36														
41	39	39														
42	41	41														
43	42	42	42													
44	46	44	43													
45		46	46	45												
46		48	48	48												
47			49	50	50											
48			54	53	53	53										
49				54	55	55										
50				57	58	58										
51				59	60	60	61									
52					62	62	61	63								
53					62	65	65	67	67	67						
54					65	68	68	70	71	71						
55						69	71	75	75	76						
56						71	77	76	78	79	79					
57							77	79	80	82	82					
58							78	84	85	86	87					
59								84	86	90	91					
60								85	91	94	95	90				
61									98	97	99	96				
62									99	103	106	104	104			
63										100	107	112	110	118		
64											114	118	120	117	120	120
65											122	119	122	122	120	126
66												121	125	125	126	129
67												128	129	128	131	134
68												133	133	130	136	136
69												134	136	139	139	139
70												136	140	143	143	144
71													140	146	146	146
72															149	154
73																165

\* Taken from the Ninth Yearbook of the National Society for the Study of Education, Part I, *Health and Education*, by Thomas Denison Wood, A.M., M.D., 1910, with the permission of the author.

TABLE XI.

AVERAGE WEIGHT AND HEIGHT OF GIRLS AT DIFFERENT AGES.\*

The figures represent weight in pounds.

Ht. In.	5 Yrs.	6 Yrs.	7 Yrs.	8 Yrs.	9 Yrs.	10 Yrs.	11 Yrs.	12 Yrs.	13 Yrs.	14 Yrs.	15 Yrs.	16 Yrs.	17 Yrs.	18 Yrs.	19 Yrs.	20 Yrs.
39	34															
40	37	35														
41	38	37														
42	41	39	39													
43	41	41	42													
44	45	43	44	42												
45		45	45	45												
46		48	47	47												
47			50	49	49											
48				51	51											
49				53	53	54										
50				56	56	57										
51					59	58	60									
52					63	62	62	63								
53						64	63	66	65							
54						69	68	69	68							
55							70	71	73							
56							75	75	76	78						
57								78	80	83						
58								83	86	88	89					
59								88	89	93	97	100				
60								94	94	96	100	104	109	103	99	99
61									99	100	102	109	109	106	105	111
62									104	104	106	111	110	107	111	114
63										107	109	116	110	112	113	114
64										112	118	116	117	114	119	115
65										114	118	121	125	120	123	125

\* Taken from the Ninth Yearbook of the National Society for the Study of Education, Part I, *Health and Education*, by Thomas Denison Wood, A.M., M.D., 1910, with the permission of the author.

### THE ENERGY REQUIREMENT OF THE AGED.

In old age, the activity of the cells diminishes, decreasing the rate of metabolism and the amount of internal work. External work is usually less than in middle life, and the ability of the body to deal with an excess of food is lessened. For these reasons, the energy requirement per unit of weight gradually declines as old age comes on, usually after the 60th year, and sometimes earlier. While senility cannot be measured exactly in years, we may, for convenience, divide this period into three parts, (1) from 60 to 70; (2) from 70 to 80; (3) from 80 to the end of life, as a basis for estimating food requirements.

The energy requirement is most satisfactorily calculated by

using one of the methods suggested for obtaining the energy requirement of an adult\* when the weight of the individual is known and suitable allowance is made for lessened activity. After the requirement has been calculated as if for a middle aged person, a deduction should be made for the decreased metabolism according to the following table, adapted from suggestions by Von Noorden.

TABLE XII.

## VON NOORDEN'S REDUCTIONS IN ENERGY REQUIREMENT IN OLD AGE.

Age in Years	Per Cent of Reduction
60-70	10
70-80	20
80—	30

## THE PROTEIN REQUIREMENT.

The protein requirement cannot be stated with the same exactness as the energy requirement. We know that some proteins will support growth; others serve merely to maintain the body at constant weight, and still others will by themselves neither maintain nitrogen equilibrium nor support growth. It is necessary therefore to choose proteins with some care if we try to limit the amount very closely, especially in childhood when they are so important for growth; or to take food materials of many kinds, so that different types of protein are represented in the diet.

The total amount of protein required is independent of the amount of muscular activity. In the adult it depends rather upon the amount of active tissue in the body. In the case of an adult man of ordinary physique weighing seventy kilograms, while the energy requirement may vary from 2400 to 4000 Calories according to occupation, a protein supply of about one gram per kilogram of body weight per day will be adequate. In the child the requirement is much higher in proportion to weight, owing to the use of protein as building material, especially for the muscles. At the time of most rapid growth nature provides about two and one-half grams of protein per kilogram of body weight per day. This is about ten per cent of the fuel requirement per kilogram, and it will be observed that a man at moderately active work, taking one gram of protein per kilogram is also getting about ten per cent

\* Cf. Tables I-VI.

of his calories in the form of protein. In old age, when new body substance is not being built, the existing cells are less active, and the body is less capable of disposing of an excess, so that less than one gram per kilogram of body weight is needed, we find that there is also a decreased demand for total fuel, affording again a parallelism between energy and protein requirement. It seems safe to say therefore, that except at complete rest, from ten to fifteen per cent of the total fuel in the form of protein is sufficient for any age when the energy requirement is fully met.

When the protein in the diet is excessively high, it raises the metabolism without any beneficial and possibly with harmful effects. It is at least a wasteful excess, and should be avoided. On the other hand, while it is possible to satisfy the requirements for nitrogen with less than ten per cent of the fuel in the form of protein, such a supply does not afford much reserve for such emergencies as loss in digestion, or inability of the body to utilize to good advantage the type of protein supplied, and is usually inadvisable.

#### THE FAT AND CARBOHYDRATE REQUIREMENT.

Assuming that from ten to fifteen per cent of the total fuel is derived from protein in satisfying the nitrogen requirement of the body, the remainder of the daily fuel supply will have to be provided from carbohydrates and fats. The amount of fat which can be digested differs with the individual and the form in which it is taken, but the average man's maximum capacity for digestion of fat is about 200 grams per day. The amount of carbohydrates which can be taken to advantage depends largely upon the form, starch being capable of good digestion in amounts up to or even above 500 grams per day. The assimilation limits for sugar vary with the kind, but are lower than that for starch.

Under certain circumstances carbohydrates have a greater protein-sparing power than fats, but unless more than one-half of the total calories of the day's ration be derived from fats, the protein sparing action of a fat calorie or a carbohydrate calorie is practically the same. In the ordinary diet of a healthy individual the carbohydrates tend to predominate, so that there is no necessity for estimating fat and carbohydrate separately; the relative proportions will be determined largely by questions of

bulk and ease of digestion. In special cases it is sometimes necessary to calculate each separately, as in diabetes where the carbohydrate must be limited. The tables of food values will make these calculations comparatively simple.

#### THE ASH REQUIREMENT.

In a diet selected from a wide range of food materials, or a more limited one containing some kind of fruit and some green vegetable every day, and having milk as a prominent constituent, the needs of the individual for body-building and body-regulating ash constituents will probably be satisfactorily met. The ash requirement has not yet been determined with the same accuracy as the energy requirement, but there is abundant evidence that attention must be paid to the mineral elements of the diet, some of which are as important as protein even though needed in much smaller amounts. The ones which it seems most unwise to leave to chance are phosphorus, iron and calcium, diets which supply protein and fuel in adequate amounts not necessarily carrying a sufficiency of all of these. The quantities per day believed to be adequate for an average healthy man are as follows:

Phosphoric acid.....	2.75	grams
Calcium oxide.....	0.7	gram
Iron.....	0.015	gram

The calculation of the ash constituents is laborious, and inasmuch as the amounts required are comparatively small, it is simpler to see that the foods rich in these elements are well represented, *i. e.*, milk, eggs, whole grains, peas, beans, green vegetables and fruit, any excess of ash not being likely to do harm.

When for any reason there is scarcity of the above foods, or a diet especially rich in any particular ash constituent is desired, the quantitative estimations of the various elements may be made by means of Tables XX and XXI.



## PART II.

### PROBLEMS IN DIETARY CALCULATION.

#### PROBLEM I.

##### STUDIES IN WEIGHT, MEASURE AND COST OF SOME COMMON FOOD MATERIALS.

In the following table (XIII) are grouped those common food materials which are purchased and used by measure more frequently than by weight. The food values are given for all the customary units of weight, namely, the gram for scientific accuracy, the ounce for the small family and the pound for the larger institution, the data being calculated, unless otherwise stated, from Bulletin 28, Office of Experiment Stations, U. S. Department of Agriculture, using the Atwater factors for energy values. Since estimates of food values made on average proximate analyses cannot be absolutely accurate, the number of digits in this table (and in Table XIX) has been limited to one or two decimal places except on the gram, where the food values serve also to indicate the percentage composition as given in the original report. These can be used in cases where the closest concordance in results is desired.

For weighing the food materials, a Harvard Trip Scale with weights from one gram to one-half kilogram will be found most satisfactory, although any reliable household scale accurate to one-fourth ounce can be used. A number of standard or 100-Calorie portions of food materials representing the different classes of foodstuff should be weighed, carefully measured, and the result recorded in the blank space provided in the measure column of the tables. The total weight of the market unit, as the quart, can or package, should also be recorded in the blank space under the data on food values, and the cost of this and the 100-Calorie portion recorded in the cost column. Other useful data are the weight of one cupful or one tablespoonful, etc., of foods used by these measures in cookery, such as flour, sugar, butter, and milk. Comparison of the cost of 100-Calorie portions will give a true idea of

the relative economy of the different food materials as sources of fuel, and will save much time in dietary calculation. A complete record of a food material will appear as follows:

EXAMPLE OF A FOOD RECORD.

Food Material	S. P.	Weight			Protein, Grams	Fat, Grams	Carbohydrate, Grams	Fuel Value, Calories	Cost, Dollars	Measure
		lb.	oz.	gms.						
Bread, white, miscellaneous.				1	0.093	0.012	0.527	2.59		
			1		2.63	0.34	14.94	73.4	0.0041	
		1			42.18	5.44	239.05	1174	0.0666	
		1	1.36	38.6	3.6	0.46	20.39	100	0.0056	} 1 thick slice
		12.00	340.0	31.56	4.08	179.28	880	0.05	1 loaf	

TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.

Calculated principally from Bulletin 28, Office of Experiment Stations, U. S. Department of Agriculture.

A. P. denotes "as purchased."

E. P. denotes "edible portion."

S. P. denotes "standard" or "100-calorie" portion.

The Per Cent of Refuse in common food materials is given in Table XV.

When it is impractical to weigh certain food materials some idea of the relation between weight and measure may be gained by reference to tables in the following publications:

Flora Rose—Human Nutrition, Part I, Cornell University, 1909.

Locke—Food Values, New York, 1910.

Pattee—Practical Dietetics, New York, 1910.

Food Material	P. S.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Almonds, A. P.				1	0.115	0.302	0.095	3.56		
			1		3.26	8.56	2.69	100.9		
		1			52.16	136.96	43.09	1614		
		1	0.99	28.1	3.23	8.49	2.67	100		
Almonds, E. P.				1	0.210	0.549	0.173	6.47		
			1		5.95	15.56	4.90	183.5		
		1			95.25	249.03	78.47	2936		
		1	0.54	15.5	3.24	8.48	2.67	100		
Apples, dried, A. P.				1	0.016	0.022	0.661	2.91		
			1		0.45	0.62	18.74	82.4		
		1			7.25	9.93	299.83	1318		
		1	1.21	34.4	0.55	0.75	22.74	100		

TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	P. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Apples, fresh, A. P.				1	0.003	0.003	0.108	0.47		
			1		0.09	0.09	3.06	13.4		
	1				1.36	1.36	48.99	214		
	1	7.49	212.3		0.64	0.64	22.93	100		
Apples, fresh, E. P.				1	0.004	0.005	0.142	0.63		
			1		0.11	0.14	4.05	17.8		
	1				1.81	2.27	64.6	285		
	1	5.61	159.0		0.64	0.79	22.58	100		
Apricots, dried, A. P.				1	0.047	0.010	0.625	2.78		
			1		1.33	0.28	17.72	78.7		
	1				21.32	4.54	283.50	1260		
	1	1.27	36.0		1.69	0.36	22.50	100		
Apricots, fresh, A. P.				1	0.010		0.126	0.54		
			1		0.28		3.57	15.4		
	1				4.54		57.16	247		
	1	6.48	183.8		1.84		23.16	100		
Apricots, fresh, E. P.				1	0.011		0.134	0.58		
			1		0.31		3.80	16.4		
	1				4.99		60.78	263		
	1	6.08	172.4		1.89		23.10	100		

TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	A. P.	Weight			Protein, Grams	Fat, Grams	Carbohy- drate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Asparagus,				1	0.015	0.001	0.028	0.18		
canned,			1		0.43	0.03	0.79	5.1		
A. P.		1			6.80	0.45	12.70	82		
	1		19.49	552.5	8.29	0.55	15.47	100		
Asparagus,				1	0.018	0.002	0.033	0.22		
fresh,			1		0.51	0.06	0.93	6.3		
A. P.		1			8.16	0.91	14.96	101		
	1		15.89	450.5	8.10	0.90	14.85	100		
Bacon,				1	0.095	0.594		5.73		
smoked,			1		2.69	16.84		162.3		
A. P.		1			43.09	269.44		2597		
	1		0.62	17.5	1.66	10.37		100		
Bacon,				1	0.105	0.648		6.25		
smoked,			1		2.98	18.37		177.2		
E. P.		1			48.63	412.08		2836		
	1		0.56	16	1.68	10.37		100		
Bananas,				1	0.008	0.004	0.143	0.64		
A. P.			1		0.23	0.11	4.05	18.1		
		1			3.62	1.81	64.80	290		
	1		5.51	156.2	1.24	0.62	22.32	100		

TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—*Continued.*

Food Material	P. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Bananas E. P.				1	0.013	0.006	0.220	0.99		
			1		0.37	0.17	6.24	27.9		
		1			5.90	2.72	99.79	447		
		1	3.58	101.4	1.32	0.61	22.31	100		
Barley, pearled.				1	0.085	0.011	0.778	3.55		
			1		2.41	0.31	22.06	100.6		
		1			38.55	4.78	352.90	1610		
		1	0.99	28.2	2.38	0.31	21.78	100		
Beans, dried, A. P.				1	0.225	0.018	0.596	3.45		
			1		6.37	0.51	16.89	97.7		
		1			102.06	8.16	270.34	1564		
		1	1.02	29.0	6.53	0.52	17.30	100		
Beans, Lima, canned.				1	0.040	0.003	0.146	0.77		
			1		1.112	0.09	4.14	21.9		
		1			18.14	1.36	66.21	350		
		1	4.58	129.7	5.19	0.39	18.94	100		
Beans, Lima, dried.				1	0.181	0.015	0.659	3.50		
			1		5.13	0.43	18.68	99.1		
		1			82.10	6.80	298.92	1586		
		1	1.01	28.6	5.17	0.43	18.85	100		

TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	li oz	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approx- imate Measure
		lb.	oz.	gms.						
Beans,				1	0.032	0.003	0.099	0.55		
Lima,				1	0.91	0.09	2.81	15.6		
fresh,		1			14.52	1.36	44.91	250		
A. P.	1		6.40	181.5	5.81	0.54	17.96	100		
Beans,				1	0.071	0.007	0.220	1.23		
Lima,				1	2.02	0.20	6.24	34.8		
fresh,		1			32.21	3.17	99.79	557		
E. P.	1		2.88	81.5	5.79	0.57	17.93	100		
Beans,				1	0.021	0.003	0.069	0.39		
string,				1	0.59	0.09	1.96	11.0		
fresh,		1			9.52	1.36	31.30	176		
A. P.	1		9.11	258.4	5.43	0.78	17.83	100		
Beans,				1	0.023	0.003	0.074	0.42		
string,				1	0.65	0.09	2.10	11.8		
fresh,		1			10.40	1.36	33.60	189		
E. P.	1		8.50	241.0	5.54	0.72	17.83	100		
Beef, dried,				1	0.264	0.069		1.68		
salted,				1	7.48	1.96		47.5		
smoked,		1			119.75	31.30		760		
A. P.	1		2.11	59.7	15.74	4.11		100		

TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—*Continued.*

Food Material	P. sz	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Beef, dried, salted, smoked, E. P.				1	0.300	0.065	0.004	1.80		
			1		8.50	1.84	0.11	51.1		
		1			136.08	29.48	1.81	817		
		1	1.96	55.5	16.66	3.61	0.22	100		
Beef, roast, A. P.				1	0.236	0.277		3.44		
			1		6.69	7.85		97.4		
		1			107.05	125.64		1559		
		1	1.03	29.1	6.87	8.06		100		
Beef suet, A. P.				1	0.047	0.818		7.55		
			1		1.33	23.19		214.0		
		1			21.32	371.04		3425		
		1	0.47	13.2	0.62	10.83		100		
Beets, fresh, A. P.				1	0.013	0.001	0.077	0.37		
			1		0.37	0.03	2.18	10.6		
		1			5.90	0.45	34.93	167		
		1	9.56	271.0	3.52	0.27	20.87	100		
Beets, fresh, E. P.				1	0.016	0.001	0.097	0.46		
			1		0.45	0.03	2.75	13.1		
		1			7.26	0.45	44.00	209		
		1	7.66	217.1	3.47	0.22	21.10	100		



TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	L oz	Weight		Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approx- imate Measure
		lb.	oz.						
Black-berries, fresh, A. P.	1			1	0.013	0.010	0.109	0.58	
				1	0.37	0.28	3.09	16.4	
	1				5.89	4.54	49.44	262	
	1	6.10	173.0		2.25	1.73	18.85	100	
Bread, white, miscellaneous.	1			1	0.093	0.012	0.527	2.59	
				1	2.63	0.34	14.94	73.4	
	1				42.18	5.44	239.05	1174	
	1	1.38	39.0		3.60	0.46	20.39	100	
Butter.				1	0.010	0.850		7.69	
				1	0.28	24.09		217.9	
	1				4.54	385.56		3488	
	1	0.46	13.0		0.13	11.05		100	
Cabbage, A. P.				1	0.014	0.002	0.048	0.27	
				1	0.40	0.06	1.36	7.5	
	1				6.35	0.91	21.77	120.6	
	1	13.26	376.0		5.26	0.75	18.05	100	
Cabbage, E. P.				1	0.016	0.003	0.056	0.32	
				1	0.45	0.09	1.59	8.9	
	1				7.25	1.36	25.40	143	
	1	11.20	317.5		5.08	0.95	17.78	100	

TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—*Continued.*

Food Material	P. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approx- imate Measure
		lb.	oz.	gms.						
Carrots, A. P.				1	0.009	0.002	0.074	0.35		
			1		0.25	0.06	2.10	9.9		
		1			4.08	0.91	33.56	159		
	1		10.08	285.7	2.57	0.57	21.14	100		
Carrots, E. P.				1	0.011	0.004	0.093	0.45		
			1		0.31	0.11	2.64	12.8		
		1			4.99	1.81	42.18	205		
	1		7.80	221.2	2.43	0.88	20.55	100		
Cauli- flower, A. P.				1	0.018	0.005	0.047	0.31		
			1		0.51	0.14	1.33	8.7		
		1			8.16	2.27	21.32	138		
	1		11.57	327.9	5.91	1.64	15.41	100		
Celery, A. P.				1	0.009	0.001	0.026	0.15		
			1		0.26	0.03	0.74	4.2		
		1			4.08	0.45	11.79	68		
	1		23.67	671.1	6.04	0.67	17.45	100		
Celery, E. P.				1	0.011	0.001	0.033	0.19		
			1		0.31	0.03	0.93	5.2		
		1			4.98	0.45	14.97	84		
	1		19.07	540.6	5.94	0.54	17.84	100		

TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	P. oz.	Weight			Protein, Grams	Fat, Grams	Carbohy- drate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Cheese,				1	0.288	0.359	0.003	4.40		
Ameri-			1		8.16	10.18	0.09	124.0		
can pale,	1				130.64	162.84	1.35	1994		
A. P.	1	0.80	22.8		6.50	8.17	0.07	100		
Cheese,				1	0.187	0.274	0.015	3.27		
Neu-			1		5.30	7.78	0.42	92.8		
chatel,	1				84.82	124.30	6.80	1485		
A. P.	1	1.08	30.5		5.71	8.47	0.46	100		
Cherries,				1	0.009	0.008	0.159	0.74		
fresh,			1		0.25	0.23	4.51	21.1		
A. P.	1				4.08	3.63	72.12	338		
	1	4.74	134.4		1.21	1.08	21.37	100		
Cherries,				1	0.01	0.008	0.167	0.78		
fresh,			1		0.28	0.23	4.73	22.1		
E. P.	1				4.54	3.63	75.75	354		
	1	4.52	128.2		1.28	1.03	21.41	100		
Chocolate.				1	0.129	0.487	0.303	6.11		
			1		3.65	13.80	8.59	173.3		
	1				58.51	220.90	137.40	2772		
	1	0.58	16.4		2.11	7.97	4.95	100		

TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—*Continued.*

Food Material	oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Cocoa.				1	0.216	0.289	0.377	4.97		
			1		6.12	8.19	10.69	141.0		
		1			97.98	131.10	171.00	2256		
		1	0.71	20.1	4.34	5.81	7.58	100		
Cod, salt, boneless, A. P.				1	0.277	0.003		1.14		
			1		7.85	0.09		32.2		
		1			125.65	1.36		515		
		1	3.10	88.0	24.40	0.26		100		
Corn, canned.				1	0.028	0.012	0.190	0.98		
			1		0.79	0.34	5.39	27.8		
		1			12.70	5.44	86.19	445		
		1	3.60	102.0	2.86	1.23	19.39	100		
Corn, green, A. P.				1	0.012	0.004	0.077	0.39		
			1		0.34	0.11	2.18	11.1		
		1			5.44	1.81	34.93	178		
		1	9.00	255.1	3.06	1.02	19.64	100		
Corn, green, E. P.				1	0.031	0.011	0.197	1.01		
			1		0.88	0.31	5.58	28.7		
		1			14.06	4.98	89.36	459		
		1	3.49	99.0	3.06	1.09	19.49	100		

TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	P. ct.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Corn- meal, granular.				1	0.092	0.019	0.754	3.56		
			1		2.61	0.54	21.38	100.8		
		1			41.73	8.62	342.01	1613		
		1	0.99	28.1	2.59	0.53	21.20	100		
Corn- flakes, toasted.*				1	0.055	0.015	0.810	3.60		
			1		1.56	0.43	23.00	102.1		
		1			24.95	6.80	367.40	1631		
		1	0.99	27.8	1.53	0.42	22.53	100		
Corn- starch.				1			0.900	3.60		
			1				25.52	102.0		
		1					408.24	1632		
		1	0.99	27.8			25.0	100		
Crackers, graham.				1	0.100	0.094	0.738	4.20		
			1		2.84	2.66	20.92	119.0		
		1			45.36	42.64	334.76	1904		
		1	0.84	23.8	2.38	2.24	17.58	100		
Crackers, oyster.				1	0.113	0.105	0.705	4.22		
			1		3.20	2.98	19.98	119.6		
		1			51.26	47.63	320.10	1914		
		1	0.84	23.7	2.68	2.49	16.72	100		

\* Ont. Dept. of Agr., Bull. 162.

TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—*Continued.*

Food Material	P. ct	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Crackers, soda.				1	0.098	0.091	0.731	4.14		
			1		2.78	2.58	20.74	117.2		
		1			44.45	41.27	331.64	1875		
		1	0.85	24.2	2.37	2.20	17.68	100		
Cran- berries, A. P.				1	0.004	0.006	0.099	0.47		
			1		0.11	0.17	2.81	13.2		
		1			1.81	2.72	44.91	211		
		1	7.57	214.6	0.86	1.29	21.25	100		
Cream, thick, (40 %).				1	0.022	0.400	0.030	3.81		
			1		0.62	11.34	0.85	107.9		
		1			9.98	181.44	13.67	1727		
		1	0.93	26.3	0.58	10.47	0.78	100		
Cucum- bers, A. P.				1	0.007	0.002	0.026	0.15		
			1		0.20	0.06	0.74	4.3		
		1			3.17	0.91	11.79	68		
		1	23.53	666.7	4.67	1.33	17.33	100		
Cucum- bers, E. P.				1	0.008	0.002	0.031	0.17		
			1		0.23	0.06	0.88	4.9		
		1			3.63	0.91	14.06	79.0		
		1	20.28	574.8	4.60	1.15	17.82	100		

TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	P. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Currants, dried, (Zante), A. P.	1			1	0.024	0.017	0.742	3.22		
			1		0.68	0.48	21.04	91.2		
	1				10.89	7.71	336.58	1459		
	1	1.10	31.1		0.75	0.53	23.07	100		
Currants, fresh, A. P.				1	0.015		0.128	0.57		
			1		0.48		3.62	16.2		
	1				6.80		58.04	259		
	1	6.17	174.8		2.62		22.38	100		
Dates, dried, A. P.				1	0.019	0.025	0.706	3.13		
			1		0.54	0.71	20.01	88.6		
	1				8.62	11.34	320.20	1416		
	1	1.13	32.0		0.60	0.80	22.59	100		
Dates, dried, E. P.				1	0.021	0.028	0.784	3.47		
			1		0.60	0.79	22.23	98.4		
	1				9.53	12.70	355.60	1575		
	1	1.02	28.8		0.61	0.81	22.58	100		
Eggs, whole, A. P.				1	0.119	0.093		1.31		
			1		3.37	2.63		37.2		
	1				53.98	42.18		595		
	1	2.69	76.2		9.06	7.08		100		

TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—*Continued.*

Food Material	P. sz	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Eggs, whole, E. P.				1	0.134	0.105		1.48		
			1		3.79	2.98		42.0		
		1			60.78	47.63		672		
		1	2.38	67.5	9.05	7.09		100		
Egg, white, E. P.				1	0.123	0.002		0.51		
			1		3.48	0.06		14.4		
		1			55.79	0.91		231		
		1	6.92	196.1	24.12	0.39		100		
Egg, yolk, E. P.				1	0.157	0.333		3.63		
			1		4.45	9.44		102.7		
		1			71.22	151.05		1643		
		1	0.97	27.6	4.33	9.18		100		
Farina.				1	0.110	0.014	0.763	3.62		
			1		3.12	0.39	21.64	102.6		
		1			49.89	6.35	346.10	1641		
		1	0.97	27.6	3.04	0.39	21.09	100		
Figs, dried.				1	0.043	0.003	0.742	3.17		
			1		1.21	0.09	21.00	89.8		
		1			19.50	1.36	336.50	1437		
		1	1.12	31.6	1.36	0.09	23.44	100		



TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Material Food	P. sz	Weight			Protein, Grams	Fat, Grams	Carbohy- drate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Force.*				1	0.100	0.015	0.750	3.54		
				1	2.86	0.43	21.27	100.4		
		1			45.76	6.85	340.30	1605		
		1	1.0	28.3	2.82	0.42	21.19	100		
Gelatin.				1	0.914	0.001		3.67		
				1	25.91	0.03		103.9		
		1			114.59	0.45		1662		
		1	0.96	27.3	24.95	0.03		100		
Graham flour.				1	0.133	0.022	0.714	3.59		
				1	3.77	0.63	20.24	101.7		
		1			60.32	9.98	323.87	1627		
		1	0.98	27.9	3.71	0.61	19.92	100		
Grapes, fresh, A. P.				1	0.010	0.012	0.144	0.72		
				1	0.28	0.34	4.08	20.5		
		1			4.54	5.44	65.32	328		
		1	4.87	138.1	1.38	1.66	19.89	100		
Grapes, fresh, E. P.				1	0.013	0.016	0.192	0.96		
				1	0.37	0.45	5.44	27.3		
		1			5.90	7.26	87.09	437		
		1	3.66	103.7	1.36	1.66	19.92	100		

\* Ont. Dept. of Agr., Bull. 162.

TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—*Continued.*

Food Material	P. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Grape- nuts.*				1	0.115	0.010	0.790	3.71		
			1		3.26	0.28	22.39	105.2		
		1			52.16	4.54	358.34	1683		
	1		0.95	27.0	3.11	0.27	21.33	100		
Ham, smoked, boiled, A. P.				1	0.202	0.224		2.82		
			1		5.73	6.35		80.1		
		1			91.62	101.61		1281		
	1		1.25	35.4	7.15	7.93		100		
Hominy.				1	0.083	0.006	0.790	3.55		
			1		2.36	0.17	22.39	100.5		
		1			37.65	2.72	358.34	1608		
	1		1.0	28.3	2.35	0.17	22.32	100		
Lady fingers, A. P.				1	0.088	0.050	0.706	3.63		
			1		2.49	1.41	20.01	102.7		
		1			39.84	22.56	320.20	1643		
	1		0.97	27.6	2.43	1.40	19.47	100		
Lamb chops, broiled, A. P.				1	0.184	0.267		3.14		
			1		5.22	7.57		89.0		
		1			83.46	121.10		1425		
	1		1.13	31.9	5.86	8.51		100		

\* Cnt. Dept. of Agr., Bull. 162.

TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	P. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Lamb				1	0.217	0.299		3.56		
chops,			1		6.15	8.48		100.9		
broiled,		1			98.43	135.63		1615		
E. P.	1		0.99	28.1	6.10	8.40		100		
Lard,				1		1.000		9.00		
A. P.			1			28.35		255.2		
		1				453.60		4082		
	1		0.39	11.1		11.11		100		
Lemon juice.				1			0.098	0.39		
			1				2.77	11.1		
		1					44.45	178		
	1		9.0	255.1			25.00	100		
Lentils, dried, A. P.				1	0.257	0.010	0.592	3.49		
			1		7.29	0.28	16.78	98.8		
		1			116.57	4.54	268.52	1581		
	1		1.01	28.7	7.37	0.29	16.98	100		
Lettuce, A. P.				1	0.010	0.002	0.025	0.16		
			1		0.28	0.06	0.70	4.5		
		1			4.54	0.91	11.30	72		
	1		22.32	632.9	6.33	1.27	15.82	100		

TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	P. oz.	Weight		Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.						
Lettuce, E. P.				1	0.012	0.003	0.029	0.19	
			1		0.34	0.09	0.82	5.4	
		1			5.44	1.36	13.15	87	
	1	18.47	523.6	6.28	1.57	15.18	100		
Macaroni.				1	0.134	0.009	0.741	3.58	
			1		3.80	0.25	21.00	101.5	
		1			60.78	4.08	336.12	1624	
	1	0.99	28.0	3.70	0.25	20.70	100		
Milk, con- densed, sweet- ened.				1	0.088	0.083	0.541	3.26	
			1		2.49	2.35	15.34	92.5	
		1			39.95	37.65	245.40	1480	
	1	1.08	30.6	2.70	2.54	16.58	100		
Milk, con- densed, unsweet- ened.				1	0.096	0.093	0.112	1.67	
			1		2.72	2.63	3.17	47.3	
		1			43.55	42.18	50.85	757	
	1	2.11	59.9	5.75	5.57	6.71	100		
Milk, skimmed.				1	0.034	0.003	0.051	0.37	
			1		0.96	0.09	1.45	10.4	
		1			15.40	1.36	23.10	166	
	1	9.61	272.5	9.26	0.82	13.90	100		

TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	L. oz.	Weight		Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approxi- mate Measure
		lb.	oz.						
Milk, whole.				1	0.033	0.040	0.050	0.69	
			1		0.94	1.13	1.41	19.6	
		1			14.96	18.14	22.68	314	
	1		5.10	144.5	4.76	5.78	7.22	100	
Molasses, cane,				1	0.024		0.693	2.87	
			1		0.68		19.65	81.3	
		1			10.88		314.40	1301	
	1		1.23	34.9	0.84		24.16	100	
Musk- melons, A. P.				1	0.003		0.046	0.20	
			1		0.09		1.30	5.6	
		1			1.36		20.86	88.9	
	1		18.00	510.2	1.53		23.47	100	
Musk- melons, E. P.				1	0.006		0.093	0.40	
			1		0.17		2.64	11.2	
		1			2.72		42.18	180	
	1		8.91	252.5	1.52		23.48	100	
Oats, rolled.				1	0.167	0.073	0.662	3.97	
			1		4.73	2.07	18.77	112.6	
		1			75.75	33.12	300.40	1803	
	1		0.89	25.2	4.20	1.83	16.67	100	

TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—*Continued.*

Food Material	lb. oz.	Weight		Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approx- imate Measure
		lb.	oz.						
Olives, green, A. P.				1	0.008	0.202	0.085	2.19	
			1		0.23	5.72	2.41	62.1	
	1				3.63	91.60	38.55	993	
	1	1.61	45.7		0.36	9.22	3.88	100	
Olives, green, E. P.				1	0.011	0.276	0.116	2.99	
			1		0.31	7.82	3.29	84.8	
	1				4.99	125.18	52.61	1357	
	1	1.18	33.4		0.37	9.23	3.88	100	
Olive oil.				1		1.000		9.00	
			1			28.35		255.1	
	1					453.60		4082	
	1	0.39	11.1			11.11		100	
Onions, fresh, A. P.				1	0.014	0.003	0.089	0.44	
			1		0.40	0.09	2.52	12.4	
	1				6.35	1.36	40.37	199	
	1	8.03	227.6		3.19	0.68	20.27	100	
Onions, fresh, E. P.				1	0.016	0.003	0.099	0.49	
			1		0.45	0.09	2.80	13.8	
	1				7.26	1.36	44.80	220	
	1	7.24	205.4		3.30	0.62	20.33	100	

TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	Lb. oz.	Weight		Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.						
Oranges, fresh, A. P.				1	0.006	0.001	0.085	0.37	
			1		0.17	0.03	2.41	10.6	
		1			2.72	0.45	38.56	169	
		1	9.45	268.1	1.61	0.27	22.79	100	
Oranges, fresh, E. P.				1	0.008	0.002	0.116	0.51	
			1		0.23	0.06	3.29	14.6	
		1			3.63	0.91	52.61	233	
		1	6.86	194.6	1.56	0.39	22.57	100	
Oysters, solids, A. P.				1	0.060	0.013	0.033	0.49	
			1		1.70	0.37	0.94	13.9	
		1			27.22	5.90	14.97	222	
		1	7.21	204.5	12.27	2.66	6.75	100	
Oysters, in shell, E. P.				1	0.062	0.012	0.037	0.50	
			1		1.75	0.34	1.05	14.3	
		1			28.14	5.44	16.30	229	
		1	7.00	198.4	12.30	2.38	7.34	100	
Parsnips, A. P.				1	0.013	0.004	0.108	0.52	
			1		0.37	0.11	3.06	14.7	
		1			5.90	1.81	48.96	236	
		1	6.78	192.3	2.50	0.77	20.77	100	

TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—*Continued.*

Food Material	P. oz	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Parsnips, E. P.				1	0.016	0.005	0.135	0.65		
			1		0.45	0.14	3.83	18.4		
		1			7.30	2.27	61.24	294		
		1	5.43	154.1	2.47	0.77	20.80	100		
Peaches, canned, A. P.				1	0.007	0.001	0.108	0.47		
			1		0.20	0.03	3.06	13.3		
		1			3.17	0.45	48.99	213		
		1	7.50	213.2	1.49	0.21	23.03	100		
Peaches, fresh, A. P.				1	0.005	0.001	0.077	0.34		
			1		0.14	0.03	2.18	9.6		
		1			2.27	0.45	34.92	153		
		1	10.47	296.7	1.48	0.30	22.85	100		
Peaches, fresh, E. P.				1	0.007	0.001	0.094	0.41		
			1		0.20	0.03	2.67	11.7		
		1			3.17	0.45	42.64	187		
		1	8.53	242.1	1.70	0.24	22.76	100		
Peanuts, A. P.				1	0.195	0.291	0.185	4.14		
			1		5.52	8.25	5.24	117.3		
		1			88.36	131.87	83.82	1877		
		1	0.85	24.2	4.71	7.03	4.47	100		



TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	qt. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Peanuts, E. P.				1	0.258	0.386	0.244	5.48		
			1		7.31	10.94	6.91	155.4		
		1			117.03	175.09	110.70	2487		
	1		0.64	18.2	4.69	7.03	4.44	100		
Peanut butter.				1	0.293	0.465	0.171	6.04		
			1		8.31	13.20	4.85	171.3		
		1			132.90	210.90	77.56	2741		
		1	0.58	16.5	4.85	7.70	2.83	100		
Pears, canned, A. P.				1	0.003	0.003	0.180	0.76		
			1		0.09	0.09	5.10	21.5		
		1			1.36	1.36	81.64	344		
		1	4.65	131.7	0.39	0.39	23.72	100		
Pears, fresh, A. P.				1	0.005	0.004	0.127	0.56		
			1		0.14	0.11	3.60	16.0		
		1			2.27	1.81	57.61	256		
		1	6.25	177.3	0.86	0.71	22.52	100		
Pears, fresh, E. P.				1	0.006	0.005	0.141	0.63		
			1		0.17	0.14	4.00	17.9		
		1			2.72	2.27	63.96	287		
		1	5.57	158.0	0.95	0.79	22.28	100		

TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—*Continued.*

Food Material	qt.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Peas, canned.				1	0.036	0.002	0.098	0.55		
			1		1.02	0.06	2.78	15.7		
		1			16.32	0.91	44.45	251		
	1		6.37	180.5	6.52	0.36	17.73	100		
Peas, dried, split, A. P.				1	0.246	0.010	0.620	3.55		
			1		6.97	0.28	17.57	100.7		
		1			111.6	4.54	281.40	1612		
	1		0.99	28.1	6.92	0.28	17.40	100		
Peas, green, A. P.				1	0.036	0.002	0.098	0.55		
			1		1.02	0.06	2.78	15.7		
		1			16.33	0.91	44.45	251		
	1		6.37	180.5	6.50	0.36	17.69	100		
Peas, green, E. P.				1	0.070	0.005	0.169	1.00		
			1		1.98	0.14	4.79	28.3		
		1			31.70	2.27	76.66	454		
	1		3.52	99.9	6.99	0.50	16.88	100		
Pineapple, canned, A. P.				1	0.004	0.007	0.364	1.53		
			1		0.11	0.20	10.32	43.5		
	1		2.30	65.1	0.26	0.45	23.71	100		

TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	P. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Pineapple,				1	0.004	0.003	0.097	0.43		
fresh,			1		0.11	0.09	2.75	12.2		
E. P.		1			1.81	1.36	44.04	196		
	1		8.18	232.0	0.93	0.70	22.5	100		
Plums,				1	0.009		0.191	0.80		
fresh,			1		0.25		5.42	22.7		
A. P.		1			4.08		86.64	363		
	1		4.41	125.0	1.13		23.87	100		
Plums,				1	0.010		0.201	0.84		
fresh,			1		0.28		5.70	23.9		
E. P.		1			4.54		91.16	383		
	1		4.18	118.5	1.19		23.81	100		
Potatoes,				1	0.018	0.001	0.147	0.67		
raw,			1		0.51	0.03	4.17	19.0		
A. P.		1			8.16	0.45	66.68	304		
	1		5.27	149.5	2.69	0.15	21.97	100		
Potatoes,				1	0.022	0.001	0.184	0.83		
raw,			1		0.62	0.03	5.22	23.6		
E. P.		1			9.93	0.45	83.46	378		
	1		4.23	120.0	2.64	0.12	22.09	100		

TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—*Continued.*

Food Material	lb. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Potatoes,				1	0.068	0.398	0.467	5.72		
cooked,				1	1.93	11.28	13.25	162.2		
chips,		1			30.85	180.50	211.80	2596		
A. P.	1		0.62	17.5	1.19	6.96	8.16	100		
Potatoes,				1	0.014	0.006	0.219	0.99		
sweet,				1	0.39	0.17	6.21	27.9		
A. P.	1				6.35	2.72	99.24	447		
	1		3.58	101.4	1.42	0.60	22.20	100		
Potatoes,				1	0.018	0.007	0.274	1.23		
sweet,				1	0.51	0.20	7.77	34.9		
E. P.	1				8.16	3.18	124.29	558		
	1		2.86	81.2	1.46	0.57	22.26	100		
Prunes,				1	0.018		0.622	2.56		
A. P.				1	0.51		17.63	72.6		
		1			8.16		282.10	1161		
	1		1.37	39.1	0.70		24.30	100		
Prunes,				1	0.021		0.733	3.02		
E. P.				1	0.60		20.78	85.5		
		1			9.53		332.48	1368		
	1		1.17	33.2	0.70		24.30	100		

TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	P. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Radishes, A. P.				1	0.009	0.001	0.040	0.21		
			1		0.26	0.03	1.13	5.8		
	1				4.08	0.45	18.14	93		
		1			4.39	0.49	19.51	100		
Radishes, E. P.				1	0.013	0.001	0.058	0.29		
			1		0.37	0.03	1.64	8.3		
	1				5.90	0.45	26.31	133		
		1			4.43	0.34	19.79	100		
Raisins, A. P.				1	0.023	0.030	0.685	3.10		
			1		0.65	0.85	19.42	87.9		
	1				10.43	13.61	310.70	1407		
		1			0.74	0.97	22.08	100		
Raisins, E. P.				1	0.026	0.033	0.761	3.45		
			1		0.74	0.94	21.57	97.7		
	1				11.79	14.97	345.19	1563		
		1			0.76	0.96	22.09	100		
Raspber- ries, black, fresh, E. P.				1	0.017	0.010	0.126	0.66		
			1		0.48	0.28	3.57	18.8		
	1				7.71	4.54	57.16	300		
		1			2.57	1.51	19.08	100		

TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	P. oz	Weight		Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.						
Rhubarb,				1	0.004	0.004	0.022	0.14	
fresh,			1		0.11	0.11	0.62	3.9	
A. P.	1				1.81	1.81	9.98	62	
	1		25.20	714.2	2.86	2.86	15.71	100	
Rhubarb,				1	0.006	0.007	0.036	0.23	
fresh,			1		0.17	0.20	1.02	6.6	
E. P.	1				2.72	3.17	16.33	105	
	1		15.27	433.0	2.60	3.03	15.58	100	
Rice.				1	0.08	0.003	0.790	3.51	
			1		2.26	0.09	22.39	99.4	
	1				36.32	1.36	358.34	1591	
	1		1.01	28.5	2.28	0.09	22.52	100	
Salmon,				1	0.195	0.075		1.45	
canned,			1		5.53	2.13		41.2	
A. P.	1				88.45	34.02		660	
	1		2.41	68.7	13.40	5.15		100	
Salmon,				1	0.218	0.121		1.96	
canned,			1		6.18	3.43		55.6	
E. P.	1				98.87	54.88		889	
	1		1.80	51.0	11.12	6.17		100	

TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	P. ¢	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.	gms.						
Saltines.				1	0.106	0.127	0.685	4.31		
			1		3.00	3.60	19.42	122.1		
		1			48.08	57.60	310.70	1954		
		1	0.82	23.2	2.46	2.95	15.90	100		
Sardines, canned, A. P.				1	0.237	0.121		2.04		
			1		6.72	3.43		57.7		
		1			107.50	54.89		924		
		1	1.73	49.1	11.64	5.94		100		
Sardines, canned, E. P.				1	0.230	0.197		2.69		
			1		6.52	5.58		76.3		
		1			104.32	89.28		1221		
		1	1.31	37.1	8.54	7.32		100		
Spinach, fresh, E. P.				1	0.021	0.003	0.032	0.24		
			1		0.59	0.09	0.91	6.8		
		1			9.52	1.36	14.50	108		
		1	14.76	418.4	8.79	1.25	13.39	100		
Squash, fresh, A. P.				1	0.007	0.002	0.045	0.23		
			1		0.20	0.06	1.28	6.4		
		1			3.17	0.91	20.41	103		
		1	15.62	443	3.10	0.88	19.91	100		

TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	lb. or oz.	Weight		Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.						
Straw- berries, fresh, A. P.				1	0.009	0.006	0.070	0.37	
			1		0.26	0.17	1.98	10.5	
		1			4.08	2.72	31.75	168	
		1	9.53	270.3	2.43	1.62	18.90	100	
Straw- berries, fresh, E. P.				1	0.010	0.006	0.074	0.39	
			1		0.28	0.17	2.10	11.1	
		1			4.54	2.72	33.57	177	
		1	9.04	256.4	2.56	1.54	18.97	100	
Sugar, granu- lated:				1			1.00	4.00	
			1				28.35	113.4	
		1					453.60	1814	
		1	0.88	25.0			25.00	100	
Tapioca.				1	0.004	0.001	0.880	3.55	
			1		0.11	0.03	24.95	100.5	
		1			1.81	0.45	399.20	1608	
		1	0.99	28.2	0.11	0.03	24.83	100	
Tomatoes, canned.				1	0.012	0.002	0.04	0.23	
			1		0.34	0.06	1.13	6.4	
		1			5.44	0.91	18.10	103	
		1	15.63	442.5	5.31	0.88	17.70	100	



TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	P. oz	Weight		Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	Approximate Measure
		lb.	oz.						
Tomatoes,				1	0.009	0.004	0.039	0.23	
fresh,			1		0.26	0.11	1.10	6.5	
A. P.	1				4.08	1.81	17.69	103	
	1		15.47	438.6	3.95	1.75	17.11	100	
Turnips,				1	0.009	0.001	0.057	0.27	
fresh,			1		0.26	0.03	1.62	7.7	
A. P.	1				4.08	0.45	25.85	124	
	1		12.92	366.3	3.30	0.37	20.88	100	
Turnips,				1	0.013	0.002	0.081	0.39	
fresh,			1		0.37	0.06	2.30	11.2	
E. P.	1				5.89	0.91	36.74	179	
	1		8.95	253.8	3.30	0.51	20.56	100	
Walnuts,				1	0.049	0.173	0.035	1.89	
Cali- fornia,			1		1.39	4.94	0.99	53.6	
A. P.	1				22.21	78.40	15.87	859	
	1		1.86	52.8	2.59	9.14	1.85	100	
Walnuts,				1	0.184	0.644	0.130	7.03	
Cali- fornia,			1		5.22	18.26	3.69	200.0	
E. P.	1				83.46	292.10	58.97	3199	
	1		0.50	14.2	2.61	9.13	1.84	100	

TABLE XIII.

FOOD VALUES OF FOOD MATERIALS REQUIRING STUDY OF WEIGHTS AND MEASURES, AND OF COMPARATIVE COST ON THE BASIS OF FUEL VALUE.—Continued.

Food Material	P. S.	Weight			Protein, Grams	Fat, Grams	Carbohy- drate, Grams	Fuel Value, Calories	Cost, Dollars	Approxi- mate Measure
		lb.	oz.	gms.						
Wheat, flaked,				1	0.134	0.014	0.743	3.63		
			1		3.80	0.39	21.06	103.0		
		1			60.78	6.35	337.00	1648		
	1		0.97	27.5	3.70	0.38	20.50	100		
Wheat, flour, entire.				1	0.138	0.019	0.719	3.60		
			1		3.91	0.53	20.38	102.0		
		1			62.60	8.69	326.14	1633		
	1		0.98	27.8	3.84	0.53	19.98	100		
Wheat, flour, high grade, roll- er process.				1	0.112	0.010	0.749	3.53		
			1		3.18	0.28	21.24	100.2		
		1			50.80	4.53	339.75	1603		
	1		1.0	28.3	3.17	0.28	21.19	100		
Wheat, shredded.				1	0.121	0.018	0.752	3.65		
			1		3.43	0.51	21.31	103.6		
		1			54.88	8.16	341.10	1657		
	1		0.97	27.4	3.51	0.49	20.59	100		
Zwiebach.				1	0.098	0.099	0.735	4.22		
			1		2.77	2.80	20.83	119.6		
		1			44.45	44.90	333.40	1916		
	1		0.84	23.7	2.32	2.35	17.41	100		

PROBLEM II.

GIVEN THE PERCENTAGE COMPOSITION, TO FIND THE WEIGHT OF PROTEIN, FAT, AND CARBOHYDRATE RESPECTIVELY, IN ANY WEIGHT OF FOOD MATERIAL.

In studying food values, it is necessary to be able to translate percentage quickly into terms of weight and vice versa. This is simple if it be clearly understood at the outset that percentage means *parts per 100 parts*, without regard to whether these parts be taken by English or Metric system. Cows' milk has the following percentage composition:

Protein	Fat	Carbohydrate
3.3 per cent	4.0 per cent	5.0 per cent

If we take as the basis for calculation a unit of weight, as one pound, we shall find the following weight of protein, fat and carbohydrate yielded by this amount of milk:

Protein	Fat	Carbohydrate
0.033 pound	0.04 pound	0.05 pound

The scientific unit of weight is the gram, and the food-stuffs are commonly reported in terms of this unit. In one gram of milk there will be by weight, according to the above analysis:

Protein	Fat	Carbohydrate
0.033 gram	0.04 gram	0.05 gram

In other words, dividing the figures representing the percentage composition by 100 (*i. e.*, moving the decimal point two places toward the left) will give the weight in grams of protein, fat and carbohydrate in one *gram* of any food material.

The number of grams of protein, fat or carbohydrate in one *ounce* of any food material may be found most easily by multiplying the values for one gram by 28.35, the number of grams in one ounce. Thus one ounce of milk yields:

Protein	Fat	Carbohydrate
0.9355 gram	1.134 grams	1.4175 grams
(0.033 × 28.35)	(0.04 × 28.35)	(0.05 × 28.35)

The number of grams of protein, fat, or carbohydrate in one *pound* will be found by multiplying the values for one gram by

453.6, the number of grams in one pound. Thus one pound of milk yields:

Protein	Fat	Carbohydrate
14.9688 grams	18.144 grams	22.68 grams
(0.033 × 453.6)	(0.04 × 453.6)	(0.05 × 453.6)

In general, to find the weights of foodstuffs in any given amount of food material, find the weight of the material, express this in grams, and multiply the result by the food values for one gram. For example, to find the weight of each of the foodstuffs in quart of milk.

First, ascertain the weight—34.4 ounces.

Second, express this weight in grams— $34.4 \times 28.35 = 975.24$  grams.

Third, multiply the weight in grams by the food values for one gram, as follows:

Protein.....	$975.24 \times 0.033 = 32.183$	grams.
Fat.....	$975.24 \times 0.04 = 39.0096$	grams.
Carbohydrates.....	$975.24 \times 0.05 = 48.762$	grams.

In actual practice it is not necessary to retain all of these figures in the decimal fractions, which imply greater accuracy than is possible in estimating food values from average analyses of the food materials, as already stated in Problem I. The discrepancies which occur from dropping decimals are within the limits of accuracy in this method of determining food values.

### PROBLEM III.

#### TO FIND THE FUEL VALUE OF ANY GIVEN WEIGHT OF FOOD MATERIAL.

Since fuel values are expressed in terms of *Calories per gram*, one gram of protein yielding 4 Calories, one gram of fat 9 Calories, and one gram of carbohydrate 4 Calories, it is necessary to find first the amount of each nutrient in the given weight of food material in grams, and then to multiply these results by the respective factors for fuel values, the sum of the products being the total fuel value. For example, one gram of milk yields 0.033 gram of protein, 0.04 gram of fat and 0.05 gram of carbohydrate (cf. Problem II). Then

$0.033 \times 4 = 0.132$	Calories from protein
$0.04 \times 9 = 0.360$	Calories from fat
$0.05 \times 4 = 0.200$	Calories from carbohydrate
Total,	0.692 Calories, fuel value of one gram of milk.

Similarly, the total fuel value for one quart of milk is obtained as follows:

Weight of protein	= 32.18 grams;* $32.18 \times 4 = 129.72$	Calories
Weight of fat	= 39.01 grams;* $39.01 \times 9 = 351.09$	Calories
Weight of carbohydrate	= 48.76 grams;* $48.76 \times 4 = 195.04$	Calories
Total fuel value of one quart of milk	= 675.85	Calories

#### PROBLEM IV.

TO FIND THE WEIGHT OF A STANDARD OR 100-CALORIE PORTION OF ANY SINGLE FOOD MATERIAL.

In order to obtain an intelligent idea of the relative value of different kinds of food materials, it is necessary to establish some common unit on the basis of which they may be compared. With regard to fuel value, such a unit has been devised in the Standard Portion, which is the amount of any food capable of yielding in the body energy equivalent to 100 Calories. Every student of dietetics should be familiar with the Standard Portions of all common food materials, and of the dishes which most frequently appear upon the table.

*To find the weight in grams of any Standard or 100-Calorie Portion:*

Determine the fuel value for one gram.

Divide 100 by the fuel value per gram, or in other words, solve the following proportion:

$$1 \text{ gram} : \text{Calories in one gram} :: x \text{ grams} : 100 \text{ Calories.}$$

Thus in the case of cows' milk, the fuel value per gram is 0.692 Calorie.†

Then  $100 \div 0.692 = 144.5$  grams; or,

$$1 \text{ gram} : 0.692 \text{ Calorie} :: x : 100 \text{ Calories.}$$

$$0.692 x = 100$$

$$x = 144.5 \text{ grams, weight of One Standard Portion of Milk.}$$

Inasmuch as foods are purchased by English measure, it is necessary in estimating cost to express the Standard Portion in

\* Cf. Problem II.

† Cf. Problem III, and Table XIII.

ounces (or sometimes in pounds). This can be done by dividing the number of grams by 28.35 (the number of grams in one ounce), but much time can be saved by using Table XVI for converting grams to ounces. By reference to this table, we find that 144.5 grams = 5.1 ounces.

### EXAMPLES FOR PRACTICE.

Find the weight in grams and ounces of a Standard or 100-Calorie Portion of each of the following food materials:\*

	Protein, Per Cent	Fat, Per Cent	Carbohydrate, Per Cent
Almond butter.....	21.66	61.50	11.59
Almond meal†.....	26.37	1.67	56.84
Angelica.....	0.05	0.07	87.34
Citron.....	0.09	0.07	77.62
Kidney beans, edible portion.....	41.06	1.62	42.14
Kidney beans, water free, edible portion.....	43.65	1.72	44.80
Loquat, edible portion ‡.....	0.29	—	23.00
Malt breakfast food.....	11.80	0.46	75.32
Oyster plant (salsify), fresh, edible portion.....	4.26	0.33	6.85
Peppers, green, fresh, edible portion.....	1.60	0.15	4.54
Soy beans†.....	34.63	17.98	30.50
Soy bean meal§.....	39.87	19.06	25.09

### PROBLEM V.

#### TO FIND THE FOOD VALUES FOR ANY COMBINATION OF FOOD MATERIALS.

In ordinary dietetic practice, it is necessary to deal frequently with combinations of two or more food materials. Sugar is added to fruit, milk and butter to vegetables, and the products of cook book recipes are often quite complex mixtures. To ascertain the food values of such dishes it is necessary to proceed as follows:

First, determine the weight of each ingredient in grams.

Second, compute separately the protein, fat and carbohydrate in grams, and the fuel value for each food material.

The sum of these will give the food values for the whole dish as the following illustration will show:

\* From Maine Agric. Exper. Sta., Bull. 158, 1909, unless otherwise stated.

† Friedenwald and Ruhräh, Am. Jour. Med. Sc., vol. 140, p. 793, 1910.

‡ Ontario Dept. of Agric., Bull. 162, 1907.

§ Conn. Exper. Sta. Report, 1906.

ONE EGG CAKE.\*

$\frac{1}{4}$ cup of butter	$\frac{1}{2}$ cup of milk
$\frac{1}{2}$ cup of sugar	$1\frac{1}{2}$ cups of flour
1 egg	$2\frac{1}{2}$ teaspoons of baking powder

\* Boston Cooking-School Cook Book.

The butter weighs 57 grams; calculating the nutritive value according to Problems II and III (or referring to the food values of one gram in Table XIII) we have the following results:

Protein, Grams	Fat, Grams	Carbohydrate, Grams	Calories
0.57	48.45	—	438.3

The other food materials are weighed and their food values calculated in similar fashion. The sum of the values for each food as tabulated below will give the value of the whole dish. The cost may be calculated for each ingredient and recorded at the same time.

FOOD VALUES OF A RECIPE.\*

Material	Measure	Weight		Protein, Gm.	Fat, Gm.	Carb., Gm.	Calories	Cost, Dollars
		Oz.	Gm.					
Butter.....	$\frac{1}{4}$ c.†	2.0	57	0.57	48.45	—	438.3	0.0450
Sugar.....	$\frac{1}{2}$ c.	3.9	105	—	—	105.00	420.0	0.0137
Egg.....	1	2.0	57	6.78	5.30	—	74.8	0.0300
Milk (skimmed).....	$\frac{1}{2}$ c.	4.3	122	4.15	0.36	6.22	44.7	0.0050
Flour.....	$1\frac{1}{2}$ c.	6.0	172	17.26	1.72	128.73	607.8	0.0132
Baking powder.....	$2\frac{1}{2}$ tsp.†	0.5	15	—	—	—	—	0.0156
Totals (uncooked) ‡.....	3 c.	18.7	528	30.76	55.83	239.95	1585.6	0.1225

\* The food values for a large number of recipes are published in The Dietary Computer, by Ellen H. Richards.

† c. denotes cup; tsp. denotes teaspoon.

‡ It is usually more satisfactory to take total weight and measure after the dish is cooked, so as to know the food value of a given amount of the finished product.

PROBLEM VI.

TO FIND THE DISTRIBUTION OF THE FOODSTUFFS IN A STANDARD PORTION OF A SINGLE FOOD MATERIAL.

While the standard portion is of most convenience in estimating the total energy value of a given dietary, it may also serve as a means of indicating the amount of protein, fat or carbohydrate furnished, if we calculate the weight of each foodstuff in the

standard portion itself. Having determined the weight of each nutrient in one gram of the food material (according to Problem II), it is simply necessary to multiply these values by the weight of the standard portion in grams. Thus in the case of cows' milk,

	Protein, Gm.	Fat, Gm.	Carbohydrate, Gm.
Weight of each food-stuff in one gram.....	0.033	0.04	0.05
Weight of one Standard Portion.....	144.5 Gm.	—	—
Total weight of each foodstuff in one Standard Portion.....	4.7685	5.780	7.225

These results may be verified by multiplying the weight of protein, fat and carbohydrate by the factors for fuel values (cf. Problem III); the sum of the products will be 100 Calories.

Protein.....	4.7685	× 4 =	19.074 Calories.
Fat.....	5.780	× 9 =	52.020 Calories.
Carbohydrate.....	7.225	× 4 =	28.900 Calories.
Total.....			<u>99.994</u> Calories.

It is often convenient to express the distribution of foodstuffs in a standard portion entirely in terms of energy value. From the calculations above it is evident that a standard portion of milk will yield, in round numbers, the following:

Calories from Protein	Calories from Fat	Calories from Carbohydrate	Total Calories
19	52	29	100

#### PROBLEM VII.

##### TO FIND A STANDARD PORTION OF ANY COMBINATION OF FOOD MATERIALS.

Standard portions of single food materials which are fairly constant in composition, may be permanently tabulated for reference, but in the case of mixtures great variation in food value is possible, even in recipes containing only three or four different ingredients, and the comparison of Standard Portions of various dishes in which the food values are purposely modified (as by using skim milk for whole milk, half water and half milk instead of milk only) is most profitable. It is necessary, therefore, to be able to calculate the food values for a standard portion of any mixture of food material.

The first step is to determine the total food values for the recipe, as described in Problem IV.



Having ascertained the total fuel value, *the per cent of the whole required to give 100 Calories* is found by dividing 100 by the total number of Calories yielded by the recipe. Taking this per cent of the total weight, measure, food values, etc., of the recipe, will give the measure, weight and distribution of foodstuffs in the Standard Portion.

For example, take the recipe for One Egg Cake in Problem IV. The totals are as follows:

Measure (Uncooked)	Weight (Uncooked), Ounces	Grams	Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Calories	Cost
3 c.	18.7	528	30.76	55.83	239.95	1585.6	\$0.1225

Dividing 100 by 1585.6, gives 0.063, *i.e.*, 6.3 per cent of the whole is required to yield 100 Calories.

Multiplying the totals by 0.063, we have the value for one Standard Portion, as follows:

Measure (Uncooked)	Weight (Uncooked), Ounces	Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Calories	Cost
$\frac{1}{5}$ c.	1.18	33.3	1.94	15.12	100	\$0.0077

The total weight of the finished product is not the same as the combined weights of the ingredients in most cases, on account of changes in water content, but if the same *proportion* of the total weight or measure of cooked material is always taken for the

Recipe: One Egg Cake. Date: .....

Material	Measure	Weight		Pro- tein, Gm.	Fat, Gm.	Carb., Gm.	Cal- ories	Cost Dollars
		Oz.	Gm.					
Butter.....	$\frac{1}{4}$ c.	2.0	57	0.57	48.45	—	438.3	0.0450
Sugar.....	$\frac{1}{2}$ c.	3.9	105	—	—	105.00	420.0	0.0137
Egg.....	1	2.0	57	6.78	5.30	—	74.8	0.0300
Milk (skimmed) ..	$\frac{1}{2}$ c.	4.3	122	4.15	0.36	6.22	44.7	0.0050
Flour.....	$1\frac{1}{2}$ c.	6.0	172	19.26	1.72	128.73	607.8	0.0132
Baking powder ....	$2\frac{1}{2}$ tsp.	0.5	15	—	—	—	—	0.0156
Totals (uncooked)	3 c.	18.7	528	30.76	55.83	239.95	1585.6	0.1225
Standard Portion	Per cent of recipe 6.3	1.18	33	1.94	3.52	15.12	100	0.0077
1 Serving .....	12.5	2.34	66	3.84	6.98	29.99	198.2	0.0153

Computed by: .....

standard portion, no serious difficulties will be encountered. When a recipe is made, it is also well to consider the number of ordinary servings which it will make, and to calculate the food value for the individual portion. Such records are very useful in planning dietaries, saving time in calculation, especially if kept on uniform cards in a file. The foregoing shows a complete record on a convenient model.

#### PROBLEM VIII.

##### TO ANALYZE A RECIPE.

In studying the economics of the dietary, it is interesting to know what proportion of the energy value is contributed by each ingredient, and how this compares with the percentage of the cost due to each, thus obtaining an idea of the comparative economy of each component. In the case of the One Egg Cake, in Problem V, we obtained the following fuel values and cost:

Food Material	Calories	Cost
Butter.....	438.3	\$0.0450
Sugar.....	420.0	0.0137
Egg.....	74.8	0.0300
Milk (skimmed).....	44.7	0.0050
Flour.....	607.8	0.0132
Baking powder.....	0.0	0.0156
Totals.....	1585.6	0.1225

Comparing the calories from butter with the total calories, we find that the former constitute 27.6 per cent of the whole ( $438.3 \div 1585.6 = 0.276$ ). Comparing similarly the cost of the butter with the total cost, it is found to be 36.7 per cent of the total.

In like manner, the relative values for the other ingredients may be found, and the whole tabulated for reference on the back of the recipe card:

Food Material	Per Cent of Total Calories	Per Cent of Total Cost
Butter.....	27.6	36.7
Sugar.....	26.5	11.2
Egg.....	4.7	24.4
Milk.....	2.8	4.0
Flour.....	38.3	10.8
Baking powder.....	0.0	12.7

From inspection of the above, it is evident that the egg is the most expensive item on the basis of fuel value, since the proportion

of energy contributed is only about one-fifth of the proportion of money expended for it, and flour is the cheapest, the per cent of fuel being about three and one-half times greater than the per cent of cost. Such studies are helpful in attempts to lower the cost or raise the fuel value of the ordinary cook-book recipe.

## PROBLEM IX.

## TO MODIFY COWS' MILK TO A PRESCRIBED FORMULA.

The modification of cows' milk for infants is accomplished in a variety of ways, according to the needs of the individual child, but these are all dependent upon a clear understanding of the percentage relations of the milk to be modified and the formula to be filled. The general principles are very simple.

First, select milk of such composition as to have the same ratio of fat to protein as is indicated in the formula.

Second, dilute this milk enough times to give the desired percentage of fat.

Third, add enough milk sugar to give the required percentage of carbohydrate.

Suppose the requirement for the baby to be as follows:

Number of Feedings in 24 Hours	Amount at Each Feeding, Ounces	Protein, Per Cent	Composition.	
			Fat, Per Cent	Carbohydrate Per Cent
8	3	2	3.1	7

The ratio of fat to protein in this case is 3.1 to 2, or 1.6 to 1.0. In average whole milk it is 4.0 to 3.3, or 1.21 to 1; it is therefore obviously necessary to select a milk with a higher proportion of fat. Inasmuch as cream rises to the top, the upper layers have relatively more fat and less protein and carbohydrate than the lower layers. The exact amount in any given layer can be obtained only by chemical analysis, but from a table of such analyses we can select a milk which will have the proper ratio with little difficulty, as shown below.

TABLE XIV.

AVERAGE COMPOSITION OF TOP MILK AFTER STANDING FROM TWELVE TO TWENTY-FOUR HOURS IN THE QUART BOTTLE.\*

	Fat, Per Cent	Protein, Per Cent	Sugar, Per Cent	Ratio of Fat to Protein
Upper 1 ounce.....	22.5	2.8	4.0	8.0 : 1
Upper 2 ounce.....	21.5	2.8	4.0	7.7 : 1
Upper 4 ounce.....	20.0	2.8	4.0	7.1 : 1
Upper 6 ounce.....	17.0	2.9	4.2	5.9 : 1
Upper 8 ounce.....	14.0	3.0	4.3	4.7 : 1
Upper 10 ounce.....	11.5	3.0	4.3	3.8 : 1
Upper 12 ounce.....	9.8	3.1	4.5	3.2 : 1
Upper 16 ounce.....	7.6	3.1	4.6	2.5 : 1
Upper 20 ounce.....	6.2	3.2	4.7	1.9 : 1
Upper 24 ounce.....	5.2	3.2	4.8	1.6 : 1
Upper 28 ounce.....	4.5	3.3	4.8	1.4 : 1
Whole quart.....	4.0	3.3	4.8	1.21 : 1

\* Included by the courtesy of Prof. H. C. Sherman.

Inspection of the above table shows that the upper 24 ounces will have the desired ratio. But this will have the following composition:

Protein Per Cent	Fat Per Cent	Carbohydrate Per Cent
3.2	5.2	4.8

In other words, the percentage of fat is 1.67 times as high as required ( $5.2 \div 3.1$ ); consequently the 24 ounces of milk taken from the top of the bottle with a dipper will have to be diluted 1.67 times; *i. e.*, 24 ounces  $\times$  1.67 = 40.0 ounces required in all. We must therefore add 16.0 ounces of water (40 - 24). Dividing the percentages of the undiluted 24 ounces by 1.67, the composition of the diluted solution will be:

Protein Per Cent	Fat Per Cent	Carbohydrate Per Cent
1.9 +	3.1	2.87
(3.2 $\div$ 1.67)	(5.2 $\div$ 1.67)	(4.8 $\div$ 1.67)

Having adjusted the protein and fat by selecting milk of the proper ratio of fat to protein, and diluting to give the desired percentage of fat, which also dilutes the protein to the desired percentage, it remains to adjust the carbohydrate.

The carbohydrate now present constitutes 2.87 per cent. Therefore we must add enough milk sugar to make an increase of 4.13

per cent (7 - 2.87) of the total amount of solution, 40.0 ounces:

4.13 per cent of 40 ounces = 1.65 ounces, the amount of milk sugar to be added.

When the desired ratio of fat to protein is less than 1.2, some of the upper layers will have to be removed, and the rest of the milk in the bottle thoroughly mixed for use.

For example, taking the upper one ounce from the bottle indicated above, will give a milk of approximately the following composition:

Protein Per Cent	Fat Per Cent	Carbohydrate Per Cent	Ratio of Fat to Protein
3.3	3.4	4.8	1.03 : 1

PROBLEM X.

TO FIND THE PERCENTAGE COMPOSITION OF A FOOD MIXTURE.

Since the feeding of infants is commonly conducted according to the percentage method indicated in Problem IX, the ability to determine the percentage of each of the foodstuffs in any prescribed diet is as necessary as ability to modify milk according to a prescribed formula.

Given, for instance, such a prescription as the following, what per cent of protein, fat, and carbohydrate does it contain?

Whole milk, 16 ounces (by volume).

Barley water, 16 ounces (containing 0.25 ounce of barley flour).

Milk sugar, 1 ounce.

It is first necessary to determine the total amount of each of the foodstuffs, as in Problem IV. The results are as follows:

Food Material	Measure	Weight		Protein, Grams	Fat, Grams	Carbo- hydrate, Grams
		Ounces	Grams			
Milk.....	2 cups	17.2	487.60	16.09	19.50	24.38
Barley flour ..	½ tbsp.	0.25	7.08	0.74	0.16	5.10
Milk sugar....	3 tbsp.	1.0	28.35	—	—	28.35
Water.....	2 cups	16.0	453.60	—	—	—
Totals.....		34.45	976.53	16.83	19.66	57.83

Having the total weight of the mixture, it is now a simple matter to determine what per cent of this is represented by each ingredient:

Protein:	$16.83 \div 976.53 = 0.0172$ , or 1.72 per cent.
Fat:	$19.66 \div 976.53 = 0.0201$ , or 2.01 per cent.
Carbohydrate:	$57.83 \div 976.53 = 0.0592$ , or 5.92 per cent.

## PROBLEM XI.

## TO MAKE A COMPLETE DIETARY.

The dietary may be considered from two points of view: first, as a record of food actually consumed by a given number of persons in a given period; second, as a prescription of the food to be provided for certain individuals for a stated time. In either case, its value is increased by so arranging the report as to show not only the nutritive value of the diet, but also its cost and menu, thus presenting as clear a picture as possible of the food consumed, or a definite working plan for preparing the diet proposed. Since the data are frequently numerous, the work is much facilitated by suitable blanks, a convenient set consisting of five sheets, whose use is shown in the example of a complete dietary below.

Sheet Number I gives general information with regard to the subjects of the study; it shows their individual requirements and affords a means of comparing one study with another by reducing both to a uniform basis, either "per capita" or "per man" per day. The tables in the section on Food Requirements (Tables I-XII) will be of assistance in determining food requirements of individuals of different ages, weights and muscular activity.

Sheet Number II is designed to give as accurately as possible a picture of how the food will appear upon the table. The amounts should be stated for each dish in some way which will make the plan easy to follow in preparing the meals. Ordinarily, common measures (cups, tablespoons, etc.) will be most satisfactory, but in the laboratory it is frequently desirable that weights be stated, especially when several persons are engaged in preparing the day's ration, to avoid discrepancies due to inaccurate measurement. This careful statement of amounts serves also as a check against omitting in the computation of food values articles essential to the success of the menu.

Sheet Number III indicates the total quantities of each kind of material required for the dietary, summarized from sheets IV and V, and the market prices upon which the actual cost of the food materials on Sheet IV is based, giving the market unit which

it is necessary to purchase in order to obtain these prices. Thus it may serve to show the different results of buying in large and small quantities, if the net weight of the food materials is taken at the time of purchase. It also provides a useful check on the accuracy of the calculations of the cost of small quantities. The statements as to the place and date of purchase afford criteria as to whether good judgment has been exercised in marketing, inasmuch as cost varies so greatly with locality and season.

The special aim of this sheet is to furnish a convenient marketing list and to guard against attractive menus with that underestimation of cost which tends to discredit dietary calculations as impractical, especially among those who do not realize how much can be accomplished by skillful choice and preparation of food materials. When the dietaries are to be prepared and the students do not buy the materials, Sheet III can be used to advantage as a requisition sheet.

Sheet Number IV is the detailed statement of the nutritive value and cost of the whole dietary. Where cost is involved, it is usually easier to make the calculations on food materials as purchased; if the food values are for edible material this should be definitely stated. At the end, space is arranged for a summary and comparison with the standard proposed on the first sheet. Differences of not more than five per cent may be considered negligible, but a slight excess is always better than a deficit, especially if no allowance is made for kitchen or table waste, which often amounts to ten per cent or more.

Sheet Number V provides for a statement of food combinations used in the menu, and if the calculations on the original food materials are tabulated on Sheet IV nothing more than weights and measures of the different ingredients will be required. If the recipe is calculated in detail on this sheet, then only the totals need be copied on Sheet IV. When recipe cards are on file, they may be referred to by number. Without this sheet, it is difficult for any one but the persons who planned the dietary to know how the different dishes proposed are to be made, and often important ingredients are omitted entirely.

## AN EXAMPLE OF A COMPLETE DIETARY.

## DIETARY SHEET No. I.

Persons served: *One Child.*No. meals served: *Four.*No. days: *One.*Place: *New York City.*Date: *August, 1911.*

## METHOD OF ESTIMATING FOOD REQUIREMENTS.

For energy: *70 Calories per Kilogram.*For protein: *10-15 Per cent of total fuel in form of Proteins.*

## PROPOSED INDIVIDUAL STANDARDS.

Sex.	Age.	Weight.		Protein, Gms.	Fuel Value, Calories	Cost, Dollars
		Lbs.	Kg.			
<i>Boy</i>	<i>10 years</i>	<i>63</i>	<i>28.5</i>	<i>50-75.</i>	<i>1995</i>	<i>0.28</i>

PROPOSED STANDARD PER CAPITA  
PER DAY.

Protein, Gms.	Fuel Value, Calories	Cost, Dollars

PROPOSED STANDARD PER MAN  
PER DAY.

Protein, Gms.	Fuel Value, Calories.	Cost, Dollars



DIETARY SHEET NO. II.

MENUS.

Meal	Dishes	Amounts
<i>Breakfast,</i> 8:00 A. M.	<i>Cantaloupe</i>	1/2 small one
	<i>Farina</i>	3/4 c.* cooked
	<i>Top milk for mush</i>	2/3 c.
	<i>Toast</i>	2 slices bread
	<i>Butter</i>	3/4 lb.*
	<i>Milk to drink</i>	2/3 c.
<i>Dinner,</i> 12:00 P. M.	<i>Creamed halibut</i>	3/4 c.
	<i>Baked potato</i>	1 medium
	<i>Sliced tomatoes</i>	1 small one
	<i>Bread</i>	1 slice
	<i>Butter</i>	1/2 lb.
	<i>Milk sherbet</i>	3/4 c.
<i>Lunch,</i> 3:00 P. M.	<i>Bread</i>	1 slice
	<i>Butter</i>	3/4 lb.
<i>Supper,</i> 6:00 P. M.	<i>Poached egg</i>	1 egg
	<i>on</i>	
	<i>Toast</i>	1 slice bread
	<i>Apple sauce</i>	1/2 c.
	<i>Bread</i>	1 slice
	<i>Butter</i>	1/2 lb.
	<i>Cornstarch blanc mange</i>	2/3 c.
	<i>Milk.....2/3 c. sugar</i>	1 tsp.

\* c. denotes cup; tb. denotes tablespoon.

## DIETARY SHEET NO. III.

## PRICE LIST.

Material	Total Required	Market Price	Weight of Market Unit, Ounces	Place of Purchase	Date
Canteloupe	1 1/2 melon	3 for 25 c.	36.0	Upper West	August
Farina	1 oz.	15 c. per pk.	29.0	Side, New York City.	1911
Milk	1 qt.	9c. per qt.	34.4		
Bread	1/3 loaf	5c. per loaf	12.6		
Butter	3 lb. (1.6 oz.)	32c. per lb.	16.0		
Halibut steak	1 1/2 oz.	18c. per lb.	16.0		
Potatoes	1 medium	25c. per pk.	150.0		
Eggs	1	36c. per doz.	24.0		
Apples	1 small	12c. per qt.	32.0		
Cornstarch	2 lb.	10c. per pkg.	16.0		
Tomatoes	1 small	10c. per lb.	16.0		
Lemons	1	3 for 5c.	4 oz. juice		
Sugar	2 3/4 oz.	1/2 lb. for 20c.	56.0		
Vanilla	1/4 tsp.	25c. per bottle	2.0		
Flour	5/4 lb.	24 1/2 lbs. for 30c.	392.0		

DIETARY SHEET NO. IV.

NUTRITIVE VALUE AND COST.

Material	Weight		Protein, Gms.	Fuel Value, Calories.	Cost, Dollars
	Oz.	Gms.			
<i>Canteloupe</i> .....	6.00	170.00	0.54	33.6	0.0400
<i>Farina</i> .....	0.97	27.60	3.04	100.0	0.0049
<i>Milk</i> .....	17.20	487.50	18.09	337.5	0.0450
<i>Bread</i> .....	4.00	113.40	10.52	293.6	0.0164
<i>Butter</i> .....	1.25	42.6	0.35	272.4	0.0125
<i>Creamed halibut</i> .....	<i>See</i>				
	<i>Sheet V.</i>		11.45	210.5	0.0381
<i>Potato</i> .....	4.00	113.4	2.04	76.0	0.0032
<i>Milk sherbet</i> .....	<i>See</i>				
	<i>Sheet V.</i>		4.88	270.7	0.0249
<i>Egg</i> .....	2.00	56.7	6.74	74.3	0.0300
<i>Apple sauce</i> .....	<i>See</i>				
	<i>Sheet V.</i>		0.25	125.4	0.0227
<i>Cornstarch blanc mange</i> .....	<i>See</i>				
	<i>Sheet V.</i>		5.24	204.8	0.0222
<i>Tomatoes</i> .....	2.00	56.7	0.52	13.0	0.0200
<i>Sugar (with blanc</i> <i>mange)</i> .....	0.25	7.1	—	28.4	0.0006
TOTALS.....			63.66	2036.2	0.2805
STANDARD.....			50-75	1995.0	0.2800
DIFFERENCE.....				+41.2	+0.0005
				(2%)	(0.2%)

## DIETARY SHEET NO. V.

Name	Materials	Measure	Weight		Protein, Gms.	Total Cal- ories	Cost, Dollars
			Oz.	Gms.			
<i>Creamed halibut</i> .....	<i>Halibut flaked.</i>	$\frac{1}{3}$ c.	1.50*	42.6	5.88	38.4	0.0186
	<i>Milk</i> .....	$\frac{1}{2}$ c.	4.30	121.9	4.88	84.3	0.0113
	<i>Flour</i> .....	$\frac{3}{4}$ lb.	0.18	5.3	0.60	18.6	0.0004
	<i>Butter</i> .....	$\frac{3}{4}$ lb.	0.35	9.0	0.09	69.2	0.0078
	<i>Salt</i> .....	<i>To season</i>					
<i>Totals</i> .....		$\frac{3}{4}$ c.			11.45	210.5	0.0381
<i>Milk sherbet</i> .....	<i>Milk</i> .....	$\frac{1}{2}$ c.	4.30	121.9	4.88	84.3	0.0113
	<i>Sugar</i> .....	3 lb.	1.50	42.6	—	180.4	0.0056
	<i>Lemon juice</i> ...	1 lb.	0.50	14.2	—	6.0	0.0080
<i>Totals</i> .....		$\frac{3}{4}$ c.			4.88	270.7	0.0249
<i>Apple sauce</i> .....	<i>Apple</i> .....	1 small	3.00	85.0	0.25	40.2	0.0200
	<i>Sugar</i> .....	$1\frac{1}{2}$ lb.	0.75	21.3	—	85.2	0.0027
	<i>Water</i> .....	2 lb.	1.00	28.4	—	—	—
<i>Totals</i> .....		$\frac{1}{2}$ c.			0.25	125.4	0.0227
<i>Cornstarch blanc mange.</i>	<i>Milk</i> .....	$\frac{2}{3}$ c.	5.60	159.2	5.24	109.8	0.0148
	<i>Cornstarch</i> .....	2 lb.	0.65	18.5	—	66.6	0.0040
	<i>Sugar</i> .....	$\frac{1}{2}$ lb.	0.25	7.1	—	28.4	0.0009
	<i>Vanilla</i> .....	$\frac{1}{4}$ tsp.					0.0025
	<i>Salt</i> .....	<i>speck</i>					
<i>Totals</i> .....					5.24	204.8	0.0222

\* As purchased.

## PROBLEM XII.

## TO SCORE A DIETARY.

In the laboratory it is frequently desirable to set out and compare two or more dietaries at the same time, and inasmuch as there are many factors to be taken into consideration besides supplying a specified amount of fuel at a given price, such as the adaptation of the diet to the locality, season, idiosyncrasies of the individual, availability of the food materials as prepared for the table, some of these factors often being overemphasized at the expense of others more important, it is believed that a dietary score card will help to give a clearer idea of the relative importance of the points which must generally be taken into consideration.

A DIETARY SCORE CARD.

Name of person or group.....

Place..... Date.....

Price of dietary..... Annual income.....

Total Score...100 Points.

	Possible Score.	Points Deficient.	Actual Score.
<b>FOOD VALUE</b> .....	60 Points		
<i>Fuel Value</i> .....	40 Points		
Consider adaptation to weight, age and amount of muscular activity of each individual.	40		
<i>Protein</i> (considered as the source of nitrogen).....	10 Points		
Is it suitable in kind and amount with regard to age and weight?	10		
<i>Ash Constituents</i> .....	10 Points		
Are the following adequate?			
Phosphorus			
Iron			
Calcium			
<b>FOOD SELECTION</b> .....	22 Points		
<i>Adaptation to Individual</i> .....	10 Points		
Digestibility—ease, rapidity, etc.	10		
Variety—in food materials, form, color, etc.			
Quality of food materials—sanitary conditions, etc.			
Bulk			
<i>Adaptation to Income</i> .....	12 Points		
Is return on investment good?	12		
Is expenditure proportioned properly to total income?			
Is undue amount spent for flavor, form, color?			
<b>FOOD PREPARATION AND SERVICE</b> .....	18 Points		
<i>Cookery</i> .....	12 Points		
Does it increase or decrease digestibility?	12		
Is there a waste of materials? (through under or over-cooking?)			
Is there a waste of time?			
Of energy?			
Is flavor preserved?			
Is form preserved?			
Is color preserved?			
<i>Menu</i> .....	3 Points		
Are combinations good physiologically and esthetically?	3		
Are sequences of dishes good, considering distribution of nutrients, form, color and flavor?			
<i>Service</i> .....	3 Points		
Is it regular?	3		
Is it neat?			
Is it orderly?			
Is it quiet?			

In judging the menus, the following general rules for the making of a menu should be borne in mind:

1. Conceive of the whole day as the unit, rather than the individual meal.

2. Endeavor to distribute the protein, fat and carbohydrate through the day, so that no meal will have a striking preponderance of one kind of foodstuff.

For example, meat served with macaroni and cheese concentrates the protein in one meal, potatoes with rice concentrate the starch, and fried potatoes and pie concentrate the fat.

3. With the exception of a few such staples as bread, butter and milk, try to avoid serving any food in the same form twice in the same day and serve it preferably only once in any form.

4. Try to avoid serving any food which gives character to a dish twice in the same meal, even in different forms. Do not, for instance, select tomato soup and tomato salad for the same meal.

5. At each meal, seek contrasts between successive courses, a bland course being followed by a more highly flavored course, and vice versa, to give a pleasing rhythm.

6. In each course endeavor to have harmonious combinations, as to flavor, color, form and texture.

7. As the number of courses increases, decrease the number of dishes and size of the servings in each.

Distribution of credits to the sub-topics has been left to the judgment of the person using the score card.

# PART III.

## REFERENCE TABLES.

### TABLE XV.

APPROXIMATE AMOUNT OF REFUSE IN COMMON FOOD MATERIALS  
AS PURCHASED.\*

	PER CENT.		PER CENT.
<b>BEEF.</b>			
Brisket, medium fat.....	23	Peaches.....	18
Corned.....	8	Pears.....	10
Chuck, lean.....	20	Plums.....	5
Flank, lean.....	1	Prunes, dried.....	15
Flank, medium fat.....	10	Raisins, dried.....	10
Heart.....	6	Strawberries.....	5
Kidney.....	20	Watermelons.....	60
Liver.....	7	<b>LAMB.</b>	
Loin, lean.....	13	Breast.....	19
Loin, medium fat.....	13	Chops (broiled).....	14
Neck, lean.....	30	Leg, hind, medium fat.....	17
Neck, medium fat.....	28	Loin.....	15
Plate, medium fat.....	17	Neck.....	18
Porterhouse steak.....	13	Shoulder.....	20
Ribs, medium fat.....	21	<b>MUTTON.</b>	
Round, medium fat.....	7	Chuck, medium fat.....	21
Rump, lean.....	14	Flank, medium fat.....	10
Rump, medium fat.....	21	Leg, medium fat.....	18
Shank, fore, medium fat.....	37	Loin, medium fat.....	16
Shank, hind, medium fat.....	54	Neck, medium fat.....	27
Sirloin steak.....	13	Shoulder, medium fat.....	22
Top sirloin.....	3	<b>NUTS.</b>	
Tongue.....	27	Almonds.....	45
<b>EGGS.</b>		Beechnuts.....	40
Hens'.....	11	Brazil nuts.....	50
<b>FISH.</b>		Butternuts.....	86
Bass, black, whole.....	55	Chestnuts, fresh.....	16
Bass, striped, whole.....	55	Chestnuts, dried.....	24
Blackfish, whole.....	60	Coconuts.....	48
<b>FRUITS.</b>		Filberts.....	52
Apples.....	25	Hickory nuts.....	62
Apricots.....	6	Peanuts.....	25
Bananas.....	35	Pecans.....	46
Cherries.....	5	Walnuts, black.....	74
Dates, dried.....	10	Walnuts, soft shell.....	58
Grapes.....	25	<b>PORK.</b>	
Lemons.....	30	Bacon, smoked, medium fat....	8
Muskmelons.....	50	Feet, fresh.....	74
Nectarines.....	6	Feet, pickled.....	36
Oranges.....	27	Ham, fresh, lean.....	1
		Ham, fresh, medium fat.....	11

\* The figures are taken to the nearest whole number from Bull. 28, Office of Experiment Stations, U. S. Dept. Agriculture.

	PER CENT.		PER CENT.
Ham, smoked, lean.....	11	Shank, fore.....	40
Ham, smoked, medium fat.....	14	Shank, hind, medium fat .....	62
Head cheese.....	12	Shoulder, lean.....	18
Loin chops, medium fat .....	20	Shoulder, medium fat.....	23
Shoulder, fresh.....	12	<b>VEGETABLES.</b>	
Shoulder, smoked.....	18	Beans, butter, green.....	50
Side (not including lard and kidney).....	12	Beans, lima, fresh.....	55
<b>POULTRY AND GAME.</b>		Beans, string.....	7
Chicken Broilers.....	42	Beets.....	20
Fowl.....	26	Cabbage.....	15
Goose, young.....	18	Carrots.....	20
Turkey.....	23	Celery.....	20
<b>SAUSAGE.</b>		Corn, green.....	61
Bologna.....	3	Cucumbers.....	15
Summer.....	7	Lettuce.....	15
<b>VEAL.</b>		Okra.....	12
Breast, medium fat.....	20	Onions.....	10
Chuck, medium fat.....	19	Parsnips.....	20
Leg, medium fat.....	14	Peas, green.....	45
Loin, lean.....	22	Potatoes.....	20
Loin, medium fat.....	16	Pumpkins.....	50
Neck.....	32	Radishes.....	30
Rib, medium fat.....	25	Rhubarb.....	40
Rump.....	30	Rutabagas.....	30
		Squash.....	50
		Turnips.....	30



TABLE XVI.

CONVERSION TABLE—GRAMS TO OUNCES.

Grams	Ounces	Grams	Ounces
1	0.035	56	1.975
2	0.071	57	2.010
3	0.106	58	2.046
4	0.141	59	2.081
5	0.176	60	2.116
6	0.212	61	2.151
7	0.247	62	2.187
8	0.283	63	2.222
9	0.317	64	2.257
10	0.353	65	2.293
11	0.398	66	2.328
12	0.423	67	2.363
13	0.458	68	2.398
14	0.494	69	2.434
15	0.529	70	2.467
16	0.564	71	2.504
17	0.599	72	2.539
18	0.635	73	2.575
19	0.670	74	2.610
20	0.705	75	2.645
21	0.741	76	2.681
22	0.776	77	2.716
23	0.811	78	2.751
24	0.846	79	2.786
25	0.882	80	2.822
26	0.917	81	2.857
27	0.953	82	2.892
28	0.998	83	2.927
29	1.023	84	2.963
30	1.058	85	2.998
31	1.093	86	3.033
32	1.128	87	3.068
33	1.164	88	3.104
34	1.199	89	3.139
35	1.234	90	3.174
36	1.269	91	3.210
37	1.305	92	3.245
38	1.340	93	3.280
39	1.376	94	3.315
40	1.411	95	3.351
41	1.446	96	3.386
42	1.481	97	3.421
43	1.517	98	3.457
44	1.552	99	3.492
45	1.587	100	3.527
46	1.622	113	4
47	1.658	200	7
48	1.693	227	8
49	1.728	250	8.8
50	1.764	300	10.5
51	1.799	400	14
52	1.834	453.6	16
53	1.869	500	17.6
54	1.905	907	32
55	1.940	1000	35.2

TABLE XVII.

CONVERSION TABLE—OUNCES TO GRAMS.

Ounces	Grams	Ounces	Grams
1/16	1.77	2	56.70
1/15	1.89	3	85.05
1/14	2.02	4	113.40
1/13	2.19	5	141.75
1/12	2.36	6	170.10
1/11	2.58	7	198.45
1/10	2.84	8	226.80
1/9	3.15	9	255.15
1/8	3.54	10	283.50
1/7	4.05	11	311.84
1/6	4.73	12	340.20
1/5	5.67	13	368.54
1/4	7.09	14	396.90
1/3	9.45	15	425.25
1/2	14.17	16	453.60
1	28.35		

TABLE XVIII.

CONVERSION TABLE—POUNDS TO GRAMS.

Poun is.	Grams.
1	453.6
2	907
2.2	1000
3	1361
4	1814
5	2267
6	2722
7	3175
8	3629
9	4082
10	4536

TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.\*

Food Material	L. S.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Bass, striped, whole, A. P.	.....	.....	.....	1	0.088	0.022	.....	0.55	.....
	.....	.....	.....	1	2.49	0.62	.....	15.6	.....
	.....	1	.....	.....	39.92	9.98	.....	249	.....
	.....	1	6.41	181.8	16.00	4.00	.....	100	.....
Bass, striped, whole, E. P.	.....	.....	.....	1	0.186	0.028	.....	1.00	.....
	.....	.....	.....	1	5.27	0.79	.....	28.2	.....
	.....	1	.....	.....	84.38	12.70	.....	452	.....
	.....	1	3.54	100.4	18.68	2.81	.....	100	.....
Beans, baked, canned	.....	.....	.....	1	0.069	0.025	0.196	1.29	.....
	.....	.....	.....	1	1.96	0.71	5.56	36.5	.....
	.....	1	.....	.....	31.30	11.34	88.90	583	.....
	.....	1	2.74	77.8	5.37	1.95	15.25	100	.....
Beans, kidney, red, canned,	.....	.....	.....	1	0.070	0.002	0.185	1.04	.....
	.....	.....	.....	1	1.98	0.06	5.24	29.4	.....
	.....	1	.....	.....	31.68	0.91	83.84	470.08	.....
	.....	1	3.39	96.1	6.73	0.19	17.78	100	.....
Beans, string, canned	.....	.....	.....	1	0.011	0.001	0.038	0.21	.....
	.....	.....	.....	1	0.31	0.03	1.08	5.83	.....
	.....	1	.....	.....	4.98	0.45	17.23	93	.....
	.....	1	17.21	487.8	5.37	0.48	18.53	100	.....
Beef, corned, A. P.	.....	.....	.....	1	0.143	0.238	.....	2.71	.....
	.....	.....	.....	1	4.05	6.75	.....	76.9	.....
	.....	1	.....	.....	64.86	107.96	.....	1231	.....
	.....	1	1.30	36.8	5.27	8.77	.....	100	.....
Beef, corned, E. P.	.....	.....	.....	1	0.156	0.262	.....	2.98	.....
	.....	.....	.....	1	4.42	7.43	.....	84.5	.....
	.....	1	.....	.....	70.76	118.84	.....	1353	.....
	.....	1	1.18	33.5	5.23	8.79	.....	100	.....
Beef, flank, medium fat, A. P.	.....	.....	.....	1	0.170	0.190	.....	2.39	.....
	.....	.....	.....	1	4.82	5.39	.....	67.8	.....
	.....	1	.....	.....	77.11	86.18	.....	1084	.....
	.....	1	1.47	41.8	7.11	7.95	.....	100	.....
Beef juice	.....	.....	.....	1	0.049	0.006	.....	0.25	.....
	.....	.....	.....	1	1.39	0.17	.....	7.0	.....
	.....	1	.....	.....	22.24	2.72	.....	113	.....
	.....	1	14.11	400.0	19.60	2.40	.....	100	.....
Beef, kidney, A. P.	.....	.....	.....	1	0.137	0.019	.....	0.72	.....
	.....	.....	.....	1	3.88	0.54	.....	20.4	.....
	.....	1	.....	.....	62.14	8.62	.....	326	.....
	.....	1	4.91	139.1	19.06	2.64	.....	100	.....

\* Calculated principally from Bulletin 28, Office of Experiment Stations, U. S. Department of Agriculture. For other foods see Table XIII.

TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	P. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Beef, kidney, E. P.				1	0.166	0.048	0.004	1.11	
			1		4.71	1.36	0.11	31.5	
		1			75.30	21.77	1.81	504	
		1	3.17	89.9	14.92	4.31	0.36	100	
Beef, liver, A. P.				1	0.202	0.031	0.025	1.19	
			1		5.73	0.88	0.71	33.7	
		1			91.62	14.06	11.34	538	
		1	2.97	84.2	17.00	2.61	2.11	100	
Beef, liver, E. P.				1	0.204	0.045	0.017	1.29	
			1		5.78	1.28	0.48	36.5	
		1			92.53	20.41	7.71	584	
		1	2.73	77.6	15.83	3.49	1.31	100	
Beef, loin, lean, A. P.				1	0.171	0.111		1.68	
			1		4.85	3.15		47.7	
		1			77.57	50.35		763	
		1	2.09	59.4	10.16	6.59		100	
Beef, loin, lean, E. P.				1	0.197	0.127		1.93	
			1		5.58	3.60		54.7	
		1			89.36	57.61		876	
		1	1.83	51.8	10.18	6.57		100	
Beef, loin, medium fat, A. P.				1	0.161	0.175		2.22	
			1		4.56	4.96		62.9	
		1			73.03	79.38		1007	
		1	1.59	45.1	7.26	7.89		100	
Beef, loin, medium fat, E. P.				1	0.185	0.202		2.56	
			1		5.24	5.73		72.5	
		1			83.71	91.62		1160	
		1	1.38	39.1	7.23	7.90		100	
Beef, lungs, A. P.				1	0.164	0.032		0.94	
			1		4.65	0.91		26.8	
		1			74.39	14.51		428	
		1	3.74	106	17.37	3.39		100	
Beef marrow				1	0.022	0.928		8.44	
			1		0.62	26.31		239.3	
		1			9.92	420.94		3828	
		1	0.42	11.8	0.26	11.00		100	
Beef, navel, lean, A. P.				1	0.298	0.006		1.25	
			1		8.45	0.17		35.3	
		1			135.17	2.72		565	
		1	2.83	80.3	23.92	0.48		100	

TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—*Continued.*

Food Material	Pounds	Weight			Protein, Grams	Fat, Grams	Carbo-hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Beef, navel, lean, E. P.				1	0.307	0.006		1.28	
			1		8.70	0.17		36.4	
	1	1			139.50	2.72		582	
	1	2.75	78.0		23.95	0.47		100	
Beef, neck, lean, A. P.				1	0.151	0.059		1.14	
			1		4.28	1.67		32.2	
	1	1			68.50	26.76		515	
	1	3.11	88.1		13.30	5.20		100	
Beef, neck, lean, E. P.				1	0.214	0.084		1.61	
			1		6.07	2.38		45.7	
	1	1			97.08	38.10		731	
	1	2.19	62.0		13.27	5.21		100	
Beef, neck, medium fat, A. P.				1	0.145	0.119		1.65	
			1		4.11	3.37		46.8	
	1	1			65.76	53.98		749	
	1	2.14	60.6		8.78	7.21		100	
Beef, neck, medium fat, E. P.				1	0.201	0.165		2.29	
			1		5.70	4.68		64.9	
	1	1			91.18	74.84		1038	
	1	1.54	43.7		8.78	7.21		100	
Beef, plate, lean, A. P.				1	0.130	0.155		1.92	
			1		3.69	4.39		54.3	
	1	1			58.98	70.30		869	
	1	1.84	52.2		6.79	8.09		100	
Beef, plate, lean, E. P.				1	0.156	0.188		2.32	
			1		4.42	5.33		65.7	
	1	1			70.73	85.28		1051	
	1	1.52	43.2		6.74	8.12		100	
Beef, plate, medium fat, A. P.				1	0.138	0.244		2.75	
			1		3.91	6.92		77.9	
	1	1			62.60	110.69		1247	
	1	1.28	36.4		5.02	8.88		100	
Beef, plate, medium fat, E. P.				1	0.165	0.291		3.28	
			1		4.68	8.25		92.9	
	1	1			74.84	132.00		1487	
	1	1.08	30.5		5.03	8.87		100	
Beef, porter-house steak, A. P.				1	0.191	0.179		2.38	
			1		5.41	5.07		67.3	
	1	1			86.64	81.19		1077	
	1	1.48	42.1		8.04	7.54		100	

TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	R oz	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	grms.					
Beef, porter- house steak, E. P.				1	0.219	0.204		2.71	
			1		6.21	5.78		77.1	
		1			99.34	92.53		1230	
		1	1.30	36.9	8.07	7.52		100	
Beef, rib roll, lean, A. P.				1	0.202	0.105		1.75	
			1		5.73	2.98		49.7	
		1			91.62	47.63		795	
		1	2.01	57.0	11.52	5.99		100	
Beef, rib roll, medium fat, A. P.				1	0.193	0.167		2.28	
			1		5.47	4.74		64.5	
		1			87.54	75.75		1032	
		1	1.55	44.0	8.48	7.34		100	
Beef, ribs, lean, A. P.				1	0.152	0.093		1.45	
			1		4.31	2.64		40.97	
		1			68.95	42.18		655	
		1	2.44	69.2	10.52	6.43		100	
Beef, ribs, lean, E. P.				1	0.196	0.120		1.86	
			1		5.56	3.40		52.8	
		1			88.90	54.42		845	
		1	1.89	53.6	10.51	6.44		100	
Beef, ribs, medium fat, A. P.				1	0.139	0.212		2.46	
			1		3.94	6.01		69.9	
		1			63.03	96.16		1118	
		1	1.43	40.6	5.64	8.60		100	
Beef, ribs, medium fat, E. P.				1	0.175	0.266		3.09	
			1		4.96	7.54		87.7	
		1			79.38	120.66		1403	
		1	1.14	32.3	5.66	8.59		100	
Beef, round, lean, A. P.				1	0.195	0.073		1.44	
			1		5.53	2.07		40.7	
		1			88.45	33.11		652	
		1	2.45	69.6	13.57	5.08		100	
Beef, round, lean, E. P.				1	0.213	0.079		1.56	
			1		6.04	2.24		44.3	
		1			96.62	35.84		709	
		1	2.26	64.0	13.63	5.05		100	
Beef, round, medium fat, A. P.				1	0.190	0.128		1.91	
			1		5.39	3.63		54.2	
		1			86.18	58.06		867	
		1	1.85	52.3	9.94	6.70		100	

TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	lb. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Beef, round, medium fat, E. P.				1	0.203	0.136	2.04		
			1		5.76	3.86	57.7		
	1				92.07	61.69	923		
	1	1.73	49.1		9.96	6.68	100		
Beef, rump, lean, A. P.				1	0.191	0.110	1.75		
			1		5.42	3.12	49.7		
	1				86.64	49.90	796		
	1	2.01	57.0		10.89	6.33	100		
Beef, rump, lean, E. P.				1	0.209	0.137	2.07		
			1		5.93	3.88	58.7		
	1				94.80	62.14	938		
	1	1.70	48.3		10.10	6.62	100		
Beef, rump, medium fat, A. P.				1	0.138	0.202	2.37		
			1		3.91	5.73	67.2		
	1				62.60	91.62	1075		
	1	1.49	42.2		5.82	8.52	100		
Beef, rump, medium fat, E. P.				1	0.174	0.255	2.99		
			1		4.93	7.23	84.8		
	1				78.92	115.68	1357		
	1	1.18	33.4		5.82	8.53	100		
Beef, shank, hind, me- dium fat, A. P.				1	0.096	0.053	0.86		
			1		2.72	1.50	24.4		
	1				43.55	24.04	391		
	1	4.09	116.1		11.15	6.16	100		
Beef, shank, hind, me- dium fat, E. P.				1	0.209	0.115	1.87		
			1		5.92	3.26	53.0		
	1				94.80	52.16	849		
	1	1.88	53.4		11.17	6.15	100		
Beef, shoulder and clod, lean, A. P.				1	0.164	0.044	1.05		
			1		4.65	1.25	29.8		
	1				74.38	19.96	477		
	1	3.35	95.0		15.59	4.18	100		
Beef, shoulder and clod, lean, E. P.				1	0.204	0.054	1.30		
			1		5.78	1.53	36.9		
	1				92.52	24.49	591		
	1	2.71	76.8		15.67	4.15	100		
Beef, shoulder and clod, medium fat, A. P.				1	0.164	0.098	1.55		
			1		4.65	2.78	43.9		
	1				74.38	44.45	702		
	1	2.28	64.6		10.59	6.33	100		

TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	lb. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Beef, shoulder and clod, medium fat, E. P.				1	0.196	0.113		1.80	
			1		5.55	3.20		51.1	
	1		1.96	55.5	10.88	6.27		100	
Beef, sirloin steak, A. P.				1	0.165	0.161		2.11	
			1		4.68	4.56		59.8	
	1		1.67	47.4	7.82	7.63		100	
Beef, sirloin steak, E. P.				1	0.189	0.185		2.42	
			1		5.36	5.24		68.6	
	1		1.46	41.3	7.87	7.64		100	
Beef, sweet- breads, A. P.				1	0.168	0.121		1.76	
			1		4.76	3.43		49.9	
	1		2.00	56.8	9.54	6.87		100	
Beef, tender- loin				1	0.162	0.244		2.84	
			1		4.59	6.92		80.6	
	1		1.24	35.2	5.69	8.58		100	
Beef, tongue, fresh, A. P.				1	0.141	0.067		1.17	
			1		4.00	1.90		33.1	
	1		3.02	85.7	12.08	5.74		100	
Beef, tongue, fresh, E. P.				1	0.189	0.092		1.58	
			1		5.36	2.61		44.9	
	1		2.23	63.1	11.93	5.88		100	
Beef, tongue, pickled, A. P.				1	0.119	0.192		2.20	
			1		3.37	5.44		62.5	
	1		1.60	45.4	5.40	8.71		100	
Beef, tongue, pickled, E. P.				1	0.128	0.205		2.36	
			1		3.63	5.81		66.8	
	1		1.49	42.4	5.43	8.70		100	
Beef, top sirloin, A. P.				1	0.133	0.423		4.34	
			1		3.77	11.99		122.9	
	1		0.81	23.1	3.06	9.75		100	
					60.33*	191.88		1968	



TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—*Continued.*

Food Material	R oz	Weight			Protein, Grams	Fat, Grams	Varbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Beef, top sirloin, E. P.				1	0.138	0.437		4.49	
			1		3.91	12.39		127.1	
	1	1	0.79	22.3	62.60	198.21		2034	
Blackberries, canned, A. P.				1	0.008	0.021	0.564	2.48	
			1		0.23	0.60	15.98	70.2	
	1	1	1.43	40.4	3.63	9.53	255.83	1124	
Blueberries, canned, A. P.				1	0.006	0.006	0.128	0.59	
			1		0.17	0.17	3.63	16.7	
	1	1	5.98	169.5	2.72	2.72	58.08	268	
Bluefish, fresh, entrails removed, A. P.				1	0.100	0.006		0.45	
			1		2.84	0.17		12.9	
	1	1	7.77	220.4	45.36	2.72		206	
Bluefish, fresh, entrails removed, E. P.				1	0.194	0.012		0.88	
			1		5.49	0.34		25.1	
	1	1	3.99	113.1	87.99	5.44		401	
Bouillon				1	0.022	0.001	0.002	0.11	
			1		0.62	0.03	0.06	2.98	
	1	1	33.6	952.0	9.98	0.45	0.91	47.6	
Brazil nuts, A. P.				1	0.086	0.337	0.035	3.52	
			1		2.43	9.55	0.99	99.7	
	1	1	1.01	28.4	39.01	152.86	15.88	1595	
Brazil nuts, E. P.				1	0.170	0.668	0.070	6.97	
			1		4.81	18.93	1.98	197.6	
	1	1	0.51	14.3	77.11	303.10	31.75	3162	
Bread, brown				1	0.054	0.018	0.471	2.26	
			1		1.53	0.51	13.35	64.1	
	1	1	1.56	44.2	24.48	8.16	213.60	1026	
Bread, corn				1	0.079	0.047	0.463	2.59	
			1		2.24	1.33	13.13	73.5	
	1	1	1.36	38.6	35.83	21.32	210.00	1175	

TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	R. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Bread, gluten				1	0.093	0.014	0.498	2.49	
			1		2.64	0.40	14.12	70.6	
		1			42.18	6.35	225.90	1130	
		1	1.42	40.2	3.74	0.56	20.09	100	
Bread, graham				1	0.089	0.018	0.521	2.60	
			1		2.52	0.51	14.77	73.8	
		1			40.37	8.16	236.40	1180	
		1	1.35	38.4	3.42	0.69	20.03	100	
Bread, rye				1	0.090	0.006	0.532	2.54	
			1		2.55	0.17	15.08	72.1	
		1			40.82	2.72	241.30	1153	
		1	1.39	39.3	3.54	0.24	20.93	100	
Bread, rye and wheat				1	0.119	0.003	0.515	2.56	
			1		3.37	0.09	14.60	72.7	
		1			53.98	1.36	233.60	1163	
		1	1.38	39.0	4.64	0.12	20.09	100	
Bread, white, home made				1	0.091	0.016	0.533	2.64	
			1		2.58	0.45	15.11	74.8	
		1			41.27	7.26	241.75	1198	
		1	1.34	37.9	3.45	0.61	20.19	100	
Bread, white, cream				1	0.098	0.009	0.550	2.67	
			1		2.78	0.26	15.59	75.8	
		1			44.45	4.08	249.50	1212	
		1	1.32	37.4	3.67	0.34	20.58	100	
Bread, white, milk				1	0.096	0.014	0.511	2.55	
			1		2.72	0.40	14.49	72.4	
		1			43.55	6.35	231.75	1158	
		1	1.38	39.2	3.76	0.55	20.01	100	
Bread, white, Vienna				1	0.094	0.012	0.541	2.65	
			1		2.67	0.34	15.34	75.1	
		1			42.64	5.44	245.39	1201	
		1	1.33	37.9	3.55	0.45	20.43	100	
Bread, whole wheat				1	0.097	0.009	0.497	2.46	
			1		2.75	0.26	14.09	69.7	
		1			44.00	4.08	225.44	1115	
		1	1.44	40.7	3.95	0.37	20.23	100	
Buckwheat, flour				1	0.064	0.012	0.779	3.48	
			1		1.81	0.34	22.08	98.7	
		1			29.03	5.48	353.40	1577	
		1	1.01	28.7	1.84	0.34	22.39	100	

TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	S. P.	Weight			Protein, Grams	Fat, Grams	Carbohy- drate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Buckwheat, farina and groats			1	0.041	0.004	0.841	3.56		
		1		1.17	0.11	23.84	101.0		
		1		18.59	1.81	381.48	1617		
	1	0.99	28.1	1.15	0.11	23.60	100		
Butterfish, whole, A. P.			1	0.103	0.063		0.98		
		1		2.92	1.79		27.8		
		1		46.74	28.58		444		
	1	3.61	102.2	10.52	6.43		100		
Butterfish, whole, E. P.			1	0.180	0.110		1.71		
		1		5.10	3.12		48.5		
		1		81.64	49.90		776		
	1	2.06	58.5	10.53	6.43		100		
Butter milk,			1	0.030	0.005	0.048	0.36		
		1		0.85	0.14	1.36	10.1		
		1		13.61	2.27	21.82	162		
	1	9.86	279.6	8.39	1.40	13.42	100		
Butternuts, A. P.			1	0.038	0.083	0.005	0.92		
		1		1.08	2.35	0.14	26.1		
		1		17.24	37.65	2.27	417		
	1	3.84	108.8	4.14	9.03	0.54	100		
Butternuts, E. P.			1	0.279	0.612	0.035	6.76		
		1		7.91	17.35	0.99	191.8		
		1		126.55	277.60	15.86	3068		
	1	0.52	14.8	4.13	9.05	0.52	100		
Calf's-foot jelly, A. P.			1	0.043		0.174	0.87		
		1		1.22		4.93	24.6		
		1		19.50		78.92	394		
	1	4.06	115.2	4.95		20.05	100		
Catfish, A. P.			1	0.116	0.166		1.96		
		1		3.29	4.71		55.5		
		1		52.62	75.30		888		
	1	1.80	51.1	5.92	8.48		100		
Catfish, E. P.			1	0.144	0.206		2.43		
		1		4.08	5.84		68.9		
		1		65.32	93.44		1102		
	1	1.45	41.2	5.93	8.48		100		
Cereal coffee (infusion)			1	0.002		0.014	0.06		
		1		0.06		0.40	1.8		
		1		0.91		6.35	29		
	1	55.06	1561.0	3.13		21.88	100		

TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—*Continued.*

Food Material	μ oz	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Cerealine				1	0.096	0.011	0.783	3.62	
			1		2.72	0.31	22.20	102.5	
	1	1			43.55	4.99	35.52	1640	
			0.98	27.7	2.66	0.30	21.66	100	
Cheese, cheddar				1	0.277	0.368	0.041	4.58	
			1		7.85	10.43	1.16	130.0	
	1	1			125.64	166.90	18.60	2079	
			0.77	21.8	6.04	8.03	0.89	100	
Cheese, cottage, A. P.				1	0.209	0.010	0.043	1.10	
			1		5.92	0.28	1.21	31.1	
	1	1			94.80	4.54	19.51	498	
			3.21	91.1	19.04	0.91	3.92	100	
Cheese, Fromage de Brie, A. P.				1	0.159	0.210	0.014	2.58	
			1		4.51	5.95	0.40	73.2	
	1	1			72.12	95.25	6.35	1171	
			1.36	38.7	6.16	8.13	0.54	100	
Cheese, full cream, A. P.				1	0.259	0.337	0.024	4.17	
			1		7.34	9.55	0.68	118.0	
	1	1			117.48	152.84	10.88	1888	
			0.85	24.0	6.22	8.09	0.58	100	
Cheese, pineapple, A. P.				1	0.299	0.389	0.026	4.80	
			1		8.48	11.04	0.74	136.1	
	1	1			135.60	176.44	11.79	2178	
			0.73	20.8	6.23	8.10	0.54	100	
Cheese, Roquefort, A. P.				1	0.226	0.295	0.018	3.63	
			1		6.41	8.36	0.51	102.9	
	1	1			102.50	133.80	8.16	1647	
			0.97	27.5	6.22	8.13	0.49	100	
Cheese, Swiss, A. P.				1	0.276	0.349	0.013	4.30	
			1		7.82	9.89	0.37	121.8	
	1	1			125.18	158.30	5.90	1949	
			0.82	23.3	6.42	8.12	0.30	100	
Cherries, candied				1	0.005	0.002	0.862	3.48	
			1		0.14	0.04	24.43	98.6	
	1	1			2.22	0.68	390.80	1578	
			1.01	28.7	0.14	0.04	24.76	100	
Cherries, canned				1	0.011	0.001	0.211	0.90	
			1		0.31	0.03	5.98	25.4	
	1	1			4.99	0.45	95.62	407	
			3.93	111.5	1.23	0.11	23.52	100	

TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	μ oz	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Chestnuts, dried, A. P.				1	0.081	0.053	0.564	3.06	
				1	2.30	1.50	15.99	86.6	
	1	1			36.74	24.04	255.81	1386	
	1	1.15	32.7		2.65	1.73	18.45	100	
Chestnuts, dried, E. P.				1	0.107	0.070	0.742	4.03	
				1	3.03	1.98	21.04	114.2	
	1	1			48.54	31.75	336.58	1828	
	1	0.87	24.8		2.66	1.74	18.44	100	
Chestnuts, fresh, A. P.				1	0.052	0.045	0.354	2.03	
				1	1.47	1.27	10.04	57.5	
	1	1			23.58	20.41	160.57	920	
	1	1.74	49.3		2.56	2.21	17.25	100	
Chestnuts, fresh, E. P.				1	0.062	0.054	0.421	2.42	
				1	1.76	1.53	11.94	68.6	
	1	1			28.12	24.49	190.96	1097	
	1	1.46	41.3		2.56	2.23	17.39	100	
Chickens, broilers, A. P.				1	0.128	0.014		0.64	
				1	3.63	0.40		18.1	
	1	1			58.06	6.35		289	
	1	5.53	156.7		20.06	2.19		100	
Chickens, broilers, E. P.				1	0.215	0.025		1.09	
				1	6.10	0.71		30.8	
	1	1			97.60	11.36		492.3	
	1	3.27	92.6		19.91	2.32		100	
Chicken gizzard, A. P.				1	0.247	0.014		1.11	
				1	7.00	0.39		31.6	
	1	1			112.00	6.35		505	
	1	3.17	89.8		22.18	1.26		100	
Chicken heart, A. P.				1	0.207	0.055		1.32	
				1	5.87	1.56		37.5	
	1	1			93.88	24.95		600	
	1	2.67	75.6		15.65	4.16		100	
Chicken liver, A. P.				1	0.224	0.042	0.024	1.37	
				1	6.35	1.19	0.68	38.8	
	1	1			101.60	19.05	10.88	621	
	1	2.58	73.0		16.35	3.07	1.75	100	
Citron, dried, A. P.				1	0.005	0.015	0.781	3.28	
				1	0.14	0.42	22.14	93.0	
	1	1			2.27	6.80	354.30	1487	
	1	1.08	30.5		0.15	0.46	23.82	100	

TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—*Continued.*

Food Material	P. oz	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Clams, long, in shell, A. P.				1	0.050	0.006	0.011	0.30	
			1		1.42	0.17	0.31	8.4	
	1	1			22.68	2.72	4.99	136	
	1	11.87	335.6	16.78	2.01	3.69	100		
Clams, long, in shell, E. P.				1	0.086	0.010	0.020	0.51	
			1		2.44	0.28	0.57	14.6	
	1	1			39.01	4.53	9.07	231	
	1	6.86	194.6	16.74	1.95	3.89	100		
Clams, round, in shell, E. P.				1	0.065	0.004	0.042	0.46	
			1		1.84	0.11	1.19	13.1	
	1	1			29.48	1.81	19.05	210	
	1	7.61	215.5	14.01	0.86	9.05	100		
Cocoanut, prepared, A. P.				1	0.063	0.574	0.315	6.68	
			1		1.79	16.27	8.93	189.3	
	1	1			28.58	260.35	142.88	3028	
	1	0.53	15.0	0.94	8.59	4.69	100		
Cocoanuts, A. P.				1	0.029	0.259	0.143	3.02	
			1		0.82	7.34	4.05	85.6	
	1	1			13.15	117.48	64.86	1369	
	1	1.17	33.1	0.96	8.58	4.74	100		
Cocoanuts, E. P.				1	0.057	0.506	0.279	5.90	
			1		1.62	14.34	7.91	167.2	
	1	1			25.85	229.50	126.55	2675	
	1	0.60	16.9	0.97	8.58	4.73	100		
Cod, dressed, A. P.				1	0.111	0.002		0.46	
			1		3.15	0.06		13.1	
	1	1			50.35	0.91		210	
	1	7.63	216.4	24.02	0.42		100		
Cod, salt, A. P.				1	0.190	0.004		0.80	
			1		5.39	0.11		22.6	
	1	1			86.18	1.81		361	
	1	4.43	125.6	23.87	0.50		100		
Cod, salt, E. P.				1	0.254	0.003		1.04	
			1		7.20	0.09		29.6	
	1	1			115.20	1.36		473	
	1	3.38	95.8	24.33	0.29		100		
Cod, steak, A. P.				1	0.170	0.005		0.73	
			1		4.80	0.14		20.6	
	1	1			77.11	2.27		329	
	1	4.86	137.9	23.44	0.69		100		

TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	P. oz	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars	
		lbs.	oz.	gms.						
Consommé, canned				1	0.025		0.004	0.12		
				1	0.71		0.11	3.3		
	1	1	30.4	862.1	11.34		1.81	53		
							3.45	100		
Corn flour				1	0.071	0.013	0.784	3.54		
				1	2.01	0.37	22.23	100.3		
	1	1			32.25	5.89	355.62	1604		
				1	0.99	28.3	2.01	0.37	22.17	100
Cottolene				1		1.000		9.00		
				1		28.35		255.2		
	1	1				453.60		4082		
				1	0.39	11.1		11.11	100	
Cracker- meal, A. P.				1	0.109	0.060	0.729	3.89		
				1	3.09	1.70	20.67	110.3		
	1	1			49.44	27.23	330.67	1765		
				1	0.91	25.7	2.80	1.54	18.73	100
Crackers, Boston, A. P.				1	0.110	0.085	0.711	4.05		
				1	3.12	2.41	20.16	114.8		
	1	1			49.90	38.56	322.50	1837		
				1	0.87	24.7	2.72	2.10	19.04	100
Crackers, butter, A. P.				1	0.096	0.101	0.716	4.16		
				1	2.72	2.86	20.30	117.8		
	1	1			43.54	45.81	324.77	1885		
				1	0.85	24.1	2.31	2.43	17.23	100
Crackers, cream, A. P.				1	0.097	0.121	0.697	4.27		
				1	2.75	3.43	19.76	120.9		
	1	1			44.00	54.88	316.18	1935		
				1	0.83	23.5	2.28	2.84	16.34	100
Crackers, water, A. P.				1	0.117	0.050	0.757	3.95		
				1	3.32	1.41	21.46	111.9		
	1	1			53.07	22.68	343.37	1790		
				1	0.89	25.3	2.96	1.26	19.18	100
Cream, common, (18.5%)				1	0.025	0.185	0.045	1.95		
				1	0.71	5.24	1.27	55.0		
	1	1			11.34	83.85	20.41	881		
				1	1.81	51.4	1.28	9.50	2.31	100
Cucumber pickles, A. P.				1	0.005	0.003	0.027	0.16		
				1	0.14	0.09	0.77	4.4		
	1	1			2.27	1.36	12.25	70		
				1	22.76	645.2	3.23	1.94	17.42	100

TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	P. of	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Doughnuts, A. P.				1	0.067	0.210	0.531	4.28	
			1		1.89	5.95	15.05	129.4	
	1		0.82	23.4	30.39	95.25	240.83	1942	
Eels, dressed, A. P.	1				1.56	4.91	12.40	100	
				1	0.148	0.072		1.24	
			1		4.18	2.04		35.2	
Eels, dressed, E. P.	1				67.13	32.66		562	
				1	0.186	0.091		1.56	
			1		5.27	2.58		44.3	
Egg plant, E. P.	1				84.36	41.27		709	
				1	0.012	0.003	0.051	0.28	
			1		0.34	0.09	1.44	7.9	
Fig bars or biscuits, A. P.	1				5.44	1.36	23.11	127	
				1	0.046	0.066	0.698	3.57	
			1		1.30	1.87	19.79	101.2	
Filberts, A. P.	1				20.86	29.92	316.61	1619	
				1	0.075	0.313	0.062	3.37	
			1		2.13	8.87	1.76	95.4	
Filberts, E. P.	1				34.04	141.98	28.12	1526	
				1	0.156	0.653	0.130	7.02	
			1		4.42	18.51	3.69	199.1	
Flounder, entrails removed, A. P.	1				70.76	296.20	58.97	3185	
				1	0.064	0.003		0.28	
			1		1.81	0.09		8.0	
Fowl, A. P.	1				29.03	1.36		128	
				1	0.137	0.123		1.66	
			1		3.88	3.49		46.9	
Fowl, E. P.	1				62.14	55.79		751	
				1	0.193	0.163		2.24	
			1		5.47	4.60		63.5	
			1	87.54	73.94		1016		
		1.58	44.7	8.62	7.28		100		



TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—*Continued.*

Food Material	p. s.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Frog's legs, A. P.				1	0.105	0.001		0.43	
			1		2.98	0.03		12.2	
	1		8.12	233.1	47.63	0.45		195	
	1				24.48	0.23		100	
Frog's legs, E. P.				1	0.155	0.002		0.64	
			1		4.39	0.06		18.1	
	1		5.53	156.7	70.30	0.91		289	
	1				24.30	0.31		100	
Ginger, crystallized				1	0.003	0.002	0.861	3.48	
			1		0.10	0.05	24.42	98.5	
	1		1.02	28.8	1.54	0.82	390.60	1576	
	1				0.10	0.05	24.78	100	
Gingersnaps				1	0.065	0.086	0.760	4.07	
			1		1.84	2.44	21.55	115.5	
	1		0.86	24.5	29.48	39.00	344.65	1848	
	1				1.60	2.11	18.60	100	
Gluten flour				1	0.142	0.018	0.711	3.57	
			1		4.03	0.51	20.16	101.3	
	1		0.99	28.0	64.41	8.16	322.50	1621	
	1				3.97	0.50	19.90	100	
Goose, young, A. P.				1	0.134	0.298		3.22	
			1		3.80	8.45		91.2	
	1		1.10	31.1	60.78	135.18		1460	
	1				4.16	9.26		100	
Goose, young, E. P.				1	0.163	0.362		3.91	
			1		4.62	10.26		110.8	
	1		0.90	25.6	73.93	164.20		1774	
	1				4.17	9.26		100	
Greens, dandelion, A. P.				1	0.024	0.010	0.106	0.61	
			1		0.68	0.28	3.00	17.3	
	1		5.78	163.9	10.88	4.54	48.08	277	
	1				3.93	1.64	17.38	100	
Grape juice				1			0.250	1.00	
			1				7.09	28.4	
	1		3.53	100			113.40		
	1						25.00	100	
Haddock, entrails removed, A. P.				1	0.084	0.002		0.35	
			1		2.37	0.06		10.0	
	1		9.96	282.5	38.10	0.91		161	
	1				23.73	0.57		100	

TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	p. oz	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Haddock, entrails removed, E. P.				1	0.172	0.003		0.72	
			1		4.88	0.09		20.3	
		1			78.02	1.36		324	
	1		4.94	139.9	24.06	0.42		100	
Haddock, smoked, A. P.				1	0.158	0.001		0.64	
			1		4.48	0.03		18.2	
		1			71.67	0.45		291	
	1		5.50	156.0	24.65	0.16		100	
Haddock, smoked, E. P.				1	0.233	0.002		0.95	
			1		6.61	0.06		26.9	
		1			105.69	0.91		431	
	1		3.71	105.3	24.53	0.21		100	
Halibut, smoked, A. P.				1	0.193	0.140		2.03	
			1		5.47	3.97		57.6	
		1			87.54	63.50		922	
	1		1.74	49.2	9.50	6.89		100	
Halibut, smoked, E. P.				1	0.207	0.150		2.18	
			1		5.87	4.25		61.7	
		1			93.89	68.04		988	
	1		1.62	45.9	9.50	6.89		100	
Halibut, steak, A. P.				1	0.153	0.044		1.01	
			1		4.33	1.25		28.6	
		1			69.40	19.96		457	
	1		3.49	99.2	15.18	4.37		100	
Halibut, steak, E. P.				1	0.186	0.052		1.21	
			1		5.27	1.47		34.4	
		1			84.36	23.58		550	
	1		2.93	82.5	15.34	4.29		100	
Ham, bone- less, A. P.				1	0.143	0.275		3.05	
			1		4.05	7.80		86.4	
		1			64.84	124.74		1382	
	1		1.16	32.8	4.69	9.03		100	
Ham, deviled				1	0.190	0.341		3.83	
			1		5.39	9.67		108.5	
		1			86.18	154.68		1737	
	1		0.92	26.1	4.96	8.91		100	
Ham, fresh, lean, A. P.				1	0.248	0.142		2.27	
			1		7.03	4.03		64.4	
		1			112.50	64.41		1030	
	1		1.55	44.1	10.93	6.26		100	

TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	Pounds	Weight			Protein, Grams	Fat, Grams	Carbohydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Ham, fresh, medium fat, A. P.				1	0.135	0.259		2.87	
			1		3.83	7.34		81.4	
	1	1	1.23	34.8	60.33	117.48		1302	
Ham, fresh, medium fat, E. P.				1	0.153	0.289		3.21	
			1		4.34	8.19		91.1	
	1	1	1.10	31.1	69.40	131.10		1457	
Ham, smoked, lean, A. P.				1	0.175	0.185		2.37	
			1		4.96	5.26		67.05	
	1	1	1.49	42.3	79.38	83.92		1073	
Ham, smoked, lean, E. P.				1	0.198	0.208		2.66	
			1		5.61	5.90		75.5	
	1	1	1.32	37.5	89.82	94.35		1207	
Ham, smoked, medium fat, A. P.				1	0.142	0.334		3.57	
			1		4.03	9.47		101.3	
	1	1	0.98	28.0	64.41	151.50		1621	
Ham, smoked, medium fat, E. P.				1	0.163	0.388		4.14	
			1		4.62	11.00		117.5	
	1	1	0.85	24.1	73.94	175.80		1880	
Head cheese, A. P.				1	0.189	0.240		2.92	
			1		5.36	6.84		82.7	
	1	1	1.21	34.3	85.73	108.87		1323	
Head cheese, E. P.				1	0.195	0.338		3.82	
			1		5.53	9.58		108.3	
	1	1	0.92	26.2	88.45	153.30		1734	
Herring, smoked, A. P.				1	0.205	0.088		1.61	
			1		5.81	2.49		45.7	
	1	1	2.19	62.0	92.98	39.95		731	
Herring, smoked, E. P.				1	0.369	0.158		2.90	
			1		10.46	4.48		82.2	
	1	1	1.22	34.5	167.37	71.67		1315	
				1	12.73	5.45		100	

TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—*Continued.*

Food Material	R. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Herring, whole, A. P.				1	0.112	0.039		0.80	
			1		3.18	1.11		22.6	
		1			50.80	17.69		362	
		1	4.29	125.1	14.02	4.88		100	
Herring, whole, E. P.				1	0.195	0.071		1.42	
			1		5.53	2.01		40.2	
		1			88.45	32.20		644	
		1	2.49	70.5	13.74	5.00		100	
Hickory nuts, A. P.				1	0.058	0.255	0.043	2.70	
			1		1.64	7.23	1.22	76.5	
		1			26.31	115.67	19.51	1224	
		1	1.31	37.1	2.15	9.44	1.59	100	
Hickory nuts, E. P.				1	0.154	0.674	0.114	7.14	
			1		4.36	19.11	3.23	202.4	
		1			69.86	305.72	51.70	3238	
		1	0.49	14.0	2.16	9.44	1.59	100	
Honey, A. P.				1	0.004		0.812	3.26	
			1		0.11		23.02	92.5	
		1			1.81		368.30	1480	
		1	1.08	30.6	0.12		24.88	100	
Koumiss, A. P.				1	0.028	0.021	0.054	0.52	
			1		0.79	0.60	1.53	14.7	
		1			12.70	9.53	24.49	235	
		1	6.82	193.4	5.42	4.06	10.44	100	
Lamb, breast, A. P.				1	0.154	0.191		2.34	
			1		4.37	5.41		66.6	
		1			69.85	86.63		1057	
		1	1.51	42.8	6.59	8.18		100	
Lamb, breast, E. P.				1	0.191	0.236		2.89	
			1		5.41	6.69		81.8	
		1			86.63	107.04		1310	
		1	1.22	34.6	6.61	8.17		100	
Lamb, leg, hind, medium fat, A. P.				1	0.159	0.136		1.86	
			1		4.51	3.86		52.7	
		1			72.12	61.69		844	
		1	1.90	53.8	8.55	7.31		100	
Lamb, leg, hind, medium fat, E. P.				1	0.192	0.165		2.25	
			1		5.44	4.68		63.9	
		1			87.08	74.84		1022	
		1	1.57	44.4	8.52	7.32		100	

TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	Pounds	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Lamb, loin, A. P.				1	0.160	0.241		2.81	
			1		4.54	6.83		79.6	
	1	1			72.58	109.30		1274	
Lamb, loin, E. P.				1	0.187	0.283		3.30	
			1		5.30	8.02		93.42	
	1	1	1.06	30.4	84.82	128.37		1495	
Lamb, neck, A. P.				1	0.146	0.204		2.42	
			1		4.14	5.78		68.6	
	1	1	1.46	41.3	66.22	92.53		1098	
Lamb, neck, E. P.				1	0.177	0.248		2.94	
			1		5.02	7.03		83.3	
	1	1	1.20	34.0	80.28	112.49		1334	
Lamb, shoulder, A. P.				1	0.144	0.236		2.70	
			1		4.08	6.69		76.5	
	1	1	1.31	37.0	65.31	107.05		1225	
Lamb, shoulder, E. P.				1	0.181	0.297		3.40	
			1		5.13	8.42		112.5	
	1	1	1.04	29.4	82.10	134.70		1541	
Lamb, tongue, canned, A. P.				1	0.135	0.173		2.10	
			1		3.83	4.91		59.4	
	1	1	1.68	47.7	61.24	78.47		951	
Lemons, A. P.				1	0.007	0.005	0.059	0.31	
			1		0.20	0.14	1.67	8.8	
	1	1	11.41	323.6	3.18	2.27	26.76	140	
Lemons, E. P.				1	0.01	0.007	0.085	0.44	
			1		0.28	0.20	2.41	12.6	
	1	1	7.96	225.7	4.54	3.18	38.56	201	
Lobster, canned, A. P.				1	0.181	0.011	0.005	0.84	
			1		5.13	0.31	0.14	23.9	
	1	1	4.30	118.6	82.10	4.99	2.27	382	
				1	21.47	1.31	0.59	100	

TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	S. P.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Lobster, whole, A. P.				1	0.059	0.007	0.002	0.31	
			1		1.67	0.20	0.06	8.70	
		1			26.76	3.18	0.91	139	
		1	11.48	325.7	19.22	2.29	0.65	100	
Lobster, whole, E. P.				1	0.164	0.018	0.004	0.83	
			1		4.65	0.51	0.11	23.6	
		1			74.38	8.16	1.81	378	
		1	4.23	119.9	19.66	2.16	0.48	100	
Macaroons, A. P.				1	0.065	0.152	0.652	4.24	
			1		1.84	4.31	18.48	120.1	
		1			29.48	68.95	295.75	1921	
		1	0.83	23.6	1.54	3.59	15.39	100	
Mackerel, fresh, whole, A. P.				1	0.102	0.042		0.79	
			1		2.89	1.19		22.3	
		1			46.27	19.05		357	
		1	4.49	127.2	12.98	5.34		100	
Mackerel, fresh, whole, E. P.				1	0.187	0.071		1.39	
			1		5.30	2.01		39.3	
		1			84.82	32.20		629	
		1	2.54	72.1	13.48	5.12		100	
Mackerel, fresh, entrails re- moved, A.P.				1	0.116	0.035		0.78	
			1		3.29	0.99		22.1	
		1			52.62	15.87		353	
		1	4.51	128.4	14.89	4.49		100	
Mackerel, salt, canned, A. P.				1	0.196	0.087		1.57	
			1		5.56	2.47		44.4	
		1			88.89	39.47		711	
		1	2.25	63.8	12.51	5.55		100	
Mackerel, salt, dressed, A. P.				1	0.139	0.212		2.46	
			1		3.94	6.01		69.9	
		1			63.05	96.16		1118	
		1	1.43	40.6	5.64	8.60		100	
Mackerel, salt, dressed, E. P.				1	0.173	0.264		3.07	
			1		4.91	7.48		87.0	
		1			78.47	119.74		1392	
		1	1.15	32.6	5.64	8.61		100	
Mushrooms, A. P.				1	0.035	0.004	0.068	0.45	
			1		0.99	0.11	1.93	12.7	
		1			15.88	1.81	30.85	203	
		1	7.86	223.2	7.81	0.89	15.18	100	

TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	P. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Mutton, chuck, A. P.				1	0.117	0.300		3.17	
			1		3.32	8.50		89.8	
	1	1			53.07	136.08		1437	
		1	1.11	31.6	3.69	9.47		100	
Mutton, chuck, E. P.				1	0.146	0.368		3.90	
			1		4.14	10.43		110.4	
	1	1			66.22	166.80		1767	
		1	0.91	25.7	3.75	9.45		100	
Mutton, flank, medium fat, A. P.				1	0.138	0.369		3.87	
			1		3.91	10.46		109.8	
	1	1			62.60	167.38		1757	
		1	0.91	25.8	3.56	9.53		100	
Mutton, flank, medium fat, E. P.				1	0.152	0.383		4.06	
			1		4.31	10.86		115.0	
	1	1			68.94	173.70		1839	
		1	0.87	24.7	3.75	9.44		100	
Mutton, leg, hind, lean, A. P.				1	0.165	0.103		1.59	
			1		4.68	2.92		45.0	
	1	1			74.84	46.72		720	
		1	2.22	63.0	10.40	6.49		100	
Mutton, leg, hind, lean, E. P.				1	0.198	0.124		1.91	
			1		5.62	3.52		54.1	
	1	1			89.82	56.24		865	
		1	1.85	52.4	10.38	6.50		100	
Mutton, leg, hind, medium fat, A. P.				1	0.151	0.147		1.93	
			1		4.28	4.17		54.6	
	1	1			68.50	66.68		874	
		1	1.83	51.9	7.84	7.63		100	
Mutton, leg, hind, medium fat, E. P.				1	0.185	0.180		2.36	
			1		5.24	5.10		66.9	
	1	1			83.91	81.64		1070	
		1	1.50	42.4	7.84	7.63		100	
Mutton, loin, free fat removed				1	0.237	0.185		2.61	
			1		6.72	5.25		74.1	
	1	1			107.50	84.12		1185	
		1	1.35	38.3	9.07	7.08		100	
Mutton, loin, medium fat, A. P.				1	0.135	0.283		3.09	
			1		3.83	8.02		87.5	
	1	1			61.24	128.36		1400	
		1	1.14	32.4	4.37	9.17		100	

TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—*Continued.*

Food Material	Pounds	Weight			Protein, Grams	Fat, Grams	Carbohydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Mutton, loin, medium fat, E. P.				1	0.160	0.331		3.62	
			1		4.55	9.38		102.6	
	1				72.58	150.14		1642	
		1	0.97	27.6	4.42	9.15		100	
Mutton, neck, medium fat, A. P.				1	0.123	0.179		2.10	
			1		3.49	5.07		59.6	
	1				55.80	81.20		954	
		1	1.68	47.6	5.85	8.51		100	
Mutton, neck, medium fat, E. P.				1	0.169	0.246		2.89	
			1		4.79	6.97		81.9	
	1				76.66	111.58		1311	
		1	1.22	34.6	5.85	8.51		100	
Mutton, shoulder, medium fat, A. P.				1	0.137	0.155		1.94	
			1		3.88	4.39		55.1	
	1				62.14	70.31		881	
		1	1.82	51.5	7.05	7.96		100	
Mutton, shoulder, medium fat, E. P.				1	0.177	0.199		2.50	
			1		5.02	5.64		70.8	
	1				80.28	90.26		1133	
		1	1.41	40.0	7.08	7.96		100	
Nectarines, A. P.				1	0.006		0.148	0.62	
			1		0.17		4.20	17.5	
	1				2.72		67.12	279	
		1	5.71	162.3	0.97		24.02	100	
Nectarines, E. P.				1	0.006		0.159	0.66	
			1		0.17		4.51	18.7	
	1				2.72		72.12	299	
		1	5.34	151.5	0.91		24.09	100	
Oatmeal				1	0.161	0.072	0.675	3.99	
			1		4.56	2.04	19.13	113.2	
	1				73.02	32.65	306.18	1810	
		1	0.88	25.1	4.03	1.80	16.90	100	
Okra, A. P.				1	0.014	0.002	0.065	0.33	
			1		0.40	0.06	1.84	9.5	
	1				6.35	0.91	29.48	152	
		1	10.54	299.4	4.19	0.60	19.46	100	
Oleomargarine, A. P.				1	0.012	0.830		7.52	
			1		0.34	23.53		213.1	
	1				5.44	376.50		3410	
		1	0.47	13.3	0.16	11.04		100	



TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	lb. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Olives, ripe, A. P.				1	0.014	0.210	0.035	2.09	
			1		0.40	5.95	0.99	59.1	
	1		1.69	47.9	6.35	95.25	15.88	946	
Olives, ripe, E. P.				1	0.017	0.250	0.043	2.49	
			1		0.48	7.09	1.22	70.6	
	1		1.42	40.2	7.71	113.40	19.50	1129	
Orange juice				1			0.108	0.43	
			1				3.06	12.25	
	1		8.17	231.5			48.98	196	
Oysters, canned, A. P.				1	0.088	0.024	0.039	0.72	
			1		2.50	0.68	1.11	20.5	
	1		4.87	138.1	39.92	10.89	15.38	328	
Pecans, unpolished, A. P.				1	0.051	0.379	0.082	3.94	
			1		1.45	10.74	2.32	111.8	
	1		0.89	25.4	23.13	171.90	37.19	1788	
Pecans, unpolished, E. P.				1	0.096	0.705	0.153	7.34	
			1		2.72	19.99	4.33	208.1	
	1		0.48	13.6	43.55	319.79	69.40	3330	
Perch, yellow dressed, A. P.				1	0.128	0.007		0.58	
			1		3.63	0.20		16.3	
	1		6.32	173.9	58.06	3.18		261	
Pickerel, pike, entrails removed, A. P.				1	0.107	0.003		0.46	
			1		3.03	0.09		12.9	
	1		7.75	219.8	48.54	1.36		206	
Pigs' feet, pickled, A. P.				1	0.102	0.093		1.25	
			1		2.90	2.64		35.3	
	1		2.83	80.3	46.27	42.18		565	
Pigs' feet, pickled, E. P.				1	0.163	0.148		1.98	
			1		4.60	4.20		56.2	
	1		1.78	50.9	73.94	67.13		900	
				1	8.20	7.50		100	

TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	μ. oz	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Pineapple juice				1			0.165	0.66	
			1				4.68	18.7	
		1					74.84	299	
		1	5.34	151.5			25.00	100	
Pine nuts, pignolias, E. P.				1	0.339	0.494	0.069	6.08	
			1		9.61	14.00	1.96	172.3	
		1			153.77	224.10	31.30	2757	
		1	0.58	16.5	5.58	8.13	1.14	100	
Pistachios, shelled, E. P.				1	0.223	0.540	0.163	6.40	
			1		6.32	15.31	4.62	181.6	
		1			101.14	244.93	73.94	2905	
		1	0.55	15.6	3.48	8.43	2.55	100	
Pop corn				1	0.107	0.050	0.787	4.03	
			1		3.03	1.42	22.31	114.1	
		1			48.54	22.68	356.98	1826	
		1	0.87	24.8	2.66	1.24	19.55	100	
Porgy, whole, A. P.				1	0.074	0.021		0.49	
			1		2.10	0.60		13.8	
		1			33.57	9.52		220	
		1	7.27	206.2	15.26	4.33		100	
Porgy, whole, E. P.				1	0.186	0.051		1.20	
			1		5.27	1.45		34.1	
		1			84.36	23.13		546	
		1	2.93	83.1	15.46	4.24		100	
Pork, loin chops, lean, A. P.				1	0.155	0.145		1.93	
			1		4.39	4.11		54.6	
		1			70.31	65.76		873	
		1	1.83	51.9	8.05	7.53		100	
Pork, loin chops, lean, E. P.				1	0.203	0.190		2.52	
			1		5.76	5.39		71.5	
		1			92.08	86.18		1144	
		1	1.40	39.7	8.05	7.53		100	
Pork, loin chops, medium fat, A. P.				1	0.134	0.242		2.71	
			1		3.80	6.86		76.9	
		1			60.78	109.78		1231	
		1	1.30	36.9	4.94	8.92		100	
Pork, loin chops, medium fat, E. P.				1	0.166	0.301		3.37	
			1		4.71	8.53		95.6	
		1			75.30	136.53		1530	
		1	1.04	29.7	4.92	8.92		100	

TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	P. oz	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Pork, salt, clear fat, A. P.				1	0.019	0.862		7.83	
			1		0.54	24.44		222.1	
		1			8.62	391.00		3555	
		1	0.45	12.8	0.24	11.00		100	
Pork, side not including lard and kidney, A.P.				1	0.080	0.490		4.73	
			1		2.27	13.89		134.1	
		1			36.28	222.25		2145	
		1	0.74	21.1	1.69	10.36		100	
Pork, side not including lard and kidney, E.P.				1	0.091	0.553		5.34	
			1		2.58	15.68		151.4	
		1			41.28	250.82		2423	
		1	0.66	18.7	1.70	10.34		100	
Pork, shoul- der smoked, medium fat, A. P.				1	0.130	0.266		2.91	
			1		3.69	7.54		82.6	
		1			58.98	120.66		1322	
		1	1.21	34.3	4.46	9.13		100	
Pork, shoul- der smoked, medium fat, E. P.				1	0.159	0.325		3.56	
			1		4.51	9.21		100.9	
		1			72.12	147.42		1615	
		1	0.99	28.1	4.47	9.13		100	
Pork, tender- loin, A. P.				1	0.189	0.130		1.93	
			1		5.36	3.69		54.6	
		1			85.74	58.97		874	
		1	1.83	51.9	9.81	6.75		100	
Pumpkins, A. P.				1	0.005	0.001	0.026	0.13	
			1		0.14	0.03	0.74	3.8	
		1			2.27	0.45	11.79	60	
		1	26.52	751.9	3.76	0.75	19.55	100	
Pumpkins, E. P.				1	0.010	0.001	0.052	0.26	
			1		0.28	0.03	1.47	7.3	
		1			4.54	0.45	23.59	117	
		1	13.72	389.1	3.89	0.39	20.23	100	
Raspberry juice				1			0.094	0.38	
			1				2.66	10.7	
		1					42.64	171	
		1	9.38	266			25.00	100	
Rice flour				1	0.086	0.061	0.680	3.61	
			1		2.43	1.72	19.28	102.4	
		1			39.01	27.67	308.45	1639	
		1	0.97	27.6	2.38	1.68	18.82	100	

TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—*Continued.*

Food Material	L. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Rolls, French				1	0.085	0.025	0.557	2.79	
			1		2.41	0.71	15.79	79.2	
	1		1		38.56	11.34	252.55	1267	
	1		1.26	35.8	3.04	0.90	19.94	100	
Rolls, Vienna				1	0.085	0.022	0.565	2.80	
			1		2.41	0.62	16.03	79.4	
	1		1		38.56	9.98	256.28	1269	
	1		1.26	35.7	3.04	0.79	20.19	100	
Rolls, water				1	0.090	0.030	0.542	2.80	
			1		2.55	0.85	15.37	79.3	
	1		1		40.82	13.61	245.82	1269	
	1		1.26	35.7	3.22	1.07	19.37	100	
Rutabagas, A. P.				1	0.009	0.001	0.060	0.29	
			1		0.26	0.03	1.70	8.1	
	1		1		4.08	0.45	27.22	129	
	1		12.37	350.9	3.16	0.35	21.06	100	
Rye flour				1	0.068	0.009	0.787	3.50	
			1		1.93	0.26	22.31	99.3	
	1		1		30.88	4.08	357.00	1588	
	1		1.01	28.5	1.94	0.26	22.48	100	
Salmon, whole, fresh, A. P.				1	0.153	0.089		1.41	
			1		4.34	2.52		40.1	
	1		1		69.40	40.37		641	
	1		2.50	70.8	10.83	6.30		100	
Salmon, whole, fresh, E. P.				1	0.220	0.128		2.03	
			1		6.24	3.63		57.6	
	1		1		99.80	58.06		922	
	1		1.75	49.2	10.83	6.30		100	
Sausage, bologna, A. P.				1	0.182	0.197		2.50	
			1		5.16	5.59		70.9	
	1		1		82.56	89.36		1134	
	1		1.41	40.0	7.28	7.88		100	
Sausage, bologna, E. P.				1	0.187	0.176	0.003	2.34	
			1		5.30	4.99	0.09	61.5	
	1		1		84.82	79.83	1.36	1063	
	1		1.50	42.7	7.98	7.51	0.13	100	
Sausage, frankfort, A. P.				1	0.196	0.186	0.011	2.50	
			1		5.56	5.27	0.31	70.9	
	1		1		88.90	84.37	4.99	1134	
	1		1.12	40.0	7.83	7.43	0.44	100	

TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	P. oz	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Sausage meat, pork, A. P.				1	0.174	0.325		3.62	
				1	4.93	9.21		102.4	
	1	1	0.98	27.7	78.93	147.41		1642	
Sausage, pork, A. P.				1	0.130	0.440	0.011	4.52	
				1	3.69	12.47	0.31	128.3	
	1	1	0.78	22.1	58.97	199.60	4.99	2052	
Sausage, summer, A. P.				1	0.245	0.421		4.77	
				1	6.95	11.94		135.2	
	1	1	0.74	21.0	111.13	190.98		2163	
Sausage, summer, E. P.				1	0.260	0.445		5.05	
				1	7.37	12.62		143.0	
	1	1	0.70	19.8	117.93	201.86		2289	
Scallops, A. P.				1	0.148	0.001	0.034	0.74	
				1	4.20	0.03	0.96	20.9	
	1	1	4.79	135.7	67.13	0.45	15.42	334	
Shad, whole, fresh, A. P.				1	0.094	0.048		0.81	
				1	2.67	1.36		22.9	
	1	1	4.37	123.8	42.64	21.77		367	
Shad, whole, fresh, E. P.				1	0.188	0.095		1.61	
				1	5.33	2.69		45.6	
	1	1	2.19	62.2	85.12	43.04		728	
Shad roe, fresh, A. P.				1	0.209	0.038	0.026	1.28	
				1	5.93	1.08	0.74	36.3	
	1	1	2.75	78.0	94.72	17.12	11.79	581	
Shrimp, canned, A. P.				1	0.254	0.010	0.002	1.11	
				1	7.20	0.28	0.06	31.5	
	1	1	3.17	89.8	115.20	4.53	1.81	504	
Smelt, whole, A. P.				1	0.101	0.010		0.49	
				1	2.86	0.28		14.0	
	1	1	7.14	202.4	45.83	4.53		224	
			1	20.44	2.02		100		

TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	pi oz	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Smelt, whole, E. P.			1	0.176	0.018		0.87		
		1		4.99	0.51		24.6		
		1		79.63	8.16		393		
		1	4.07	115.5	20.33	2.08		100	
Squash, fresh, E. P.			1	0.014	0.005	0.090	0.46		
		1		0.40	0.14	2.55	13.1		
		1		6.35	2.27	40.82	209		
		1	7.65	216.9	3.04	1.09	19.52	100	
Strawberry juice			1			0.050	0.20		
		1				1.42	5.7		
		1				22.68	91		
		1	17.6	500			25.00	100	
Sturgeon, anterior sections, A. P.			1	0.151	0.016		0.75		
		1		4.28	0.45		21.2		
		1		68.50	7.26		339		
		1	4.72	133.7	20.19	2.14		100	
Sturgeon, anterior sections, E. P.			1	0.181	0.019		0.90		
		1		5.13	0.54		25.4		
		1		82.10	8.62		406		
		1	3.94	111.7	20.22	2.12		100	
Sugar, brown			1			0.950	3.80		
		1				26.93	107.7		
		1				430.92	1724		
		1	0.93	26.3			25.00	100	
Sugar, maple			1			0.828	3.31		
		1				23.47	93.8		
		1				375.58	1502		
		1	1.07	30.2			25.00	100	
Syrup, maple, A. P.			1			0.714	2.86		
		1				20.24	81.0		
		1				323.88	1295		
		1	1.23	35.0			25.00	100	
Terrapin, A. P.			1	0.052	0.009		0.29		
		1		1.47	0.26		8.2		
		1		23.57	4.08		131		
		1	12.20	346.0	17.99	3.11		100	
Terrapin, E. P.			1	0.212	0.035		1.16		
		1		6.01	0.99		33.0		
		1		96.16	15.88		528		
		1	3.03	86.0	18.23	3.01		100	

TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—*Continued.*

Food Material	c. si	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Tripe, A. P.				1	0.117	0.012		0.58	
			1		3.32	0.34		16.3	
	1		6.12	173.6	20.31	2.08		100	
Trout, salmon, or lake, fresh, A. P.				1	0.091	0.051		0.82	
			1		2.58	1.45		23.3	
	1		4.29	121.5	11.06	6.20		100	
Trout, salmon or lake, fresh, E. P.				1	0.178	0.103		1.64	
			1		5.05	2.92		46.5	
	1		2.15	61.0	10.86	6.28		100	
Turkey, A. P.				1	0.161	0.184		2.30	
			1		4.56	5.22		65.2	
	1		1.53	43.5	7.00	8.00		100	
Turkey, E. P.				1	0.211	0.229		2.91	
			1		5.98	6.49		82.4	
	1		1.21	34.4	7.26	7.88		100	
Turtle, green, whole, A. P.				1	0.047	0.001		0.20	
			1		1.33	0.03		5.6	
	1		17.90	507.6	23.86	0.51		100	
Turtle, green, whole, E. P.				1	0.198	0.005		0.84	
			1		5.61	0.14		23.7	
	1		4.21	119.4	23.66	0.60		100	
Vanilla wafers				1	0.066	0.140	0.716	4.39	
			1		1.87	3.97	20.30	124.4	
	1		0.80	22.8	1.50	3.19	16.31	100	
Veal, breast, lean, A. P.				1	0.157	0.062		1.19	
			1		4.45	1.76		33.6	
	1		2.97	84.3	13.24	5.23		100	
Veal, breast, lean, E. P.				1	0.212	0.080		1.57	
			1		6.01	2.27		44.5	
	1		2.25	63.8	13.52	5.10		100	

TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—*Continued.*

Food Material	p. oz	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Veal, breast, medium fat, A. P.				1	0.156	0.110		1.61	
			1		4.42	3.12		45.8	
		1			70.76	49.90		732	
	1		2.19	62.0	9.67	6.82		100	
Veal, breast, medium fat, E. P.				1	0.194	0.138		2.02	
			1		5.50	3.91		57.2	
		1			88.00	62.59		915	
	1		1.75	49.6	9.61	6.84		100	
Veal, chuck, lean, A. P.				1	0.167	0.016		0.81	
			1		4.74	0.45		23.0	
		1			75.75	7.26		368	
	1		4.34	123.1	20.57	1.97		100	
Veal, chuck, lean, E. P.				1	0.206	0.019		1.00	
			1		5.84	0.54		28.2	
		1			93.44	8.62		451	
	1		3.54	100.5	20.70	1.90		100	
Veal, chuck, medium fat, E. P.				1	0.197	0.065		1.37	
			1		5.58	1.84		38.9	
		1			89.36	29.48		623	
	1		2.57	72.8	14.35	4.73		100	
Veal, chuck, medium fat, A. P.				1	0.160	0.052		1.11	
			1		4.54	1.47		31.4	
		1			72.58	23.59		503	
	1		3.18	90.3	14.44	4.69		100	
Veal, flank, medium fat, A. P.				1	0.205	0.104		1.76	
			1		5.81	2.94		49.8	
		1			92.96	47.04		797	
	1		2.01	56.9	11.65	5.92		100	
Veal, kidney, A. P.				1	0.169	0.064		1.25	
			1		4.79	1.81		35.5	
		1			76.64	28.96		568	
	1		2.82	79.9	13.50	5.11		100	
Veal, leg, lean, A. P.				1	0.194	0.037		1.11	
			1		5.50	1.05		31.4	
		1			88.00	16.83		503	
	1		3.18	90.2	17.49	3.34		100	
Veal, leg, lean, E. P.				1	0.213	0.041		1.22	
			1		6.04	1.16		34.6	
		1			96.64	18.56		554	
	1		2.89	81.9	17.45	3.36		100	



TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	sq. lbs.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Veal, leg, medium fat, A. P.				1	0.155	0.079		1.33	
			1		4.39	2.24		37.7	
	1	1			70.24	35.84		603	
			2.65	75.1	11.64	5.93		100	
Veal, leg, medium fat, E. P.				1	0.202	0.090		1.62	
			1		5.73	2.55		45.9	
	1	1			91.68	40.80		734	
			2.18	61.8	12.48	5.56		100	
Veal, liver, A. P.				1	0.190	0.053		1.24	
			1		5.39	1.50		35.1	
	1	1			86.24	24.04		562	
			2.85	80.8	15.36	4.28		100	
Veal, loin, lean, A. P.				1	0.159	0.044		1.03	
			1		4.51	1.25		29.3	
	1	1			72.12	19.96		468	
			3.42	96.9	15.41	4.26		100	
Veal, loin, lean, E. P.				1	0.204	0.056		1.32	
			1		5.78	1.59		37.4	
	1	1			92.53	25.40		599	
			2.67	75.8	15.46	4.25		100	
Veal, loin, medium fat, A. P.				1	0.166	0.090		1.47	
			1		4.71	2.55		41.8	
	1	1			75.30	40.82		669	
			2.39	67.8	11.25	6.10		100	
Veal, loin, medium fat, E. P.				1	0.199	0.108		1.77	
			1		5.64	3.06		50.1	
	1	1			90.24	48.99		798	
			1.99	56.6	11.25	6.11		100	
Veal, neck, A. P.				1	0.139	0.046		0.97	
			1		3.94	1.30		27.5	
	1	1			63.05	20.87		440	
			3.63	103.0	14.33	4.74		100	
Veal, neck, E. P.				1	0.203	0.069		1.43	
			1		5.76	1.96		40.6	
	1	1			92.07	31.30		650	
			2.47	69.9	14.19	4.82		100	
Veal, rib, medium fat, A. P.				1	0.155	0.046		1.03	
			1		4.39	1.30		29.3	
	1	1			70.30	20.87		469	
			3.41	96.7	14.98	4.45		100	

TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	R. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Veal, rib, medium fat, E. P.				1	0.207	0.061		1.38	
			1		5.87	1.73		39.0	
		1			93.88	27.67		625	
		1	2.56	72.6	15.03	4.43		100	
Veal, rump, A. P.				1	0.138	0.113		1.57	
			1		3.91	3.20		44.5	
		1			62.60	51.26		712	
		1	2.25	63.7	8.79	7.20		100	
Veal, rump, E. P.				1	0.198	0.162		2.25	
			1		5.61	4.59		63.8	
		1			89.82	73.48		1021	
		1	1.57	44.4	8.79	7.19		100	
Veal, shank, fore, A. P.				1	0.122	0.031		0.77	
			1		3.46	0.88		21.7	
		1			55.34	14.06		347	
		1	4.60	130.4	15.91	4.04		100	
Veal, shank, fore, E. P.				1	0.207	0.052		1.30	
			1		5.87	1.47		36.7	
		1			93.89	23.58		588	
		1	2.72	77.2	15.98	4.01		100	
Veal, shank, hind, medium fat, A. P.				1	0.077	0.017		0.46	
			1		2.18	0.48		13.0	
		1			34.93	7.71		209	
		1	7.65	216.9	16.70	3.68		100	
Veal, shank, hind, medium fat, E. P.				1	0.207	0.046		1.24	
			1		5.87	1.30		35.2	
		1			93.89	20.87		563	
		1	2.84	80.5	16.66	3.70		100	
Veal, shoulder, lean, A. P.				1	0.169	0.039		1.03	
			1		4.79	1.11		29.1	
		1			76.66	17.69		466	
		1	3.43	97.4	16.46	3.79		100	
Veal, shoulder, lean, E. P.				1	0.207	0.046		1.24	
			1		5.86	1.30		35.2	
		1			93.88	20.87		563	
		1	2.84	80.5	16.67	3.70		100	
Veal, shoulder, medium fat, A. P.				1	0.151	0.110		1.59	
			1		4.28	3.12		45.2	
		1			68.48	49.90		723	
		1	2.21	62.7	9.47	6.90		100	

TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—Continued.

Food Material	lb. oz.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Veal, shoulder, medium fat, E. P.				1	0.197	0.144		2.08	
			1		5.58	4.08		59.1	
	1		1.69	47.9	89.36	65.32		945	
Walnuts, black, A. P.				1	0.072	0.146	0.030	1.72	
			1		2.04	4.14	0.85	48.8	
	1		2.05	58.1	32.66	66.22	13.61	781	
Walnuts, black, E. P.				1	0.276	0.563	0.117	6.64	
			1		7.82	15.96	3.32	188.2	
	1		0.53	15.1	125.19	255.38	53.06	3012	
Watermelons, fresh, A. P.				1	0.002	0.001	0.027	0.13	
			1		0.06	0.03	0.77	3.5	
	1		28.22	800.0	0.91	0.45	12.25	57	
Watermelons, fresh, E. P.				1	0.004	0.002	0.067	0.30	
			1		0.11	0.06	1.90	8.6	
	1		11.68	331.1	1.81	0.91	30.38	137	
Weakfish, whole, A. P.				1	0.086	0.011		0.44	
			1		2.44	0.32		12.6	
	1		7.96	225.7	39.01	4.99		201	
Weakfish, whole, E. P.				1	0.178	0.024		0.93	
			1		5.05	0.68		26.3	
	1		3.80	107.8	80.74	10.61		421	
Wheat, cracked and crushed				1	0.111	0.017	0.755	3.62	
			1		3.15	0.48	21.40	102.5	
	1		0.97	27.6	50.34	7.71	342.50	1641	
Wheat, parched and toasted				1	0.136	0.024	0.745	3.74	
			1		3.85	0.68	21.14	106.0	
	1		0.94	26.7	61.68	10.88	337.80	1696	
Whey, A. P.				1	0.010	0.003	0.050	0.27	
			1		0.28	0.09	1.42	7.6	
	1		13.2	374.5	4.54	1.36	22.68	121	
				1	3.74	1.12	18.73	100	

TABLE XIX.

FOOD VALUES OF FOOD MATERIALS USED CHIEFLY BY WEIGHT IN TERMS OF STANDARD UNITS.—*Continued.*

Food Material	P. ct.	Weight			Protein, Grams	Fat, Grams	Carbo- hydrate, Grams	Fuel Value, Calories	Cost, Dollars
		lbs.	oz.	gms.					
Whitefish, fresh, whole, E. P.			1	0.229	0.065		1.50		
			1	6.49	1.84		42.5		
	1	1		103.84	29.44		680		
	1	2.35	66.6	15.26	4.33		100		
Yeast, com- pressed			1	0.117	0.004	0.210	1.34		
			1	3.32	0.11	5.95	38.1		
	1	1		53.04	1.81	95.25	610		
	1	2.62	74.4	8.70	0.30	15.62	100		

TABLE XX.\*

## ASH CONSTITUENTS OF FOODS IN PERCENTAGE OF THE EDIBLE PORTION.

(Compiled from various sources.)

Food.	CaO	MgO	K <sub>2</sub> O	Na <sub>2</sub> O	P <sub>2</sub> O <sub>5</sub>	Cl	S	Fe
Almonds.....	.30	.35	.20	.03	.87	.005	.135	.002
Apples.....	.014	.014	.15	.02	.03	.004	.005	.0003
Apricots.....	.018	.018	.28	.06	.06	.003		
Asparagus.....	.04	.02	.20	.01	.09	.04	.04	.0010
Bananas.....	.01	.04	.50	.02	.055	.20	.013	.0006
Barley, pearled	.025	.10	.35	.04	.46	.02		.0013
whole.....	.06	.22	.50	.06	.95	.02	.14	.004
Beans, dried	.22	.25	1.40	.26	1.14	.03	.22	.0070
lima, dried.....	.10	.31	2.1	.33	.77	.025	.16	.0070
lima, fresh.....	.04	.11	.7	.12	.27	.009	.06	.0025
string.....	.075	.043	.28	.03	.12		.04	.0016
Beef ( <i>see</i> Meat)								
Beer.....	.007	.010	.059	.059	.089	.014		
Beets.....	.03	.033	.45	.10	.09	.04	.015	.0006
Blackberries.....	.08	.035	.20		.08		.01	
Blueberries.....	.045	.015	.05		.02			
Bread, white	.03	.03	.10		.20		.12	.0009
whole wheat.....	.04	.08	.27		.4			.0015
Breadfruit.....	.12	.01	.28	.04	.16	.10		
Buckwheat flour	.02	.08	.16	.04	.40	.01		
Butter.....	.02	.001	.02		.03			
Buttermilk.....	.15	.026	.18	.08	.22	.10		
Cabbage.....	.068	.026	.45	.05	.09	.03	.07	.0011
Cocoa.....	.14	.48	1.0	.05	1.1	.04		.0024
Capers.....	.17	.04	.25	.07	.14	.27		
Caraway seed	.9	.4	1.3	.3	1.2	.15		
Carrots.....	.077	.034	.35	.13	.10	.036	.022	.0008
Cauliflower.....	.17	.02	.27	.10	.14	.05	.085	
Caviar.....	.19		.13	1.2	.4	1.8		
Celery.....	.10	.04	.37	.11	.10	.17	.025	.0005
Cheese, hard	1.1	.06	.2	1.	1.45	1.		
Cottage cheese	.3	.015			.5			
Cherries.....	.03	.027	.26	.03	.07	.01		.0005
Cherry juice.....	.025	.02	.15	.02	.03	.004	.006	
Chestnuts.....	.04	.08	.50	.05	.20	.01	.068	.001
Chicory.....	.05	.03	.27	.11	.09	.06		
Chives.....	.20	.05	.33	.04	.20	.04		
Chocolate.....	.14	.48			.90			
Citron.....	.17	.03	.25	.02	.08	.01		
Cocoanut pulp.....	.09	.10	.77	.10	.38	.25		
Codfish ( <i>see</i> Fish)								
Coffee.....	.25	.42	2.3	.08	.054	.04		
Corn, sweet, dried	.03	.20	.5	.2	.8	.05	.16	.0029
sweet, fresh.....	.008	.055	.137	.05	.22	.014	.044	.0008
Corn meal.....	.015	.13	.17	.03	.3		.116	.0011
Crackers, soda	.028	.017	.12		.23		.12	.0015
Cranberries.....	.024	.011	.09	.013	.03		.008	.0006
Cream.....	.14	.02	.15	.06	.18	.1	.03	.0002
Cucumbers.....	.022	.015	.17	.015	.08	.03	.022	

\* Reprinted from The Chemistry of Food and Nutrition, by Henry C. Sherman, by permission of the publishers.

TABLE XX.

## ASH CONSTITUENTS OF FOODS IN PERCENTAGE OF THE EDIBLE PORTION.

*Continued.*

(Compiled from various sources.)

Food.	CaO	MgO	K <sub>2</sub> O	Na <sub>2</sub> O	P <sub>2</sub> O <sub>5</sub>	Cl	S	Fe
Currants, fresh .....	.05	.04	.25	.02	.10	.01	.01	.0005
Zante.....	.14	.08	1.0	.1	.3	.06		
Currant juice.....	.03	.02	.2		.05			
Dandelion greens ...								.0027
Dates.....	.10				.12			.003
Eggs.....	.093	.015	.165	.2	.37	.10	.19	.003
Egg white.....	.015	.015	.19	.21	.03	.15	.196	.0001
Egg yolk.....	.2	.02	.13	.1	1.0	.1	.157	.0085
Endive.....	.14	.02	.45	.15	.10		.03	
Figs, fresh.....	.074	.036	.365	.016	.082	.014		.0008
dried.....	.299	.145	1.478	.064	.332	.056		.0032
Fish, <sup>1</sup> cod.....	.015	.03	.40	.13	.4	.24		.0004
haddock.....	.03	.04	.40	.13	.4	.24	.22	
halibut.....	.013				.4			.0003
herring.....	.08	.05			.55		.23	
herring roe.....	.012	.06						
pike.....	.05	.05	.4	.15	.48	.04	.22	
salmon.....	.011	.05	.32	.17	.42	.28		.0015
Flaxseed.....	.27	.42	1.04	.06	1.30		.17	
Flour ( <i>see under</i> wheat, buckwheat, etc.)								
Gooseberries.....	.05	.02	.21	.03	.65	.01		
Grapefruit.....	.03	.02	.17		.04	.01		.0004
Grapes.....	.024	.014	.25	.03	.12	.01	.024	.0013
Grape juice (and must).....	.021	.016	.20	.01	.04	.01		
Guava.....	.02	.013	.46		.07	.05		
Haddock ( <i>see Fish</i> )								
Halibut ( <i>see Fish</i> )								
Hazelnuts.....								.004
Honey.....	.005	.03	.5		.04	.03		.0010
Horseradish.....	.13	.065	.56	.08	.1	.02	.18	
Huckleberries.....	.035	.025			.07			.0011
Infants' foods <sup>2</sup> .....								
Lamb ( <i>see Meats</i> )....								
Leeks.....	.08	.02	.24	.11	.15	.03	.08	
Lemons.....	.05	.01	.21	.01	.02	.01	.012	.0006
Lemon juice.....	.033	.01	.17	.01	.025	.01		
Lemon, sweet.....	.04	.01	.53		.10	.01		
Lentils.....	.12	.05	.75	.25	.66	.08		.0086
Lettuce.....	.05	.01	.42	.04	.09	.06	.014	.001
Limes.....	.08	.02	.42		.08	.04		
Mamey.....	.02	.02	.42		.06	.14		
Mango.....	.03	.01	.28		.04	.02		
Maple sap.....	.17	.06	.25	.01	.06			

<sup>1</sup> Average fish flesh is calculated to contain *per 100 grams protein* 0.15 gram CaO, 0.2 gram MgO, 2.5 grams P<sub>2</sub>O<sub>5</sub>, 0.004 gram Fe.

<sup>2</sup> Ash analyses, more or less complete, of a number of proprietary foods are given in König's *Chemie der Nahrungs- und Genussmittel*, 4th ed.

TABLE XX.

ASH CONSTITUENTS OF FOODS IN PERCENTAGE OF THE EDIBLE PORTION.

*Continued.*

(Compiled from various sources.)

Food.	CaO	MgO	K <sub>2</sub> O	Na <sub>2</sub> O	P <sub>2</sub> O <sub>5</sub>	Cl	S	Fe
Meat, <sup>1</sup> beef, lean.....	.011	.04	.42	.09	<u>.50</u>	.05	.20	.0038
veal, lean.....	.016	.045	.46	.12	<u>.59</u>	.07	.23	
ox tongue.....	.028	.02	.56	.06	.60			
chicken.....	.015	.06	.56	.13	.58	.06	.216	
pork, lean.....	.012	.046	.34	.13	.45	.05	.20	
ham.....	.032	.04						
rabbit's flesh.....	.026	.05	.48	.07	.58	.05	.20	
frog's flesh.....	.027	.04	.37	.07	.43	.04	.16	
Meat extracts <sup>2</sup>								
Meat sauces								
Milk, cow's.....	.168	.019	.171	.068	<u>.215</u>	.12	.033	.00024
Molasses.....	.9	.3	1.7	.3	<u>.2</u>	.2		
Mushrooms.....	.024	.026	.46	.04	.24	.02	.03	
Muskmelons.....	.024	.020	.283	.082	.035	.041	.014	.0003
Mustard.....	.689	.430	.917	.076	1.729	.016	1.230	
Mutton ( <i>see</i> Meat)								
Oatmeal.....	.13	.212	.458	.109	.872	.035	.215	.0036
Olives.....	.17	.01	1.8	.17	.03	.01		.0029
Onions.....	.06	.03	.23	.02	.12	.02	.06	.0005
Oranges.....	.06	.02	.22	.01	.05	.01	.013	.0003
Orange juice.....	.05	.02	.22	.01	.03	.01		
Paprika.....	.32	.27	2.5	.24	.78	.15		
Parsnips.....	.09	.07	.70	.01	.19	.03		
Peaches.....	.01	.02	.25	.02	<u>.047</u>	.01	.01	.0003
Peanuts.....	.10	.28	.85	.07	.90	.04	.243	.0020
Pears.....	.021	.019	.16	.03	.06			.0003
Peas, dried.....	.14	.24	1.06	.16	.91	.04	.23	.0056
fresh (calc. from								
dried).....	.04	.07	.30	.04	.26	.01	.06	.0016
cow peas, dried....	.18	.21	1.01	.40	1.00	.02		
Persimmons.....	.03	.015	.35	.02	.05	.01		
Pie, mince.....	.04	.04			.2			
squash.....	.03	.02			.15			
Pineapple.....	.02	.02	.38	.02	.06	.05		.0005
juice.....					.02	.05	.007	
Plums.....	.025	.02	.25	.03	.055	.01		.0005
Pork ( <i>see</i> Meat)								
Potatoes.....	.016	.036	.53	.025	<u>.140</u>	.03	.03	.0013
sweet.....	<u>.025</u>	.02	.47	.06	<u>.09</u>	.12		.0005
Prunes, dried.....	.06	.08	1.2	.1	.25	.01	.03	.0029
Pumpkins.....	.03	.015	.08	.08	.11	.01	.02	
Quince juice.....			.18		.035			
Radishes.....	.05	.02	.17	.11	.09	.05	.05	.0006
Raisins.....	.08	.15	1.0	.19	.29	.07	.06	.005
Raspberries.....	.07	.04	.21		.12			

<sup>1</sup> Average meat is calculated to contain *per 100 grams protein* 0.075 gram CaO, 0.2 gram MgO, 2.0 grams K<sub>2</sub>O, 0.4 gram Na<sub>2</sub>O, 2.3 grams P<sub>2</sub>O<sub>5</sub>, 0.2 gram Cl, 0.9 gram S, 0.015 gram Fe.

<sup>2</sup> See König's *Chemie der menschlichen Nahrungs- und Genüßmittel*, 4th ed.

TABLE XX.

ASH CONSTITUENTS OF FOODS IN PERCENTAGE OF THE EDIBLE PORTION.

*Continued.*

(Compiled from various sources.)

Food.	CaO	MgO	K <sub>2</sub> O	Na <sub>2</sub> O	P <sub>2</sub> O <sub>5</sub>	Cl	S	Fe
Raspberry juice.....	.03	.03	.17	.01	.03	.01	.007	
Rhubarb.....	.06	.02	.39	.03	.07	.035		
Rice.....	.012	.045	.084	.028	.203	.05	.105	.0009
Rutabagas.....	.1	.03	.48	.11	.13			
Rye.....	.07	.22	.60	.04	.81	.02	.17	.004
Rye flour.....	.018	.13	.60	.03	.80			
Rye bran.....	.25	1.1	1.9	.1	3.4			
Salsify.....					.12		.04	
Sapato.....	.04	.02	.22		.02	.09	.01	
Soup, canned vegetable.....	.025	.02	.18		.11			
Spinach.....	.09	.08	.94	.20	.13	.02	.041	.0032
Squash.....	.02	.01	.05	.05	.08	.01	.026	.0008
Strawberries.....	.05	.03	.18	.07	.064	.01		.0009
Tamarinds.....	.01	.03			.15	.01	.01	
Tomatoes.....	.020	.017	.35	.01	.059	.03	.02	.0004
Tomato juice.....	.01	.017	.35	.02	.034	.05		
Turnips.....	.089	.028	.40	.08	.117	.04	.07	.0005
Turnip tops.....	.48	.05	.37	.11	.11	.17	.07	
Vanilla (bean).....	1.0	.5	.85	.35	.6	.03		
Veal ( <i>see</i> Meat)								
Vinegar.....	.02	.02	.25		.05			
Walnuts.....	.108	.237	.44	.03	.77	.01	.195	.0021
Water chestnuts.....	.12	.25	.77	.03	.79	.01		
Water cress.....	.26	.05			.07			
Watermelon.....	.02	.02	.09	.01	.02	.01		
Wheat, entire grain.....	.061	.213	.519	.068	.902	.08	.17	.0053
Wheat flour.....	.025	.027	.146	.04	.20	.07	.17	.0015
low grade.....	.04	.07	.23		.37			
Wheat bran.....	.14	.84	1.5	.07	3.0		.26	
Whortleberries.....	.037	.024	.21	.03	.06			
Wine.....	.012	.019	.100	.018	.036	.01		



TABLE XXI.\*

ASH CONSTITUENTS OF FOODS IN GRAMS PER 100 CALORIES OF EDIBLE FOOD MATERIAL.

(Estimated from preceding tables.)

Food.	CaO	MgO	K <sub>2</sub> O	Na <sub>2</sub> O	P <sub>2</sub> O <sub>5</sub>	Cl	S	Fe
Almonds.....	.046	.053	.030	.004	.132	.001	.020	.0003
Apples.....	.022	.022	.237	.03	.05	.006	.008	.0005
Apricots.....	.031	.031	.485	.10	.10	.005	.01	
Asparagus.....	.17	.09	.88	.04	.39	.17	.17	.0043
Bananas.....	.01	.04	.50	.02	.055	.20	.013	.0006
Barley flour, patent					.083		.031	.00028
Barley, pearled	.007	.028	.097	.011	.127	.005		.00036
Beans, dried.....	.063	.072	.401	.074	.326	.008	.063	.0020
lima.....	.028	.087	.59	.092	.219	.007	.045	.00195
string.....	.177	.102	.663	.070	.284		.10	.0038
Beets.....	.06	.071	.965	.21	.19	.08	.032	.0013
Blackberries.....	.13	.059	.33		.13		.02	
Blueberries.....	.060	.020	.07		.03			
Bread, white.....	.011	.011	.04		.075		.05	.0003
"whole wheat".....	.016	.032	.109		.16			.0006
graham.....	.019				.19			.0013
Buckwheat flour	.006	.022	.045	.011	.114	.003		
Butter.....	.003	.0001	.003		.004			
Buttermilk.....	.415	.072	.495	.22	.61	.275		
Cabbage.....	.214	.081	1.425	.16	.28	.09	.22	.0035
Cacao (cocoa)†	.027	.095	.20	.010	.22	.008		.0005
Carrots.....	.168	.074	.765	.28	.22	.078	.048	.0016
Cauliflower.....	.55	.06	.88	.32	.45	.16	.277	
Celery.....	.54	.22	2.00	.60	.54	.9	.13	.0027
Cheese, hard.....	.25	.014	.05	.2	.329	.2		
Cottage cheese.....	.3	.013			.4			
Cherries.....	.04	.034	.32	.04	.09	.01		
Chestnuts.....	.017	.034	.21	.02	.08	.004	.028	.0004
Chocolate.....	.02	.08			.14			
Citron.....	.052	.009	.076	.006	.024	.003		
Cocanut pulp.....	.015	.016	.129	.011	.063	.042		
Corn, green.....	.008	.053	.134	.05	.21	.014	.042	.00075
Corn meal.....	.004	.036	.05	.01	.08		.032	.0003
Crackers, soda.....	.006	.004	.028		.054		.028	.00035
Cranberries.....	.051	.023	.19	.027	.06		.017	.0013
Cream.....	.07	.01	.07	.03	.10	.05	.01	.0001
Cucumbers.....	.12	.09	1.0	.09	.45	.2	.12	
Currants, fresh	.09	.07	.43	.03	.17	.02	.02	.0009
Zante.....	.04	.02	.3	.03	.09	.02		
Dates.....	.03				.03			.001
Eggs.....	.06	.009	.108	.1	.24	.06	.12	.0019
Egg white.....	.028	.028	.355	.395	.05	.28	.370	.0002
Egg yolk.....	.05	.005	.035	.03	.27	.03	.043	.0023
Figs.....	.089	.043	.442	.019	.099	.017		.0010
Fish, cod.....	.021	.04	.57	.18	.6	.34		.0006
haddock.....	.04	.05	.55	.18	.5	.33	.30	
halibut.....	.010				.3			.0002

\* Reprinted from The Chemistry of Food and Nutrition, by Henry C. Sherman, by permission of the publishers.

† General average of samples of beans, nibs, and powdered sample.

TABLE XXI.

ASH CONSTITUENTS OF FOODS IN GRAMS PER 100 CALORIES OF EDIBLE  
FOOD MATERIAL.—*Continued.*

(Estimated from preceding tables.)

Food.	CaO	MgO	K <sub>2</sub> O	Na <sub>2</sub> O	P <sub>2</sub> O <sub>5</sub>	Cl	S	Fe
Fish, herring.....	.05	.03			.38		.16	
pike.....	.06	.06	.5	.19	.60	.05	.27	
salmon.....	.005	.02	.15	.08	.20	.13		.0007
Grapes.....	.024	.014	.25	.03	.12	.01	.024	.0013
Grape juice and must	.021	.016	.20	.01	.04	.01		
Honey.....	.001	.01	.13		.01	.01		.0003
Horseradish.....	.26	.129	.111	.16	.2	.04	.35	
Huckleberries.....	.046	.033			.09			.0014
Leeks.....	.24	.06	.73	.33	.45	.09	.24	
Lemons.....	.12	.02	.46	.02	.04	.02	.027	.0013
Lemon juice.....	.083	.03	.43	.03	.063	.03		
Lentils.....	.03	.01	.21	.07	.18	.02		.0024
Lettuce.....	.26	.05	2.1	.2	.47	.3	.07	.005
Maple sap.....	.06	.02	.09	.003	.02			
Meats, bacon.....	.001	.003			.04			.0002
beef, lean.....	.009	.03	.35	.08	.42	.04	.17	.0032
veal, lean.....	.012	.033	.34	.09	.37	.05	.17	
chicken.....	.007	.03	.24	.06	.25	.02	.08	
ham.....	.005	.014			.18			.0011
frog's flesh.....	.042	.06	.57	.11	.67	.06	.25	
Milk, cow's.....	.239	.027	.243	.097	.303	.17	.047	.00034
Molasses.....	.3	.1	.6	.1	.1	.1		
Mushrooms.....	.053	.057	1.01	.09	.53	.04	.06	
Oatmeal.....	.03	.052	.113	.027	.216	.009	.053	.0009
Olives.....	.06	.003	.6	.06	.01	.003		.0009
Onions.....	.12	.06	.46	.04	.24	.04	.12	.0011
Oranges.....	.11	.04	.42	.02	.09	.02	.025	.0006
Orange juice.....	.12	.05	.51	.02	.07	.02		
Parsnips.....	.14	.11	1.07	.02	.29	.05		
Peaches.....	.02	.05	.60	.05	.113	.02	.02	.0007
Peanuts.....	.018	.049	.152	.012	.160	.007	.043	.00035
Pears.....	.032	.029	.25	.05	.09			.0005
Peas, dried.....	.04	.07	.29	.04	.25	.01	.06	.0015
fresh.....	.032	.054	.29	.01	.24	.01	.06	.0016
Cowpeas.....	.05	.06	.29	.11	.29	.006		
Persimmons.....	.02	.011	.25	.01	.04	.01		
Pie, mince.....	.01	.01			.1			
squash.....	.02	.01			.08			
Pineapple.....	.04	.04	.87	.04	.14	.11		.0011
Plums.....	.029	.02	.029	.03	.064	.01		.0006
Potatoes.....	.019	.042	.63	.030	.166	.04	.04	.0015
sweet.....	.020	.02	.37	.05	.08	.10		.0004
Prunes, dried.....	.02	.03	.4	.03	.08	.003	.01	.0009
Pumpkins.....	.11	.057	.30	.30	.42	.038	.08	
Radishes.....	.17	.07	.57	.37	.30	.17	.17	.0020
Raisins.....	.02	.04	.3	.05	.08	.02	.02	.001
Raspberries.....	.11	.06	.335		.18			
Raspberry juice.....	.08	.08	.45	.03	.08	.03	.019	
Rhubarb.....	.26	.09	1.69	.13	.30	.151		
Rice.....	.003	.013	.023	.008	.057	.01	.029	.0003
Rutabagas.....	.2	.07	1.16	.26	.31			

TABLE XXI.

ASH CONSTITUENTS OF FOODS IN GRAMS PER 100 CALORIES OF EDIBLE  
FOOD MATERIAL.—*Continued.*

(Estimated from preceding tables.)

Food.	CaO	MgO	K <sub>2</sub> O	Na <sub>2</sub> O	P <sub>2</sub> O <sub>5</sub>	Cl	S	Fe
Rye flour.....	.005	.04	.17	.01	.22			
Soup (canned vege- table).....	.18	.15	1.3		.8			
Spinach.....	.37	.33	3.905	.83	.54	.08	.170	.0133
Squash.....	.04	.02	.11	.11	.17	.02	.055	.0017
Strawberries .....	.13	.08	.45	.18	.162	.03		.0023
Tomatoes.....	.087	.074	1.52	.04	.257	.13	.09	.0017
Turnips.....	.222	.070	1.00	.20	.292	.10	.17	.0013
Turnip tops.....	1.00	.10	.77	.23	.23	.35	.14	
Walnuts.....	.015	.033	.061	.004	.108	.001	.027	.00029
Watermelon.....	.06	.06	.29	.03	.06	.03		
Wheat flour.....	.007	.007	.040	.01	.05	.02	.05	.0004
low grade.....	.01	.02	.006		.10			
Whortleberries.....	.043	.028	.24	.03	.07		.02	

## APPENDIX.


### THE EQUIPMENT OF A DIETETICS LABORATORY.

It is essential that laboratory practice with actual food materials accompany instruction in the quantitative aspects of dietetics, and it is advantageous even in considering the qualitative side to present a dietary in concrete form. A place must therefore be provided where weighing and measuring of food materials and cooking and serving of days' rations for individuals and groups can be done by a whole class. The ordinary cooking laboratory can be made to answer the purpose by a few additions to its ordinary equipment, but a room definitely planned for the special problems involved is more satisfactory, and it is hoped that the following description of a laboratory which has been found to meet these needs will be suggestive to others.

The floor plan is shown in the accompanying drawing. The room is thirty-nine feet long and twenty-eight and one-half feet wide, and accommodates a class of thirty students.

One side of the room is occupied by three cooking tables with sinks at each end. These tables have on each side five drawers and five cupboards for utensils, and three deeper drawers for supplies such as flour and sugar. On each table are conveniently arranged five two-burner school stoves, and six Harvard trip scales with brass weights from one gram to five hundred grams. The usual individual arrangement of utensils in the desks has not been followed, owing to the fact that many problems in dietetics involve group work, but the three tables are equipped in identical fashion, so that three groups may prepare at once three family dietaries without students of one group having to go to another table for utensils, thus saving time and avoiding confusion. In each utensil drawer are placed knives, forks, spoons, holders and brushes, towels being provided from a common rack. In each cupboard is a single kind of utensil (or a group of small articles), the contents being plainly indicated on the door. This arrangement not only makes the different articles easy of access but also easy to replace.

The other side of the room is supplied with eight portable oak



G - Refrigerator  
H - China Closets

E - Gas Ranges under hood  
F - Table with Cupboard above

C - Cooking Tables  
D - Blackboard

A - Portable Tables  
B - Instructor's Desk

Floor Plan of a Dietetics Laboratory—Rose.

tables three by four and one-half feet, with a single large drawer in each for storing paper, charts, cook books and other reference material. These tables serve a double purpose, being used for writing in the lecture hour, or for calculations, to which much time must be given in spite of all devices to eliminate mere clerical labor, and also affording space for the proper display of food materials, whether for the simple comparison of standard or 100-Calorie portions or for a critical study of days' rations for several families. The size of the tables makes the system very elastic. In setting out family dietaries one table will accommodate each meal for the group; by putting two together end to end, four individual days' dietaries can be set out parallel for comparison; two set side to side make a dining table of attractive shape for a meal to be eaten by a small group; or three side to side provide a large table of good proportions. For accommodating such a system doilies are more satisfactory than table cloths. Enough linen, silver, glass and china are provided that the whole class can be served in three groups to breakfast, luncheon and dinner at the same time, but no provision is made for elaborate service or fancy cookery.

A large amount of blackboard space is highly desirable for the purpose of recording the results of laboratory experiments or writing the menus and other details of dietaries which are being displayed. In this laboratory a single long board is provided (see drawing). Besides the blackboard a large cork bulletin board behind the instructor's desk affords a place to post charts, dietaries and other data.

The character of the equipment is shown in the following classified lists.

## SILVER.

Forks.....	3½ dozen
Knives.....	2½ dozen
Teaspoons.....	7½ dozen*
Tablespoons.....	5 dozen†
Butter forks.....	¼ dozen
Sugar shells.....	¼ dozen

## LINEN.

Napkins.....	1½ dozen‡
Doilies, round, 6 inches in diameter.....	5 dozen

\* Including 5 dozen in drawers of cooking tables.

† Including 2½ dozen in drawers of cooking tables.

‡ Ordinarily paper napkins are used.

Doilies, round, 10 inches in diameter.....	3 dozen
Doilies, round, 12 inches in diameter.....	½ dozen
Doilies, oval, 8 x 12 inches..	½ dozen
Doilies, oval, 10 x 15 inches..	½ dozen
Lunch cloths, 30 inches square.....	¾ dozen
Towels, hand.....	6 dozen
Towels, dish.....	6 dozen
Dishcloths.....	6 dozen

## CHINA.

Bowls.....	¼ dozen
Butter dishes, individual.....	1½ dozen
Cups and saucers, after dinner coffee.....	1 dozen

Cups and saucers, tea .....	2½ dozen
Oatmeal bowls.....	2½ dozen
Plates, bread and butter.....	3 dozen
Plates, breakfast.....	2½ dozen
Plates, cake.....	¼ dozen
Plates, dinner.....	1 dozen
Plates, tea.....	2½ dozen
Platters, large.....	¼ dozen
Platters, medium.....	¼ dozen
Platters, small.....	¼ dozen
Preserve dishes.....	2 dozen
Tea pots.....	¼ dozen
Tiles.....	¼ dozen
Vegetable dishes, round covered.....	½ dozen
Vegetable dishes, oval uncovered.....	½ dozen

GLASSWARE.

Celery dishes.....	⅙ dozen
Compotes.....	⅙ dozen
Cream pitchers.....	½ dozen
Infants' bottles, 3-ounce.....	1 dozen
Infants' bottles, 6-ounce.....	1 dozen
Infants' bottles, 8-ounce.....	1 dozen
Infants' bottles, 10-ounce.....	1 dozen
Graduated glass cylinders, 16-ounce.....	1 dozen
Jars, wide mouth, screw top, 8-ounce.....	1 dozen
Jars, wide mouth, screw top, 16-ounce.....	1 dozen
Jars, wide mouth, glass stoppers, 32-ounce.....	1 dozen
Jars, wide mouth, glass stoppers, 64-ounce.....	1 dozen
Lemon rimmers.....	¼ dozen
Nappies.....	⅙ dozen
Olive dishes.....	⅙ dozen
Salt and pepper shakers.....	28 pairs*
Sherbet glasses.....	1½ dozen
Sugar bowls.....	½ dozen
Tumblers.....	3 dozen
Vinegar and oil cruets.....	⅓ dozen
Watch glasses, † 3 inches in diameter.....	5 dozen
Watch glasses, 4 inches in diameter.....	5 dozen
Watch glasses, 5 inches in diameter.....	4 dozen
Watch glasses, 6 inches in diameter.....	2 dozen
Water pitchers.....	¼ dozen

CUTLERY AND HARDWARE.

Aluminum baking dishes, ½ pint.....	3
* Including 18 pairs in drawers of cooking tables.	
† For covering food on exhibition.	

Aluminum baking dishes, 1 pint.....	3
Apple corers.....	2
Cake turner.....	1
Can openers.....	2
Carving set.....	1
Chopping knives.....	2
Christy knives.....	3
Cork screws.....	2
Dover beaters.....	15
Food chopper.....	1
Garbage can.....	1
Hammer.....	1
Ice cream freezer, 2 quart.....	1
Ice cream freezer, 4 quart.....	1
Ice picks.....	2
Knives, palette, 5 inches long.....	30
Knives, paring.....	30
Knives and forks, steel.....	30
Milk dippers, Chapin's improved.....	6
Milk sugar dippers.....	2
Nutcracker.....	1
Potato mashers.....	2
Potato ricer.....	1
Screw driver.....	1
Shears.....	1
Shot*.....	15 pounds
Tea balls.....	3
Trays, nickel, 12 inch.....	3

EARTHEN WARE.

Bowls, 1 quart, yellow.....	12
Bowls, 2 quart, yellow.....	12
Bowls, 3 quart, yellow.....	3
Bowls, 4 quart, yellow.....	3
Bowls, 1 pint, white.....	15
Bowls, 1 quart, white.....	15
Casseroles, round covered, 1 quart.....	2
Casseroles, round covered, 1 pint.....	2
Casseroles, individual.....	2
Jars, covered, white, 1 quart	2
Nappies, round, white, 1 pint.....	1
Nappies, round, white, 1 quart.....	1
Nappies, round, white, 2 quart.....	2
Pitchers, 1 pint.....	3
Pitchers, 1 quart.....	3
Pitchers, 2 quart.....	3
Pitchers, 3 quart.....	3
Pitchers, 4 quart.....	3

ENAMELED WARE.

Baking pan, agate, 14 x 9½ inches.....	1
* For counterpoising dishes on scale.	

Baking pan, agate, 16 x 11 inches.....	1
Bowls, white, $\frac{1}{2}$ pint.....	3
Bowls, white, 1 pint.....	3
Colanders, agate, medium.....	3
Coffee pots, white, 8 cups....	3
Custard cups, white.....	36
Dishpans, agate.....	10
Double boilers, agate, 1 quart.....	15
Double boilers, agate, 2 quart.....	3
Double boilers, agate, 3 quart.....	3
Milk pans, agate, $8\frac{1}{2}$ x 2 inches.....	15
Pie pans, white, 10 inch.....	36
Rinsing pans, agate.....	10
Sauce pots, convex, agate, 1 quart.....	7
Sauce pots, convex, agate, 2 quart.....	8
Sauce pans, lipped, agate, 1 pint.....	3
Sauce pans, lipped, agate, 1 quart.....	7
Sauce pans, lipped, agate, 2 quart.....	8
Sink strainers, white.....	6
Soap dishes, white.....	6
Spoons, agate, large.....	3
Tea kettles, agate, 6 quart..	3

## TIN, WIRE AND IRON WARE.

Baking sheets.....	3
Biscuit cutters.....	6
Bottle racks, 9-bottle.....	2
Bottle racks, 4-bottle.....	3
Bread pans, $\frac{1}{2}$ pound loaf.....	2
Bread pans, pound loaf.....	2
Cake pans, shallow loaf.....	2
Cake pans, small layer.....	3
Dust pan.....	1
Egg whips, flat.....	15
Flour boxes.....	15
Flour dredges.....	3
Frying basket and kettle.....	1
Graters, 5 inch.....	6
Grater, nutmeg.....	1
Measuring cups, 4-part.....	30
Measuring cups, 3-part.....	30
Melon mould, 1 quart.....	1
Muffin pans, 6-hole.....	3
Muffin pans, individual.....	24
Pie pans, assorted sizes.....	12
Pan cake griddle.....	1
Pasteurizer, Freeman.....	1
Strainers, soup.....	6

Strainers, small fine mesh....	15
Sugar boxes.....	15

## WOODEN WARE.

Bristle brush, short handle..	1
Butter pats, pairs.....	2
Chopping bowls, round, 2 sizes.....	2
Clothes horse.....	1
Hand scrub brushes.....	30
Knife boards.....	3
Knife box.....	1
Mixing spoons, small.....	36
Pastry brushes.....	6
Rolling pins.....	6
Silver cleaning brush.....	1
Step chair.....	1
Tub, small.....	1

## SCALES.

Harvard trip scales, with brass weights from 1 gram to 500 grams.....	18
Household scales, with weights from $\frac{1}{2}$ ounce to 1 pound.....	1
Food scales (spring scales, capacity 1 kilogram).....	1
Fairbanks platform scales....	1

## STATIONERY.

Dietary forms.....	
Paper squares, 6" x 6" (for scale platforms).....	
Recipe cards.....	

## STOVES.

Fireless cooker.....	1
Gas ranges, 2 ovens each.....	2
School stoves, 2-burner.....	15

## MISCELLANEOUS.

Bottle brushes.....	6
Clothes hamper, square willow.....	1
Dinner wagon.....	1
HOLDERS, asbestos.....	60
Refrigerator.....	1
Silver baskets, straw.....	2
Sterilized cotton, roll.....	1
Thermometers, double scale	2
Trays, white papier maché, 15 x 11 inches.....	3
Waste baskets.....	2
Whisk broom.....	1



## INDEX.

Adults, energy requirement of.....	7	Beef, kidney.....	71, 75, 76
Aged, energy requirement of.....	13	lean.....	111, 114
Almond butter.....	54	liver.....	71, 76
meal.....	54	loin.....	71, 76
Almonds.....	19, 71, 109, 113	lungs.....	76
American pale cheese.....	27	marrow.....	76
Analysis of recipes.....	58	navel.....	76, 77
Angelica.....	54	neck.....	71, 77
Apples.....	19, 20, 71, 109, 113	plate.....	71, 77
Apricots.....	20, 71, 109, 113	porterhouse steak.....	71, 77, 78
dried.....	10	refuse in.....	71
Ash constituents of foods, amounts		rib rolls.....	78
required.....	16	ribs.....	71, 78
elements in.....	1	roast.....	24
functions in body.....	7	round.....	71, 78, 79
how determined.....	4	rump.....	71, 79
in 100-Calorie portions,		shank.....	71, 79
table.....	113	shoulder and clod.....	79, 80
in percentage of edible		sirloin steak.....	71, 80
portion, table.....	109	suet.....	24
Asparagus.....	21, 109, 113	sweetbreads.....	80
Atwater, on metabolism under		tenderloin.....	80
different conditions of activity....	9	tongue.....	71, 80
Atwater and Benedict, hourly		top of sirloin.....	71, 80, 81
factors for energy requirement....	9	Beer.....	109
Bacon.....	21, 71, 114	Beets.....	24, 72, 109, 113
Baked beans, canned.....	75	Black bass.....	71, 109
Bananas.....	21, 71, 109, 113	Blackberries.....	25, 109, 113
Barley, flour.....	113	canned.....	81
pearled.....	22, 109, 113	Blackfish.....	71
Bass, black.....	71, 109	Blueberries, canned.....	81, 109, 113
striped.....	71, 75	Bluefish.....	81
Bean meal, soy.....	54	Bologna sausage.....	72, 100
Beans, baked.....	75	Boston crackers.....	87
butter.....	72	Bouillon.....	81
kidney, canned.....	75	Boys, weight according to age and	
dried.....	54	height.....	12
lima.....	23, 72, 109, 113	Brazil nuts.....	81
dried.....	22, 109	Bread, brown.....	81
soy.....	54	corn.....	81
string.....	23, 72, 109, 113	gluten.....	82
canned.....	75	graham.....	82, 113
white, dried.....	22, 109, 113	rye.....	82
Beef, brisket.....	71	white, cream.....	82
chuck.....	71	milk.....	82
corned.....	71, 75	miscellaneous.....	25, 109, 113
dried.....	23	Vienna.....	82
flank.....	71, 75	whole wheat.....	82, 109, 113
heart.....	71	Breadfruit.....	109
juice.....	75	Brisket, beef.....	71
		Broiled lamb chops.....	34, 35, 71

Brown bread.....	81	Cheese, hard.....	109, 113
sugar.....	102	Neuchatel.....	27
Buckwheat farina and groats.....	83	pineapple.....	84
flour.....	82, 109, 113	Roquefort.....	84
Butter.....	25, 109, 113	Swiss.....	84
almond.....	54	Cherries.....	27, 71, 109, 113
crackers.....	87, 113	candied.....	84
Butterfish.....	83, 109, 113	canned.....	84
Buttermilk.....	83, 109, 113	Cherry juice.....	109
Butternuts.....	71, 83	Chestnuts.....	71, 85, 109, 113
		dried.....	85
Cabbage.....	25, 71, 109, 113	water.....	112
Calcium, body requirement.....	16	Chicken.....	111, 114
occurrence in food and in the		broilers.....	72, 85
body.....	7	gizzard.....	85
Calculation of fuel values.....	52, 54	heart.....	85
of percentage composition of		liver.....	85
food combinations.....	61	Chicory.....	109
of weight of standard or		Children, energy requirement.....	10
100-Calorie portion.....	53, 56	weight according to age and	
Calf's-foot jelly.....	83	height.....	11, 12, 13
Calorie, definition.....	5	Chives.....	109
Candied cherries.....	84	Chocolate.....	27, 109, 113
Canned asparagus.....	21	Chuck, beef.....	71
baked beans.....	75	mutton.....	71, 95
blackberries.....	81	veal.....	72, 104
blueberries.....	81	Citron, dried.....	54, 85, 109, 113
cherries.....	84	Clams, long, in shell.....	86
consomme.....	87	round, in shell.....	86
green corn.....	28	Cocoa.....	28, 109, 113
kidney beans.....	75	Cocoonut pulp.....	109
lamb's tongue.....	93	prepared.....	86
lima beans.....	22	Cocoonuts.....	71, 86
lobster.....	93	Cod.....	86, 110, 113
oysters.....	97	salt.....	86
pears.....	41	boneless.....	28
peas.....	42	steak.....	86
pineapples.....	42	Coffee.....	109
salmon.....	46	Composition of foodstuffs.....	1
sardines.....	47	of food materials used chiefly	
string beans.....	75	by measure, table.....	19
tomatoes.....	48	of food materials used chiefly	
Capers.....	109	by weight, table.....	75
Caraway seed.....	109	of milk in bottle standing	
Carbohydrates, body requirement..	15	12-24 hours, table.....	60
elements in.....	1	Condensed milk.....	36
how determined.....	4	Consommé, canned.....	81
Carrots.....	26, 71, 109, 113	Corn, bread.....	87
Catfish.....	83	canned.....	28
Cauliflower.....	26, 109, 113	dried.....	109
Caviar.....	109	flakes.....	29
Celery.....	26, 71, 109, 113	flour.....	87
Cereal coffee.....	83	green.....	28, 72, 109, 113
Cerealine.....	84	meal.....	29, 109, 113
Cheddar cheese.....	84	Corned beef.....	71, 75
Cheese, American pale.....	27	Cornstarch.....	29
Cheddar.....	84	Cost, blank spaces for recording,	
cottage.....	84, 109, 113	tables.....	19, 75
Fromage de Brie.....	84	Cottage cheese.....	84
full cream.....	84	Cottolene.....	87


Cowpeas, dried.....	111, 114	Figs, fresh.....	110
Cracker meal.....	87	Filberts.....	71, 88
Crackers, butter.....	87, 113	Flaked wheat.....	50
Boston.....	87	Flank, beef.....	71
cream.....	87	mutton.....	71, 95
graham.....	29	veal.....	104
oyster.....	29	Flaxseed.....	110
soda.....	30, 109, 113	Flounder.....	88
water.....	87	Flour, buckwheat.....	82, 109, 113
Cranberries.....	30, 109, 113	entire wheat.....	50
Cream.....	30, 87, 109, 113	gluten.....	89
cheese, full.....	84	graham.....	33
crackers.....	87	rice.....	99
white bread.....	82	rye.....	100, 112, 115
Cucumber pickles.....	87	wheat, roller process.....	50, 112, 115
Cucumbers.....	30, 71, 109, 113	Food, as body-regulating material.....	7
Currant juice.....	110	as building material.....	6
Currants.....	31, 110	as a source of energy.....	5
dried.....	31, 110, 113	factors for fuel value.....	6
Dandelion greens.....	89, 110	Food combinations, food values of.....	54
Dates, dried.....	31, 71, 110, 113	percentage composition of.....	61
Dietary, description of.....	62	Food materials, ash constituents.....	
forms.....	64	in 100-Calorie portions.....	113
score card.....	68	in percentage of edible material.....	109
Doughnuts.....	88	food values, tables.....	19, 75
Dried beans, kidney.....	54	Food requirements, of adults.....	7
lima.....	22, 109	for ash.....	16
white.....	22, 109, 113	for carbohydrates.....	15
Dried beef.....	23	of children.....	10
chestnuts.....	85	for fat.....	15
citron.....	85, 109, 113	for portein.....	14
cowpeas.....	111, 114	of the aged.....	13
currants.....	31, 110, 113	Food values, of a recipe.....	55
dates.....	31, 110, 113	of a single foodstuff.....	52, 55
figs.....	32, 110, 113	of a combination of food materials.....	54
lentils.....	35, 110, 114	Foodstuffs, composition.....	1
peas.....	42, 111, 114	determination of in food materials.....	3
prunes.....	44, 111, 114	distribution in a standard or 100-Calorie portion.....	55
Edible portion, definition.....	2	energy values for.....	6
Eels.....	88	functions of.....	5
Eggplant.....	88	Force.....	33
Eggs, hen's.....	31, 32, 71, 110, 113	Forms, dietary.....	64
white.....	32, 110, 113	food record.....	18
yolk.....	32, 110, 113	recipe card.....	57
Elements in foodstuffs.....	1	score card.....	69
Endive.....	110	Fowl.....	72, 88
Energy, requirement of adults.....	7	Frankfort sausage.....	100
requirement of the aged.....	13	French rolls.....	100
requirement of children.....	10	Frogs' flesh.....	111, 114
unit of measurement.....	5	legs.....	89
Equipment for a laboratory.....	116	Fromage de Brie.....	84
Farina.....	32	Fruits, refuse in.....	71
Fat, body requirement.....	15	Fuel value of food.....	6
elements in.....	1	calculation for a single food material.....	52
how determined.....	4		
Fig bars.....	88		
Figs, dried.....	32, 110, 113		

Fuel, calculation for a combination of food materials.....	54	Kidney, veal.....	104
Full-cream cheese.....	84	Koumiss.....	92
Game, refuse in.....	71	Laboratory equipment.....	116
Gelatin.....	33	Lady fingers.....	34
Ginger, crystallized.....	89	Lamb, breast.....	71, 92
Gingersnaps.....	89	chops, broiled.....	34, 35, 71
Girls, weight according to age and height.....	13	hind leg.....	71, 92
Gizzard, chicken.....	85	loin.....	71, 93
Gluten bread.....	82	neck.....	71, 93
flour.....	89	refuse in.....	71
Goose, young.....	72, 89	shoulder.....	71, 93
Gooseberries.....	110	tongue, canned.....	93
Graham bread.....	82, 113	Lard.....	35
crackers.....	29	Leeks.....	110, 114
flour.....	33	Leg, lamb.....	71, 92
Grams, conversion to ounces, table.....	73	mutton.....	71, 95
Granulated sugar.....	48	veal.....	72, 104, 105
Grapefruit.....	110	Lemon juice.....	35, 110, 114
Grape juice.....	89, 111, 114	Lemons.....	71, 93, 110, 114
Grapenuts.....	34	Lentils.....	35, 110, 114
Grapes.....	33, 71, 110, 114	Lettuce.....	35, 36, 71, 110, 114
Green corn.....	28, 72, 109, 113	Lima beans.....	23, 72, 109, 113
canned.....	28	dried.....	22, 109
Greens, dandelion.....	89, 110	Limes.....	110
Guava.....	110	Liver, beef.....	71, 76
Haddock.....	89, 90, 110, 113	chicken.....	85
smoked.....	90	veal.....	105
Halibut.....	110, 113	Lobster.....	94
smoked.....	90	canned.....	93
steaks.....	90	Loin, beef.....	71, 76
Ham, boiled, smoked.....	34	lamb.....	71, 93
boneless.....	90	mutton.....	71, 95, 96
deviled.....	90	fat-free.....	95
fresh.....	71, 90, 91, 111, 114	pork.....	98
smoked.....	72, 91	veal.....	72, 105
Hazelnuts.....	110	Loquat.....	54
Head cheese.....	91	Lungs, beef.....	76
Heart, beef.....	71	Macaroni.....	36
chicken.....	85	Macaroons.....	94
Hens' eggs.....	31, 32, 71, 110, 113	Mackerel.....	94
Herring.....	92, 110, 114	salt.....	94
smoked.....	91	canned.....	94
Hickory nuts.....	71, 92	Malt breakfast food.....	54
Homemade white bread.....	82	Mamey.....	110
Hominy.....	34	Mango.....	110
Honey.....	92, 110, 114	Maple sap.....	110, 114
Horse-radish.....	110, 114	sugar.....	102
Huckleberries.....	110, 114	syrup.....	102
Infants' foods.....	110	Marrow, beef.....	76
Iron, body requirement.....	16	Meal, cracker.....	87
occurrence in food and in the body.....	7	almond.....	54
Kidney beans, canned.....	75	soy bean.....	54
dried.....	54	Measures and weights of food materials, table for study of.....	19
Kidney, beef.....	71, 75, 76	Meat extracts.....	111
		sauces.....	111
		Men, weight according to age and height, table.....	8

Menus, rules for.....	70	Peas, dried.....	42, 111, 114
Milk, condensed.....	36	green.....	42, 72, 111, 114
modification of.....	59	Pecans.....	71, 97
skimmed.....	36	Peppers, green.....	54
top, composition of.....	59	Percentage composition, in relation	
whole.....	37, 111, 114	to weight.....	51
Modification of milk, top method..	59	of a food mixture, calculation	
Molasses.....	37, 111, 114	tion.....	61
Mushrooms.....	94, 111, 114	Perch, yellow.....	97
Muskmelons.....	27, 111	Persimmons.....	111, 114
Mustard.....	111	Phosphorus, body requirement.....	16
Mutton, chuck.....	71, 95	occurrence in food and in the	
flank.....	71, 95	body.....	7
leg.....	71, 95	Pickarel, pike.....	97
loin.....	71, 95, 96	Pickles, cucumber.....	87
neck.....	71, 96	Pie, mince.....	111
shoulder.....	71, 96	Pigs' feet, pickled.....	97
Navel, beef.....	76, 77	Pike, pickarel.....	97, 110, 114
Neck, beef.....	71, 77	Pineapple cheese.....	84
lamb.....	71, 93	juice.....	98, 111
mutton.....	71, 96	Pineapples.....	43, 111, 114
veal.....	72, 105	canned.....	42
Nectarines.....	96	Pine nuts.....	98
Neuchatel cheese.....	27	Pistachios.....	98
Nitrogen, factor for protein.....	4	Plate, beef.....	71, 77
Nuts, refuse in.....	71	Plums.....	43, 71, 111, 114
Oatmeal.....	96, 111, 114	Pop corn.....	98
Oats, rolled.....	37	Porgy.....	98
Okra.....	72, 96	Pork chops.....	72, 98
Oleomargarine.....	96	fat, salt.....	99
Olive oil.....	38	ham.....	71, 72, 91, 111, 114
Olives, green.....	33, 111, 114	lean.....	111
ripe.....	97	refuse in.....	71
100-calorie portions, weight of,		salt, fat.....	99
tables.....	19, 75	sausage.....	101
method of calculation.....	53, 56	shoulder, smoked.....	72, 99
Onions.....	38, 72, 111, 114	side.....	72, 99
Orange juice.....	97, 111, 114	tenderloin.....	99
Oranges.....	39, 71, 111, 114	Porterhouse steak.....	71, 77, 78
Ounces, conversion to grams, table	74	Potato chips.....	44
Ox tongue.....	111	Potatoes.....	43, 72, 111, 114
Oyster crackers.....	29	sweet.....	44, 111, 114
plant.....	54, 112	Poultry, refuse in.....	72
Oysters, canned.....	97	Pounds, conversion to grams, table	74
in shell.....	39	Protein, as building material.....	6
solids.....	39	body requirement.....	14
Pale cheese, American.....	27	elements in.....	1
Paprika.....	111	how determined.....	3
Parsnips.....	39, 40, 72, 111, 114	nitrogen factor for.....	4
Peaches.....	40, 71, 111, 114	Prunes.....	44, 71, 111, 114
canned.....	40	Pumpkins.....	72, 99, 111, 114
Peanut butter.....	41	Quince juice.....	111
Peanuts.....	40, 41, 71, 111, 114	Rabbit flesh.....	111
Pearled barley.....	22, 109, 113	Radishes.....	45, 72, 111, 114
Pears.....	41, 71, 111, 114	Raisins.....	45, 71, 111, 114
canned.....	41	Raspberries.....	45, 111, 114
Peas, canned.....	42	Raspberry juice.....	99, 112, 114
green.....	42, 111, 114	Recipe, analysis of.....	58

Recipe, model card.....	57	Shrimp, canned.....	101
Refuse, amount in food materials..	71	Side, pork.....	99
Requirements of body, for carbo-		Sirloin steak.....	71, 80
hydrates.....	15	Skimmed milk.....	36
for energy—adults.....	7	Smelt.....	101, 102
children.....	10	Smoked bacon.....	21, 71, 114
the aged.....	13	haddock.....	90
for fat.....	15	halibut.....	90
for protein.....	14	ham, boiled.....	34
Rhubarb.....	46, 72, 112	smoked.....	72, 91
Rib rolls, beef.....	78	herring.....	91
Ribs, beef.....	71, 78	pork shoulder.....	72, 99
veal.....	72, 105, 106	Soda crackers.....	30
Rice.....	46, 112, 114	Soup, canned vegetable.....	112, 115
flour.....	99	Soy bean meal.....	54
Roast beef.....	24	Spinach.....	47, 112, 115
Roe, shad.....	101	Squash.....	72, 102, 112
Rolled oats.....	37	pie.....	111, 114
Rolls.....	100	Standard portions, calculation of..	53, 56
Roquefort cheese.....	84	ash in, table.....	113
Round, beef.....	71, 78, 79	weight of, tables.....	19, 75
Rules for menu.....	70	Starch, corn.....	29
Rump, beef.....	71, 79	Steak, beef.....	77, 78
veal.....	72, 106	cod.....	86
Rutabagas.....	72, 100, 112, 114	halibut.....	90
Rye.....	112	Strawberries.....	48, 71, 112, 115
and wheat bread.....	82	Strawberry juice.....	102
bran.....	112	String beans.....	23, 72, 109, 113
bread.....	82	canned.....	75
flour.....	100, 112, 115	Striped bass.....	71, 75
Salmon.....	100, 110, 114	Sturgeon.....	102
canned.....	46	Suet, beef.....	24
trout.....	103	Sugar, brown.....	102
Salsify.....	54, 112	maple.....	102
Salt cod.....	86	granulated.....	48
boneless.....	28	Sweetbreads.....	80
mackerel.....	94	Sweet potatoes.....	44
canned.....	94	Swiss cheese.....	84
pork, clear fat.....	99	Symonds, relation of weight to	
Saltines.....	47	height.....	8
Sapsato.....	112	Syrup, maple.....	102
Sardines, canned.....	47	Tables—I-II.....	8
Sausage, bologna.....	72, 100	III-V.....	9
Frankfort.....	100	VI.....	10
meat.....	101	VII-IX.....	11
refuse in.....	72	X.....	12
summer.....	72, 101	XI.....	13
Scallops.....	101	XII.....	14
Score card for dietary.....	69	XIII.....	19
Shad.....	101	XIV.....	60
roe.....	101	XV.....	71
Shank, beef.....	71, 79	XVI.....	73
veal.....	72, 106	XVII-XVIII.....	74
Shoulder, beef.....	79, 80	XIX.....	75
lamb.....	71, 93	XX.....	109
mutton.....	71, 96	XXI.....	113
pork, smoked.....	72, 99	Tamarinds.....	112
veal.....	72, 106	Tapioca.....	48
Shredded wheat.....	50	Tenderloin, beef.....	80

Tenderloin, pork.....	99	Von Noorden on energy require- ments of the aged.....	14
Terrapin.....	102	Wafers, vanilla.....	103
Tigerstedt, on food requirements....	10	Walnuts.....	112, 115
Tomatoes.....	49, 112, 115	California.....	49
canned.....	48	black.....	71, 107
Tomato juice.....	112	Water as a constituent of foods.....	3
Tongue, beef.....	71, 80	Water chestnuts.....	112
pickled.....	80	crackers.....	87
lamb, canned.....	93	cross.....	112
ox.....	111	Watermelons.....	107, 112, 115
Top milk, composition of.....	60	Water rolls.....	100
modification of.....	59	Weakfish.....	107
Top sirloin.....	71, 80, 81	Weight, relation to height in adults relation to age and height	8
Tripe.....	103	in children.....	11, 12, 13
Trout, salmon.....	103	Weights and measures of food materials, table for study of	19
Turkey.....	72, 103	of protein, fat and carbohy- drates in any food material..	51
Turnips.....	49, 72, 112, 115	of standard or 100-calorie portion, method of calcu- lation.....	53, 56
tops.....	112, 115	Wheat, bran.....	112
Turtle.....	103	bread, white cream.....	82
Vanilla bean.....	112	graham.....	82, 113
wafers.....	103	home made.....	82
Veal, breast.....	72, 103, 104	milk.....	82
chuck.....	72, 104	miscellaneous.....	25, 109, 113
flank.....	104	whole wheat.....	82, 109, 113
kidney.....	104	Vienna.....	82
leg.....	72, 104, 105	cracked.....	107
lean.....	111, 114	entire grain.....	112
liver.....	105	flour, roller process.....	50, 112
loin.....	72	whole wheat.....	50
neck.....	72, 105	Whitefish.....	108
refuse in.....	72	Whortleberries.....	112, 115
ribs.....	72, 105, 106	Wine.....	112
rump.....	72, 106	Yeast, compressed.....	108
shank.....	72, 106	Zwiebach.....	50
shoulder.....	72, 106, 107		
Vegetables, refuse in.....	72		
Vienna rolls.....	100		
white bread.....	82		
Vinegar.....	112		
Von Noorden on energy require- ments of adults.....	9		











THIS BOOK IS DUE ON THE LAST DATE  
STAMPED BELOW

**AN INITIAL FINE OF 25 CENTS**

WILL BE ASSESSED FOR FAILURE TO RETURN  
THIS BOOK ON THE DATE DUE. THE PENALTY  
WILL INCREASE TO 50 CENTS ON THE FOURTH  
DAY AND TO \$1.00 ON THE SEVENTH DAY  
OVERDUE.

JUL 29 1940

MAY 7 1941 M

MAR 30 1942 U

11

YC 93612

369460

TX  
551  
R74.

**THE UNIVERSITY OF CALIFORNIA LIBRARY**

